

เอกสารอ้างอิง

1. Foster S. 101 Medicinal herbs : an illustrated guide. Interweave Press. Loveland. 1999:170-1.
2. Huang KC. The pharmacology of Chinese herbs. 2nd ed. CRC Press. N.Y. 1999:118-20.
3. Ody P. The complete medicinal herbal. Dorling Kindersley. N.Y. 1993:178.
4. NAPRALERT DATABASE profile for *Ganoderma lucidum*, University of Illinois, Chicago.
5. Wu TS, Shi LS, Kuo SC, et al. Platelet aggregation inhibitor from *Ganoderma lucidum*. J Chin Chem Soc (Taipei) 1997;44(2):157-61.
6. Kim BK, Cho HY, Kim JS, et al. Studies on constituents of the cultured mycelia of *Ganoderma lucidum*. Saengyak Hakhoechi 1993;24(3):203-12.
7. Gonzalez AG, Leo'n F, Rivera A, et al. Lanostanoid triterpenes from *Ganoderma lucidum*. J Nat Prod 1999;62:1700-1.
8. Furusawa E, Chou SC, Furusawa S, et al. Antitumour activity of *Ganoderma lucidum*, and edible mushroom, on intraperitoneally implanted lewis lung carcinoma in synergenic mice. Phytother Res 1992;6:300-4.
9. Yun TK, Kim SH, Lee YS. Trial of a new medium-term model using benzo (a) pyrine induced lung tumor in newborn mice. Anticancer Res 1995;15(3):839-45.
10. Wang SY, Hsu ML, Hsu HC, et al. The antitumor effect of *Ganoderma lucidum* is mediated by cytokines released from activated macrophages and T lymphocytes. Int J Cancer 1997;70(6):699-705.
11. Toth JO, Luu B, Ourisson G. Ganoderic acid T and Z : cytotoxic triterpenes from *Ganoderma lucidum* (Polyporaceae). Tetrahedron Lett 1983;24(10):1081-4.
12. Min BS, Gao JJ, Nakamura N, et al. Triterpenes from the spores of *Ganoderma lucidum* and their cytotoxicity against Meth-A and LLC tumor cell. Chem Pharm Bull 2000;48(17):1026-33.
13. Lin CN, Tome WL, Won SJ. Novel cytotoxic principles of Formosan *Ganoderma lucidum*. J Nat Prod 1991;54(4):998-1002.
14. Lee S, Park S, Oh JW, et al. Natural inhibitors for protein prenyltransferase. Planta Med 1998;64:303-8.
15. Kim SW, Kim ES. Studies on the immunomodulating effects of polysaccharide extracted from *Ganoderma lucidum* on macrophage. Han'guk sikh'um Yongyang Kwahak Hoechi 1977;26 (1):148-53.
16. Oh JY, Cho KJ, Chung SH, et al. Activation of macrophages by GLB, a protein-polysaccharide of the growing tips of *Ganoderma lucidum*. Yakhak Hoechi 1998;42(3):302-6.

17. Kim SW, Kim ES, Kim YS. Polysaccharide extracted from *Ganoderma lucidum*. Han'guk Yongyang Siklyong Hakhoechi 1995;24(1):147-53.
18. Zhang H, Xu Y, Yang X, et al. Protective effect of *Ganoderma lucidum* against adriamycin-induced cytotoxicity in rats. Shanghai Yike Daxue Xuebao 1997;24(6):437-40.
19. Chung KS, Kim SB, Chung SH. Immunoactivities of the protein-polysaccharides of the tips of the growing carpophores of *Ganoderma lucidum*. Yakhak Hoechi 1997;41(1):105-110.
20. Lei L, Lin Z, Chen Q, et al. Antagonistic effect of *Ganoderma lucidum* polysaccharides on the immunosuppressive response induced by cyclosporin A, hydrocortisone, and antitumor agents. Zhongguo Yaolixue Yu Dulixue Zazhi 1993;7(3):183-5.
21. Chen WC, Hao DM. Effects of *Ganoderma lucidum* on cellular immunocompetence in γ -irradiated mice. Phytother Res 1995;9:533-5.
22. Chu F, Luo H, Luo G, et al. Protection of nucleated bone marrow cells of mice against the effect of radiation-induced micronucleus formation with polysaccharides extracted from Zizhi (*Ganoderma*). Fushe Fanghu 1998;8:16-20.
23. Haak-Fredescho M, Kino K, Sone T, et al. Ling Zhi-8: A novel T cell mitogen induces cytokine production and upregulation of ICAM-I expression. Cell Immunol 1993;150(1):101-13.
24. Cao R, Hou G, Jiang Q, et al. Immune regulation by *Ganoderma lucidum* polysaccharide (GLP) in mice. Shandong Yike Daxue Xuebao 1993;31(4):287-90.
25. Kino K, Yamashita A, Yamaoka K, et al. Isolation and characterization of a new immunomodulatory protein, Ling Zhi-8 (LZ-8), from *Ganoderma lucidum*. J Biol Chem 1989;264(1):472-8.
26. Meiji Milk Products Co., Ltd. Novel glycoprotein of *Ganoderma* mycelia, production process there of, and immunosuppressive agent containing same as effective ingredient. Eur Pat Appl EP 288,959, 1998, Jpn Pat Appl 87/106,025, 1987.
27. Zhang L, Wang H, Wang L, et al. Immunological effect of *Ganoderma lucidum* spore extract *in vivo* and *in vitro*. Zhongguo Mianyixue Zazhi 1994;10(3):169-72.
28. Chen Q, Li R, He Y, et al. Studies on anti-aging polysaccharides : GLB and GLC of *Ganoderma lucidum* . Beijing Yike Daxue Xuebao 1993;25(4):303-5.
29. Wang J, Zhang J, Chen W. Study on the action of *Ganoderma lucidum* on scavenging hydroxyl radicle from plasma. J Tradit Chin Med 1985;5(1):55-60.
30. Lin JM, Lin CC, Chen MF, et al. Radicle scavenger and antihepatotoxic activity of *Ganoderma formosanum*, *Ganoderma lucidum* and *Ganoderma neo-japonicum*. J Ethnopharmacol 1995;47:33-41.

31. Kim KS, Kacew S, Lee BM. *In vitro* chemopreventive effects of plant polysaccharides (*Aloe barbadensis* miller, *Lentinus edodes*, *Ganoderma lucidum* and *Coriolus versicolor*. *Carcinogenesis* 1999;20(8):1637-40.
32. Kim KC, Kim IG. *Ganoderma lucidum* extract protects DNA from strand breakage caused by hydroxyl radicle and uv irradiation. *Int J Mol Med* 1999;4(3):273-7.
33. Song HC, Yang BK, Ra KS, et al. Hepatoprotective effect of extracellular polymer produced by submerged culture of *Ganoderma lucidum* WK-003. *J Microbiol Biotechnol* 1998;8(3):277-9.
34. Lee MK, Kim HP, Lee JW, et al. Hepatoprotective effect of G009 on CCl₄-induced hepatotoxicity in primary cultured rat hepatocytes. *Yakhak Hoechi* 1998;42(1):108-113.
35. Park EJ, Ko G, Kim J, et al. Dose-dependent antifibrotic effect of polysaccharide from mycelium of *Ganoderma lucidum* on liver biliary cirrhosis in rats. *Yakhak Hoechi* 1997;41(2):220-4.
36. Park EJ, Ko G, Kim J, et al. Antifibrotic effects of polysaccharide extracted from *Ganoderma lucidum*, glycyrrhizin, and pentoxifylline in rats with cirrhosis induced by biliary obstruction. *Biol Pharm Bull* 1997;20(4):417-20.
37. Advance Co., Ltd. Isolation of ganodosterone and ganoderic acids as liver function stimulants. *Jpn Kokai Tokkyo Koho JP 62,270,595 [87,270,595]*, 1987.
38. Kim DH, Shim SB, Kim NJ, et al. Beta-glucuronidase-inhibitory activity and hepatoprotective effect of *Ganoderma lucidum*. *Biol Pharm Bull* 1999;22(2):162-4.
39. Chen RY, Yu DQ. Studies on the triterpenoid constituents of the spores from *Ganoderma lucidum* Karst. *J Chin Pharm Sci* 1993;2(2):91-6.
40. Palagavong Na Ayudhya P. The study on some factors affecting mycelial growth and the some biological effects of the extracts of *Ganoderma lucidum*. MS Thesis (Environmental Biology), Faculty of Graduate Studies, Mahidol University, 1991.
41. Lee SY, Rhee HM. Cardiovascular effects of mycelium extract of *Ganoderma lucidum* : Inhibition of sympathetic outflow as a mechanism of its hypotensive action. *Chem Pharm Bull* 1990;38(5):1359-64.
42. Kabir Y, Kimura S, Tamura T. Dietary effect of *Ganoderma lucidum* mushroom on blood pressure and lipid levels in spontaneously hypertensive rats (SHR). *J Nutr Sci Vitaminol* 1998;34(4):433-8.
43. Asahi Breweries LTD. Extraction of antihypertensive lanostane derivatives from mushrooms. *Jpn Kokai Tokkyo Koho 62 67,025*. 1985.

40 - 42
0. 624

44. Morigiwa A, Kitabatake K, Fujimoto Y, et al. Angiotensin converting enzyme-inhibitory triterpenes from *Ganoderma lucidum*. *Chem Pharm Bull* 1986;34(7):3025-8.
45. Wu TS, Shi LS, Kuo SC, et al. Platelet aggregation inhibitor from *Ganoderma lucidum*. *J Chin Chem Soc (Taipei)* 1997;44(2):157-61.
46. Kawagishi H, Fuguhara F, Sazuka M, et al. 5'-Deoxy-5'-methylsulphinyladenosine, a platelet aggregation inhibitor from *Ganoderma lucidum*. *Phytochemistry* 1993;32(2):239-41.
47. Shimizu A, Yano T, Saito Y, et al. Isolation of an inhibitor of platelet aggregation from a fungus, *Ganoderma lucidum*. *Chem Pharm Bull* 1985;33(7):3012-5.
48. Su Y, Shiao MS, Wang T. Differential effects of ganodermic acid S on the thromboxane A₂-signaling pathways in human platelets. *Biochem Pharmacol* 1999;58(4):587-95.
49. Shiao MS, Lin LJ, Yeh SF, et al. Structures, biosynthesis and biological functions of oxygenated triterpenoids in *Ganoderma lucidum*. *Chung Yang Yen Chiu Yuan Chih Wu Yen Chiu So Chuan K'an* 1989;9 (Phytochem Ecol):235-43.
50. Hikino H, Konno C, Mirin Y, et al. Oriental medicines. Part 91. Antidiabetes drugs, part 9. Isolation and hypoglycemic activity of ganoderans A and B, glycans of *Ganoderma lucidum* fruit bodies. *Planta Med* 1985;4:339-40.
51. Hikino H, Ishiyama M, Suzuki Y, et al. Mechanism of hypoglycemic activity of ganoderan B: A glycan of *Ganoderma lucidum* fruit bodies. *Planta Med* 1989;55(5):423-8.
52. Tomoda M, Gonda R, Kasahara Y, et al. Antidiabetic drugs. Glycan structures of ganoderans B and C, hypoglycemic glycans of *Ganoderma lucidum* fruit bodies. *Phytochemistry* 1986;25(12):2817-20.
53. Kimura Y, Okuda H, Arichi S. Effects of extracts of *Ganoderma lucidum* on blood glucose level in rats. *Planta Med* 1988;54(4):290-4.
54. Hikino H, Mizuno T. Hypoglycemic actions of some heteroglycans of *Ganoderma lucidum* fruit bodies. *Planta Med* 1989;55(4):385.
55. Toyo Yakushohu Kogyo K.K; Koshiro, C., and Co., Ltd. Isolation of polysaccharides from *Ganoderma lucidum* as hypoglycemics. *Jpn Kokai Tokkyo Koho JP 60,184,025 [85,184,025]*. 1985.
56. Kino K, Mizumoto K, Sone T, et al. An immunomodulating protein, Ling Zhi-8 (LZ-8) prevents insulinitis in non-obese diabetic mice. *Diabetologia* 1990;33(12):713-8.
57. Koyama K, Imaizumi T, Akiba M, et al. Antinociceptive components of *Ganoderma lucidum*. *Planta Med* 1997;63:224-7.

58. Kim HW, Shim MJ, Choi EC, et al. Inhibition of cytopathic effect of human immunodeficiency virus-1 by water soluble extract of *Ganoderma lucidum*. Arch Pharmacol Res 1997;20(5):425-31.
59. Eo SK, Kim YS, Lee CK, et al. Antiviral activities of various water and methanol soluble substances isolated from *Ganoderma lucidum*. J Ethnopharmacol 1999;68:129-36.
60. Eo SK, Kim YS, Lee CK, et al. Antiherpetic activities of various protein bound polysaccharides isolated from *Ganoderma lucidum*. J Ethnopharmacol 1999;68:175-81.
61. Meiji Milk Prod Co, Ltd. Anti-retrovirus drugs. Jpn Pat 2032026, 1990.
62. Jong SC, Birmingham JM. Medicinal benefits of the mushroom *Ganoderma*. Adv Appl Microbiol 1992;37:101-34.
63. Kim MJ, Kim HW, Lee YS, et al. Studies on safety of *Ganoderma lucidum*. Koren J Mycol 1986;14(1):49-60.
64. Hijikata Y, Yamada S. Effect of *Ganoderma lucidum* an postherpetic neuralgia. Am J Chin Med 1998;26(3-4):375-81.
65. Kanmatsuse K, Kajiwara N, Hayashi K, et al. Studies on *Ganoderma lucidum* I. Efficacy against hypertension and side effects. Yakugaku Zasshi 1985;105(10):942-7.
66. Tao J, Feng KY. Experimental and clinical studies on inhibitory effect of *Ganoderma lucidum* on platelet aggregation. J Tongji Med Univ 1990;10(4):40-3.
67. Fu H, Wang Z. The clinical effects of *Ganoderma lucidum* spore preparations in 10 cases of atrophic myotonia. J Tradit Chin Med 1982;2(1):63-5.
68. Li Y. Oral liquids containing *Ganoderma lucidum* extracts for eyesight improvement. CN 1,097,627, 1995.
69. Wasser SP, Weis AL. Therapeutic effects of substances occurring in higher Basidiomycetes mushrooms : a modern perspective. Crit Rev Immunol 1999;19(1):65-96.
70. Yun TK. Update from Asia. Asian studies on cancer chemoprevention. Ann N Y Acad Sci 1999;889:157-92.
71. Nimmannit U. Liposomes containing extract from Ling-Zhi. Thai J Pharm Sci 1999;23 (Suppl.) 34.

เอกสารอ้างอิง (เรียง 1/1)

1. สุวิทย์ อารีกุล, พิมพ์พรรณ เกิดอุดม. ชาญณรงค์ แสงหิรัญ และคณะ. การศึกษาส่วนประกอบทางเคมีและการเป็นพิษของเมล็ดเนียง. วิทยาสารเสนารักษ์. 2524; 34(6): 309-14.
2. นันทวัน บุญยประภัศร อรนุช โชคชัยเจริญ, บรรณารักษ์. สมุนไพร...ไม้พื้นบ้าน เล่ม 1. พิมพ์ครั้งที่ 1. กรุงเทพฯ: บริษัท ประชาชน จำกัด, 2541; 758-9.
3. นันทวัน บุญยประภัศร, บรรณารักษ์. จุลสารข้อมูลสมุนไพร. กรุงเทพฯ: หน่วยบริการฐานข้อมูลสมุนไพร สำนักงานข้อมูลสมุนไพร คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล, 2533; 7(1): 20-2.
4. ล้นทม จอนจวบทรง, บรรณารักษ์. ไม้พื้นบ้าน (ภาคใต้) ทางเลือกในการผลิตและการบริโภค. พิมพ์ครั้งที่ 1. กรุงเทพฯ: โรงพิมพ์องค์การสงเคราะห์ทหารผ่านศึก, 2537; 56-9.
5. ประยงค์ เวชวินชนอง. ลูกเนียงและ Djemkolism. สงขลานครินทร์เวชสาร มหาวิทยาลัยสงขลานครินทร์. สงขลา: 2532; 7(3): 288-90.
6. ยุทธิชัย เกษตรเจริญ, วัฒนา วัฒนายากร, สุรินทร์ เสรีกุล และคณะ. รายงานผู้ป่วยที่เกิดภาวะ djemkolism จากการรับประทานลูกเนียง. วารสารกรมแพทย์. 2528; 10(9); 651-6.