

References ๑๗ ๑๙/๑

1. นพพร สายัมพล เรวดี เลิศฤทัยโยธิน รั้งสฤษฏ์ การีตี๊ะ (บรรณาธิการ). พีชเศรษฐกิจ กรุงเทพฯ: เท็กซ์ แอนด์ เจอร์นัล พับลิเคชั่น จำกัด.2542:471 หน้า.
2. นันทวัน บุญยะประภัศร อรณัฐ โชคชัยเจริญพร. สมุนไพรไม้พื้นบ้าน (1). กรุงเทพฯ: ประชาชน จำกัด.2539:895 หน้า.
3. Singh VK, Ali ZA. Folk medicines of aligarh (Uttar pradesh), India. Fitoterapia 1989;60 (6):483-90.
4. สุนทรี สิงหนุตตรา. สรรพคุณสมุนไพร 200 ชนิด. กรุงเทพฯ: ศุภาลัย มีเดีย จำกัด.2542:260 หน้า.
5. Bellakhdar J, Claisse R, Fleurentin J, et al. Repertory of standard herbal drugs in the moroccan pharmacopoea. J Ethnopharmacol 1991;35(2):123-43.
6. Zargari A. Medicinal Plants. Vol 3, 5th (ED.). Tehran University publications, No 1810/3, Tehran, Iran,1992. Book3 1992:889pp.
7. John D. One hundred useful raw drugs of the Kani tribes of Trivandrum forest division, Kerala, India. Int J Crude Drug Res 1984;22(1):17-39.
8. AL-Khalil S. A survey of plants used in Jordanian traditional medicine. Int J Pharmacog 1995;33(4):317-23.
9. Das VS, Rao KN, Rao JV. Phenolic acids in some members of Pedaliaceae. Curr Sci 1966;35:160.
10. Harburne JB, Williams CA. Comparative biochemistry of flavonoids. XIII. 6-hydroxyluteolin and scutellarein as phyletic markers in higher plants. Phytochemistry 1971;10:367-78.
11. Morita N. The flavonoid of sesame leaves. I. The strucutre of the glycoside, pedalin. Chem Pharm Bull 1960;8:59-65.
12. Kawagishi S, Oosawa T, Katsuzaki H. Pinoresinol glycoside, sesame seed extract containing the glycoside, and its use for preventing oxidation of lipids. Patent: Japan Kokai Tokkyo Koho – 06 116,282.1994:5pp.
13. Kato MJ, Chu A, Davin LB, et al. Biosynthesis of antioxidant lignans in *Sesamum indicum* seeds. Phytochemistry 1998;47(4):583-91.
14. Yamashita K, Iizuka Y, Imai T, et al. Sesame seed and it lignans produce marked enhancement of vitamin E activity in rats fed a low alpha-tocopherol diet. Lipids 1995;30(11):1019-28.

15. Sugano M, Inoue T, Koba K, et al. Influence of sesame lignans on various lipid parameters in rats. *Agr Biol chem* 1990;54(10):2669-73. (m2b418)
16. Nagabhushanam A, Srimivasan M, Subrahmanyam V. Breakdown and synthesis of sesamol in the sesame seed (*Sesamum indicum*). *J Sci Ind Res-C* 1956;15:283-4.
17. Katsuzaki H, Kawakishi S, Osawa T. Sesaminol glucosides in sesame seeds. *Phytochemistry* 1994;35(3):773-60.
18. Kuriyama K; Tsuchiya K, Murui T. Generation of new lignan glucosides during germination of sesame seeds. *Nippon Nogei Kagaku Kaishi* 1995;69(6):685-93.
19. Kang SS, Kim JS, Jung JH. NMR assignments of two furofuran lignans from sesame seeds. *Arch Pharm Res* 1995;18(5):361-3.
20. Bedigian D, Seigler DS, Harlan JR. Sesamin, sesamol and the origin of sesame. *Biochem Syst Ecol* 1985;13(2):133-9.
21. Osawa T, Nagata M, Namiki M. Sesamolol, a novel antioxidant isolated from sesame seeds. *Agr Biol Chem* 1985;49(11):3351-52.
22. Murui T, Ide A. Anticarcinogenic glycosides with aglycones extracted from sesame seeds. Patent :Japan Kokai Tokkyo Koho 62 238,287.1987:6pp.
23. Padilla SP, Soliven FA. Chemical analysis for possible sources of oils of forty five species of oil-bearing seeds. *Philippine Agr* 1933;22:408.
24. Odumodu CU. Antinutrients content of some locally available legumes and cereals in Nigeria. *Trop Geograph Med* 1992;44(3):260-3.
25. Dey PM. Biosynthesis of plenteose in *Sesamum indicum*. *Febs Lett* 1980;114:153-6.
26. Kama-Eldin A, Appelquist LA, Yousif G, et al. Seed lipids of *Sesamum indicum* and related wild species in Sudan. The Sterols. *J Sci Food Agr* 1992;59(3):327-34.
27. Fitelson J. The occurrence of squalene in natural fats. *J Ass Offic Agr Chem* 1943;26:506-11.
28. Anon. Final report on the safety assessment of sesame oil. *J Amer Coll Toxicol* 1993;12(3):261-77.
29. Lopez Lopez C, Villegas VL, De La Paz M, et al. *Sesamum indicum* seeds. II. Chemical composition of the extracted oil. *An Asoc Quim Argent* 1974;62:301.
30. Oezcan M, Akguel A. Some compositional characteristics of sesame seed and oil. *Turk J Agr For* 1995;19(1):59-65.

31. Barve JA, Kane JG. Sesame oil from west bengal and ASSA. J oil Technol Ass India 1963;18:261.
32. Kato Y, Ueta E, Kyoko T, et al. Asarinin in sesame oil. Pharmazie 1980;12:808-9.
33. Anon. Essential oil extract of sesame. Parfums Cosmet Aromes 1993;111:52-4.
34. Yoshida M, Kashimoto T. Determination of sesamin in sesame oil. Osaka – Furitsu Koshu Eisei Kenkyusho Kenkyu Hokoku Shokuhin Eisei Hen 1979;10:41-6.
35. Adriani W. Sesamin and sesamolin. Z Unters Lebensm 1928;56:187.
36. Yoshida M, Kashimoto T, Determination of sesamolin, sesamin and sesamol in sesame oil by high – performance liquid chromatography. Shokuhin Eiseigaku Zasshi 1982;23:142-8.
37. Neering H, Vitanyl BEJ, Malten KE, et al. Allergens in sesame oil contact dermatitis. Acta Derm 1975;55:31-4.
38. Mannan A, Ahmad K. Studies on Vitamin E in Foods of East Pakistan. Pak J Biol Agr Sci 1966;9:13.
39. Hassan Gilani AU, Aftab K. Pressence of acetylcholine-like substance (s) in *Sesamum indicum*. Arch Pharm Res 1992;15(1):95-8. (K07510)
40. Matsumura Y, Kita S, Tanida Y, et al. Antihypertensive effect of sesamin III. Protection against development and maintenance of hypertension in stroke-prone spontaneously hypertensive rats. Biol Pharm Bull 1998;21(5):469-73. (S05556)
41. Rajamohan T, Kurup PA. Lysine : arginine ratio of a protein influenes cholesterol metabolism. Part 1-studies on sesame protein having low lysine arginine ratio. Indian J Exp Biol 1997;35(11):1218-23.
42. Satchithanandam S, Chancerbhan R, Kharroubi AT, et al. Effect of sesame oil an serum and liver lipid profiles in the rat. Int J Vitam Nutr Res 1996;66(4):386-92.
43. Hirata F, Fujita K, Ishikura Y. Hypocholesterolemic effect of sesame lignan in humans. Atherosclerosis (Shannon, Irel) 1996;122(1):135-6. (150349)
44. Anila L, Vijayalakshmi NR. Beneficial effects of flavonoids from *Sesamum indicum*, *Emblica officinalis* and *Momordica charantia*. Phytother Res 2000 Dec;4(8):592-5. (5 In pub med)
45. Kabelitz G. Comparative studies on the behavior of the alimentary lipemia, cholestgerol and blood sugar after loading with one synthetic and two natural food fats. Arch Ges Physiol 1944;247:593-9.

46. Yanagisawa F, Ogasawara K, Bushimata K. Biochemical studies on plant oils. II. Hypocholesterolemic action. Tokyo Toritsu Eisei Kenkyushyo Kenkyu Nempo 1967;1967(9):90-6.
47. Chavali SR, Utsonomyia. Antiinflammatory and protective effects of feeding sesame oil enriched diets to mice after cecal ligation and puncture. Immune Consequences Trauma shock Sepsis Mech Ther Approaches [Int Congr] 3rd 1994;2(Pt2):920-4. (1170815)
48. DiMeglio PJ. Tolnaflate – containing antifungal nail oil composition. US US 4,810,498 1989;4pp.
49. Okada N, Takebayashi K, Kawashima A. A triterpene, its manufacture, and cancer inhibitors containing triterpenes. Jpn Kokai Tokkyo Koho JP 06,329,590 [94,329,590] 1994:9pp. 116831
50. Mimura A, Takebayashi K, Niwano M, et al. Antioxidative and anticancer components produced by cell culture of sesame. ACS Symp Ser 1994;547:281-94.
51. Kamei H, Koide T, Kojima T, et al. Suppression of growth of cultured malignant cells by allomelanins, plant-produced melanins. Cancer Biother Radio Pharm 1997;12(1):479.
52. Murui T, Ide A. Anticarcinogenic glycosides with aglycones extracted from sesame seeds. Jpn Kokai Tokkyo Koho JP 62,238,287 [87,238,287] 1987:6pp.
53. Salerno JW, Smith DE. The use of sesame oil and other vegetable oils in the inhibition of human colon cancer growth in vitro. Anticancer Res 1991;11(1):209-15.
54. Mc Brayer BW. Sesame nematocidal composition. Patent US 4,442,092 ;1982:4pp.
55. Ruan CC, Liang Y, Liu JL, et al. Antimutagenic effect of eight natural foods on moldy foods in a high liver cancer incidence area. Mutat Res 1992; 279(1):35-40.
56. Reviei E. Composition for treatment of alcoholism and poisoning. Ger Offen 2,741,698;1978:12pp.
57. เนตา เกตุมาศข. งานและประโยชน์น้ำมันงา. วารสารวิทยาศาสตร์ 2530;41(4,5,6):222-3.
58. Sarui K. Therapy of hemorrhoids and neuralgia. Jpn Tokkyo Koho Jp 58 07,295 [83 07,295] 1983;5pp. CA 98 : 204425d
59. Fukuda Y, Osawa T, Namiki M, et al. Studies on antioxidative substances in sesame seed. Agr Biol Chem 1985;49(2):301-6. T 10320
60. Yamashita K, Iizuka Y, Namiki M. Interaction of tocopherol homologs, sesamol, and vitamin C. Bitamin E Kenkyu no Shinpo 1995;5:45-50.

61. Osawa T, Katsuzuki H, Kumon H, et al. Protective role of phenolic antioxidants in dietary plants against oxidative
62. Mohamed HMA, Awatif II. The use of sesame oil unsaponifiable matter as a natural antioxidant. *Food Chem* 1998;62(3):269-76.
63. Tewari PV, Mapa HC, Chaturvedi C. Experimental study on estrogenic activity of certain indigenous drugs. *J Res Inidan Med Yoga Homeopathy* 1976;11:7-12.
64. Yamashita K, Iizukz Y, Imai T, et al. Effects of sesame containing feed on localization of tocopherol in rats. *Bitamin E Kenkyu No Shinpo* 1966;6:122-7. 183710
65. Yamashita K. Synergistic effect of sesame lignans and tocopherols. *Food Free Radicals [Proc.Symp]1st* 1994:101-12. (180695)
66. Lebas F, Cousin MC, Sardi G. Growth performances of the rabbit as affected by the protein level of soybean or sesame diets. *Ann Zootech* 1973;22(1):83-92. CA : 64960b
67. Gran CR, Kratzer FH, Asmundson VS. The lysine requirements of poults and chicks. *Poultry Sci* 1946;25:529-30. CA 40:6951⁴
68. Alfonsi M. Method for treating hair growth. *Fr Demande Fr* 2,498,928 1982:5pp.
69. Alfonsi M. Antibaldness scalp-treating lotions. *Fr Demande Fr* 2,070,045;1969:3pp.
70. Kubo M, Matsuda H, Fukui M, et al. Development studies of cuticle drugs from natural resources. I. Effect of crude drug extracts on hair growth in mice. *Yakugaku Zasshi* 1988;108(10):971-8.
71. Roulier V, Daubige T. Cosmetic compositions in soft paste form containing high melting point ingredients. *Eur Pat Appl EP* 745,376;1996:7pp.
72. Kato H, Iwamoto S. Sesame oil-containing bases for cosmetic preparations. *Jpn Kokai Tokkyo Koho JP* 06 93,284 [94 93,284] 1994:4pp.
73. Inaba A, Kuryama K, Murui T. Lignan glycosides as skin cosmetics. *Jpn Kokai Tokkyo Koho JP* 09 95,417 [97 95,417] 1997:17pp. 164259
74. Kuriyama K, Hisano N, Yoshino S. Topical compositions containing lignan glycosides and anti-inflammatories. *Jpn Kokai Tokkyo Koho JP* 10 279,468 [98 279,468] 1998:11pp. H 18561
75. Kuriyama K, Hisano N, Yoshino S. Topical compositions containing lignan glycosides and sequestering agents. *Jpn Kokai Tokkyo Koho JP* 10 279,459 [98 279,459] 1998:8pp. 184501

76. Kuriyama K, Hisano N, Watanabe Y, et al. Topical compositions containing lignan glycosides and sequestering agents. Jpn Kokai Tokkyo Koho JP 10 279,485 [98 279,485] 1998:8pp. 184502
77. Kuriyama K, Hisano N, Watanabe Y, et al. Antiaging cosmetics containing lignan glycosides and cell activators and/or moisturizers. Jpn Kokai Tokkyo Koho JP 10 279,463 [98 279,463] 1998:15pp. 184795
78. Kuriyama K, Yoshino S, Hotta S, et al. Antiaging cosmetics containing lignan glycosides and active oxygen scavengers. Jpn Kokai Tokkyo Koho JP 10 279,461 [98 279,461] 1998:13pp. 184448
79. Kuriyama K, Hisano N, Watanabe Y, et al. Skin-lightening cosmetics. Jpn Kokai Tokkyo Koho JP 10 279,428 [98 279,428] 1998:8pp.
80. Kuriyama K, Hisano N, Watanabe Y, et al. Skin-lightening cosmetics containing lignan glycosides and tyrosinase inhibitors. Jpn Kokai Tokkyo Koho JP 10 279,462 [98 279,462] 1998:13pp.
81. Katayama Y. Increase containing pyrethroids and sesame lees for controlling insects. Jpn Kokai Tokkyo Koho JP 09 40,503 [97 40,503] 1997:3pp.
82. Kagi MK, Wuthrich B. Falafel burger anaphylaxis due to sesame seed allergy. Ann Allergy 1993;71(2):127-9.
83. Park W-O, Yul L, Sung N-E. Toxic effect of sesame hulls in the diet of albino rats. Hanguk Sikp'um Kwahakhoe Chi 1974;6(3):147-57.
84. Eberlein-Konig B, Rueff F, Przybilla B. Generalized urticaria caused by sesame seeds with negative prick test results and without demonstrable specific ige antibodies. J Allergy Clin Immunol 1995;96(4):560-1.
85. Stern A, Wuthrich B. Non-ige-mediated anaphylaxis to sesame. Allergy 1998;53 (3):325-6.