

1. Holttum RE. The Zingiberaceae of the Malay Peninsula. The Gorgen's Bulletin. Singapore 13 (1);1950:249.
2. Ibrahim H, Jansen P.C.M. 1996. *Curcuma xanthorrhiza* Roxburgh ใน : Flach, M & Rumawas, F. (Editors): ทรัพยากรพืชในภูมิภาคเอเชียตะวันออกเฉียงใต้ ลำดับที่ 9. พืชที่ให้คาร์โบไฮเดรตที่ไม่ใช่เมล็ด. สหนิมิตพรินติ้ง นนทบุรี หน้า 97-9
3. เทพพนม เมืองแมน, ภรณ์ หวังธำรงวงศ์, อรษา สุดเธียรกุล และคณะ. คู่มือสมุนไพรรักษาโรคตามกลุ่มอาการ. กรุงเทพฯ คณะสาธารณสุขศาสตร์ มหาวิทยาลัยมหิดล, 2533:190 หน้า.
4. เขาวน กสิพันธุ์. ตำราเภสัชศึกษา. กรุงเทพฯ : สมาคมเภสัชกรรมไทยโบราณ, 2522:408 หน้า.
5. ลัดดาวัลย์ บุญรัตน์กรกิจ, ถนอมจิต สุภาวิตา. ชื่อสมุนไพรและประโยชน์. กรุงเทพฯ : คณะเภสัชศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย : 107 หน้า.
6. สมาคมโรงเรียนแพทย์แผนโบราณ สำนักวัดพระเชตุพนวิมลมังคลาราม. ประมวลสรรพคุณยาไทย (ภาคสาม) ว่าด้วยพฤกษชาติวัตถุธาตุและสัตว์วัตถุนานาชาติ. กรุงเทพฯ : ไพศาลบุการพิมพ์, 2520:200 หน้า.
7. Jentzsch K, Spiegl P, Kamitz R, Qualitative and quantitative studies of Curcuma dyes in different Zingiberaceae drug. 2. Sci Pharm 38;1970:30.
8. Masuda T, Isobe J, Jitoe A, et al. Antioxidative curcuminoids from rhizomes of *Curcuma xanthorrhiza*. Phytochemistry 31(10):1992:3645-7.
9. Uehara SI, Yasuda I, Akiyama K, et al. Diarylheptanoids from the rhizomes of *Curcuma xanthorrhiza* and *Alpinia officinarum*. Chem Pharm Bull 35(8):1987;3298-3304.
10. Suksamrarn A, Eiamong S, Piyachaturawat P. Phenolic diarylheptanoids from *Curcuma xanthorrhiza*. Phytochemistry 36(6);1994:1505-8.
11. Ma XZ, Yu XB, Han J. Application of off-line supercritical fluid extraction-gas chromatography for the investigation of chemical constituents in *Curcuma zedoaria* Phytochem anal 6 (6):1995:292-6.
12. Uehara SI, Yasuda I, Takeya K, et al. Bisabolane sesquiterpenoids from the rhizomes of *Curcuma xanthorrhiza* (Zingiberaceae).
13. Uehara SI, Yasuda I, Takeya K, et al. New bisabolane sesquiterpenoids from the rhizomes of *Curcuma xanthorrhiza* (Zingiberaceae) II. Chem Pharm Bull 38(1);1990:261-3.
14. Yasni S, Imaizumi K, Sin K. Identification of an active principle in essential oils and hexane soluble fractions of *Curcuma xanthorrhiza* Roxb showing triglyceride-lowering action in rats. Food Chem Toxicol 32(3);1994:273-8.
15. Itokawa H, Hirayama F, Funakoshi K, et al. Studies on the antitumor bisabolane sesquiterpenoid isolated from *Curcuma xanthorrhiza*. Chem Pharm Bull 33(8);1985;3488-92.

16. Claeson P, Panthong A, Tuchinda P, et al. Three non-phenolic diarylheptanoids with anti-inflammatory activity from *Curcuma xanthorrhiza*. *Planta Med* 59(5);1993:451-4.
17. Gupta SK, Banerjee AB, Achari B. Isolation of ethyl P-methoxycinnamate, The major antifungal principal of *Curcuma zedoaria*. *Lloydia* 39(4);1976:218.
18. Gruenwald J, Brendler T, Jaenicke C. PDR. For Herbal Medicines New jersey. Medical Economics Company, Inc; 2000:239-40.
19. Hwang JK, Shim J-S, Baek N-I. Xanthorrhizal : A potential antibacterial agent from *Curcuma xanthorrhiza* against *Steptococcus mutans* *Plants Med* 66;2000:196-7.
20. Kurokawa M, Ochiai H, Nagasaka k, et al. Antiviral traditional medicines against Herpes simplex virus (HSV-I), Poliovirus, and Measles virus in vitro and their therapeutic efficacies for HSV-I intection in mice *Antiviral Res* 22(2/3);1993;175-88.
21. วันดี อวิรุทธ์นันท์, แม้นสรวง วุฒิอุดมเลิศ.ฤทธิ์ต้านเชื้อราของพืชสมุนไพร.วารสารเภสัชศาสตร์ มหาวิทยาลัยมหิดล 10(3);2536.
22. Pandji C, Grimm C, Wray V. Insecticidal constituents from four species of the Zingiberaceae. *Phytochemistry* 34(2);1993:415-9.
23. Yukihiro O. Antiinflammatory effect of *Curcuma xanthorrhiza* Roxb. And its active principles. *Chem Pharm Bull* 38(4);1990:1045-8.
24. Claesan P, Pangrayoon U, Sematong T, et al. Non-phenolic linear diarylheptanoids from *Curcuma xanthorrhiza*. A novel type of tropical anti-inflammatory agent. Structure activity relationship. *Planta Med* 62(3);1996:236-40.
25. Ozaki Y. Anttinflammatory effect of *Curcuma xanthorrhiza* Roxb. And its active principle. *Chem Pharm Bull* 38(4);1990:1045-8.
26. Haginiwa J, Harada M, Morishita I. Pharmacological studies on crude drugs. VII. Properties of essential oil components of aromatics and their pharmacological effec on mouse intestine. *Yakugaku Zasshi* 83;1963:624.
27. Masuda T, Isoba J, Jitoe A. Antioxidative curcuminoids from rhizomes of *Curcuma xanthorrhiza*. *Phytochemistry* 31(10);1992;3645-7.
28. Yamazaki M, Maebayashi Y, lwase N, et al. Studies on pharmacologically active principles from Indonesian crude drugs I. Principle prolonging pentobabital-induced sleeping time from *Curcuma xanthorrhiza* Roxb. *Chem Pharm Bull* 36(6);1988:2070-4.
29. Yamazaki M, Maebayashi Y, lwase W. Studies on pharmacologically active principle from Indonesian crude drugs II. Hypothermic principle from *Curcuma xanthorrhiza* Roxb. *Chem Pharm Bull* 36(6);1986:2075-8.
30. Charoenpibonsin J. Study on Hypocholesterolemic Effect of *Curcuma xathorrhiza* in Rats and Hamsters. Master thesis Mahidol University;1993.

31. Budhidjaya P. Effects of Curcuminoid from *Curcuma xanthorrhiza* Roxb on total cholesterol, triglyceride and HDL-cholesterol levels of Hyperlipidemic rabbit blood. Thesis-MS-Dept Pharm-Fac Math & Sci – Univ Padjadjaran-Indonesia;1988.
32. Nasser A. Effects of the water extract of *Curcuma xanthorrhiza* Roxb. On total cholesterol, triglyceride and HDL-cholesterol levels of hyperlipidemic rabbit blood. Thesis-MS-Dept Pharm Fac Math & Sci-Univ Padjadjaran-Indonesia;1987.
33. Yasni S, Imaizumi K, Nakamura M. Effects of *Curcuma xanthorrhiza* Roxb and curcuminoids on the level of serum and liver lipids, serum apolipoprotein A-I and lipogenic enzymes in rat. Food Chem Toxicol 31(3);1993;213-8.
34. Yasni S, Imaizumi K, Sugano M. Effect of an Indonesian medicinal plant, *Curcuma xanthorrhiza* Roxb on the levels of serum glucose and triglyceride, fatty acid desaturation, and bile acid excretion in streptozotocin-induced diabetic rats.
35. Ozaki Y, Soedigdo S. Cholagogic Effect Of Zingiber Plants Obtained From Indonesia. Shoyakugaku Zasshi 42(4); 1988: 333-336
36. Ozaki Y, Liang Ob. Cholagogic Action Of The Essential Oil Obtained From *Curcuma Xanthorrhiza* Roxb. Shoyakugaku Zasshi 42(4); 1988: 257-263
37. Ozaki Y, Masatoshi H. Cholagogic Action Of The Essential Oil Obtained From Indonesian Medicinal Plants. Jap J Pharmacol Suppl 36;1984: 91p-.
38. Lin S-C, Teng C-W, Lin C-C, et al. Protective and therapeutic effect of the Indonesian medicine herb *Curcuma xanthorrhiza* on Beta-D-galactosamine-induced liver damage. Phytotherapy Research Vol 10;1996;131-5.
39. Dirsch VM, Stupper H, Vollmar AM. The griess assay : suitable for a bio-guided fractionation of anti-inflammatory plant extracts. Planta Med 64(5);1998;423-6.
40. Rana AC, Avadhoot Y. Experimental evaluation of hepatoprotective activity of *Gymnema sylvestre* and *Curcuma zedoaria*. Fitoterapia 63(1),1992;60-2.
41. Yuningsih S. Effects of water extract of *Curcuma xanthorrhiza* Roxb. on SGOT and SGPT levels – qualitative test of rabbit blood infected by hepatitis B virus. Thesis-MS-Dept Pharm-Fac Math & Sci-Inst Tech Bandung – Indonesia,1987.
42. Sedarnawat Y, Kiyotaka Y, Hiroshi O. Dietary *Curcuma xanthorrhiza* Roxb. increases mitogenic responses of splenic lymphocytes in rats, and alters populations of the lymphocytes in mice. J Nutr Sci Vitaminol 39(4)1993:345-54.
43. Vimala S, Norhahnom AW, Yadav M. Anti-tumor promoter activity in Malaysian ginger rhizobia used in traditional medicine. Brit J Cancer 80(1/2);1999;110-6.
44. Nikawa M, Wui AF, Sato T, et al. Effects of Chinese medicinal plant extracts on mutagenicity of TRP-P-1 Nat Med 49(3);1995;329-31.

45. Otake T, Mori H, Morimoto M, et al. Screening of Indonesian plant extracts for anti-human immunodeficiency virus-type1 (HIV-1) activity. *Phytother Res* 9(1);1995;6-10.
46. Kusumoto IT, Kakiuchi N, Hattori M, et al. Screening of some Indonesian medicinal plants for inhibitory effects on HIV-1 protease. *Shoyakugaku Zasshi* 46(2);1992;190-3.
47. Tanaka N, Shibata Y. Skin-lightening cosmetics containing extract of *Curcuma xanthorrhiza* or related plants. *Jpn Kokai Tokkyo Koho JP 09 20,635 [97 20,635]*, 1997:8pp.
48. Gansar R, Piyachaturawat P. Stimulatory effect of *Curcuma xanthorrhiza* Roxb. on bile secretion. Mahidol University annual research Vol.18;1991.
49. Bhakum OS, Dhar ML, Dhar MM, et al. Screening of Indian plants for biological activity. Part II. *Indian J Exp Biol* 7;1969:250-62.
50. Jurgens Tm, Frazier Eg, Schaeffer Jm et al. Novel Nematocidal Agents From *Curcuma comosa*. *J Nat Prod* 57(2); 1994: 230-235
51. Piyachaturawat P, Gansar R, Suksamrarn A. Choloretic Effect Of *Curcuma Comosa* Rhizome Extracts In Rats. *Int J Pharmacog* 34 (3); 1996: 174-178
52. Suksamrarn A, Eiamong S, Piyachaturawat P et al. A Phloracetophenone Glucoside With Choloretic Activity From *Curcuma comosa*. *Phytochemistry* 45(1); 1997: 103-104
53. Piyachaturawat P, Ercharuporn S, Suksamrarn A. Uterotrophic Effect Of *Curcuma comosa* In Rats. *Int J Pharmacog* 33 (4); 1995: 334-338
54. อนุกุล สวัสดิ์พานิชย์. ผลของสารสกัดด้วยเอธานอลจากว่านขี้แมดลูกต่อการหดตัวของกล้ามเนื้อดลูกหนูขาวทั้งภายในและที่แยกออกจากร่างกาย (Effects of ethanol extract from *Curcuma comosa* Roxb. on the contraction of intact and isolated rat uterus). *จุฬาลงกรณ์มหาวิทยาลัย: รวมบทความอภินิพนธ์ ปี 2537*
55. Piyachaturawat P, Timinkul A, Chuncharunee A et al. Growth Suppressing Effect Of *Curcuma comosa* Extract On Male Reproductive Organs In Immature Rats. *Pharmaceutical Biol* 36 (1); 1998: 44-49
56. Piyachaturawat P, Timinkul A, Chuncharunee A et al. Effect Of *Curcuma comosa* Extract On Male Fertility In Rats. *Pharmaceutical Biol* 37 (1); 1999: 22-27
57. Piyachaturawat P, Teeratagolpibal N, Toskulkao C. Hypolipidemic Effect Of *Curcuma comosa* In Mice. *Artery* 22(5); 1997: 233-241
58. Piyachaturawa P, Charoenpiboonsin J, Toskulkao C et al. Reduction Of Plasma Cholesterol By *Curcuma comosa* Extract In Hypercholesterolaemic Hamsters. *J Ethnopharmacol* 66 (2); 1999: 199-204