

## เอกสารอ้างอิงชิงแก้อาเจียน จุลสาร 20/1

1. จุฑามณี จารุจินดา จงจิตร อังคทะวานิช ลีนจี หวังวีระ และคณะ บรรณาธิการ.ความก้าวหน้าของยาที่ใช้ในระบบทางเดินอาหาร. กรุงเทพฯ:คณะเภสัชศาสตร์มหาวิทยาลัย, 2532, หน้า209-31.
2. Holtman S, Clarke AH, Scherer H, Hohn M. The anti-motion sickness mechanism of ginger. A comparative study with placebo and dimenhydrinate. *Acta Otolaryngol.* 1989; 108(3-4): 168-74.
3. Ernst E, Pittler MH. Efficacy of ginger for nausea and vomiting: a systematic review of randomized clinical trials. *Brith J Anaesth* 200;84(3):367-71.
4. Niebyl JR. Drug therapy during pregnancy. *Current Opinion in Obstetrics & Gynecology.* 1992; 4(1): 43-7.
5. Fischer-Rasmussen W, Kjaer SK, Dahl C, *et al.* Ginger treatment of hyperemesis gravidarum. *Eur J Obstet Gynecol Reprod Biol.* 1991;38:19-24.
6. Sharma SS, Kochuphillai V, Gupta S.K, *et al.* Antiemetic efficacy of ginger *Zingiber officinale* against cisplatin-induced emesis in dog. *J Ethnopharmacology.* 1997; 57: 93-96.
7. Bone MB, Wilkinson DJ. Ginger root-a new antiemetic. The effect of ginger root on postoperative nausea and vomiting after gynecological surgery. *Anaesthesia.* 1990; 45: 669-71.
8. Phillips S, Ruggier R, Hutchinson SE. *Zingiberaceae officinale* (ginger) an antiemetic for day case surgery. *Anaesthesia.* 1993; 48(12): 715-7.
9. Visalyputra S, Petcpaisit N, Somcharoen K, *et al.* The efficacy of ginger root in the prevention of postoperative nausea and vomiting after outpatient gynecological laparoscopy. *Anaesthesia.* 1998; 53(5): 506-10.
10. นันทวัน บุญยะประภัศร อรณัฐ โชคชัยเจริญพร บรรณาธิการ. สมุนไพรไม้พุ่มบ้าน เล่ม 1. กรุงเทพฯ:บริษัท ประชาชนจำกัด, 2539, หน้า496.
11. สุนทรี่ สิงหนุตตรา.สรรพคุณสมุนไพร 200 ชนิด. บริษัท ศุภาลักษณ์ มีเดีย จำกัด. พ.ศ.2541, 113-5.
12. Weidner MS, Sigwart K. Investigation of the teratogenic potential of a *Zingiber officinale* extract in the rat. *Reproduct Toxicol* 2001;15(1):75-80.
13. Runnebaum B, Rabe T, Kiesel L, *et al.* Biological evaluation of some medicinal plant extracts for contraceptive efficacy in females. *Future aspects in contraceptive part 2. Female contraception*, MTP Press.Ltd., Boston, USA, 1984,p115-28.
14. Wilkinson JM. Effect of ginger tea on the fetal development of sprague-dawley rats. *Reproduct Toxicol* 2000;14(6):507-12.

15. Weidner MS, Sigwart K. Investigation of the teratogenic potential of a *Zingiber officinale* extract in the rat. *Reproductive Toxicology*. 2001; 15(1): 75-80.
16. สมใจ นครชัย บรรณารักษกร. การศึกษาต่อเนืองยาป้องกันการอาเจียนจากเคมีบำบัด. สารคลังข้อมูลยา, ภาควิชาเภสัชวิทยา คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล, 1(3), หน้า 9-16.
17. Kawai T, Kinoshita K, Koyama K. Anti-emetic principles of *Magnolia obovata* bark and *Zingiber officinale* rhizome. *Planta Med*. 1994; 17-20.
18. Darrick SHLK, Dong-seon K, Marissa NO. Shogaols from *Zingiber officinale* protect IMR 32 human neuroblastoma and normal human umbilical vein endothelial cells from  $\beta$ -amyloid (25-35) insult. *Planta Med* 2002;68:375-6.
19. Yamahara J, Huang QR, Masatsugu I, et al. Active component of ginger exhibiting antiserotonergic action. *Phytother. Res*. 1989; 3(2): 70-1.
20. Panthong A, Tejiasen P. Study of the effects action of ginger (*Zingiber officinale* Roscoe) on motility of the intact intestine in dogs. *Chiang Mai Medicinal Bulletin*. 1975; 14(3): 221-32.
21. Yang Y, Kinoshita K, Koyama K. et al. Structure-antiemetic-activity of some diarylheptanoids and their analogues. *Phytomedicine: International Journal of Phytotherapy and Phytopharmacology*. 2002; 9(2): 146-52.
22. Fulder S, Tenne M. Ginger as an antinausea remedy in pregnancy; the issue of safety. *Herbalgram* 1991;38:47-50.
23. Seukawa M, Ishige A, Yuassa K, et al. Pharmacological studies on ginger. I. Pharmacological actions of pungent constituents 6-gingerol and 6-shogaol. *J Pharm Dyn* 1984;71(1):110-1.
24. Mascolo N, Jain R, Jain SC, et al. Ethnopharmacologic investigation of ginger (*Zingiber officinale*). *J Ethnopharmacol* 1989;27(1/2):129-40.
25. Aswal BS, Bhakuni DS, Goel AK, et al. Screening of Indian plants for biological activity: Part X. *Indian J Exp Biol* 1984;22(6):312-32.
26. Woo WS, Lee EB, Han BH. Biological evaluation of Korean medicinal plants. III. *Arch Pharm Res* 1979;2:127-31.
27. Hantrakul M. Study of the acute toxicity and cardiovascular effects of ginger (*Zingiber officinale* Roscoe) Thesis MS. Chiangmai Univ. Thailand, 1975:71pp.
28. Hantrakul M, Tejasen P. Study of the acute toxicity and cardiovascular effects of ginger (*Zingiber officinale* Roscoe). *Thai J Pharm Sci* 1976;517-30.
29. Emig HM. The pharmacological action of ginger. *J Amer Pharm Ass* 1931;20:114-6.

30. ถุฑี สุราฤทธิ์ สุวรรณภา อุกฤษภมวัฒน์ เทอดพงษ์ ตีร์รัตน์. ผลของสารสกัดจากพืชบางชนิดต่อเซลล์ไฟโบรblastของเหงีอก. การประชุมวิชาการวิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย ครั้งที่ 19, วันที่ 27-29 ตุลาคม, สงขลา, 2536:434-5.
31. Weidner MS, Sigwart K. The safety of a ginger extract in the rat. J Ethnopharmacol 2000;73:513-20.
32. Nagabhushanb M, Amonkar AJ, Bhide SV. Mutagenicity of gingerol and shogaol and antimutagenicity of Zingerone in *Salmonella* microsome assay. Cancer Lett 1987; 36(2): 221-33.
33. Nakamura H, Yamamoto T. Mutagen and anti-mutagen in ginger, *Zingiber officinale*. Mut Res 1982;103:119-26.
34. Ramos Ruiz A, De la torre RA, Alonso N, et al. Screening of medicinal plants for induction of somatic segregation activity in *Aspergillus indulus*. J Ethnopharmacol 1996;52(3):123-7.
35. Morimoto I, Watanabe F, Osawa T, et al. Mutagenicity of crude drugs with *Bacillus subtilis* rec-assay and *Salmonella*/microsome assay. Mutat Res 1982;97:81-102.
36. Chang IM, Guest IC, Lee-Chang J, et al. Assay of potential mutagenicity and antimutagenicity of Chinese herbal drugs SOS chromotes (*E. coli* PQ37) and SOS UMU test (*S. typhimorium*, TA 1535/psk 1002). Proc First Korea-Japan Toxicology Symposium Safety Assessment of Chemical in vitro 1989;133-45.
37. Mahmoud I, Alkofahi A, Abdelaziz A. . Mutagenic and toxic activities of several species and some Jordanian medicinal plants. Int J Pharmacog 1992;30(2):81-5.
38. Pang HA, Lee YW, Suh NJ, ChangIM. Toxicology study on Korean tea materials: screening of potential mutagenic activities by using SOS-chromototest. Korean J Pharmacog 1990;21(1):83-7.
39. Lee HK, Kim YK, Roh JK. Effect of bacterial growth-inhibiting ingredients on the Ames mutagenicity of medicinal herbs. Muta Res 1987;192:99-104.
40. Sakai Y, Nagase H, Ose Y, et al. Effects of medicinal plant extracts from Chinese herbal medicines on the mutagenic activity of Benzo[a]pyrene. Muta Res 1988;206(3):327-34.
41. Ungsurungsie M, Suthienkul O, Paovalo C. Mutagenicity screening of popular Thai spices. Food Chem Toxicol 1982;20:527-30.
42. Leamworapong C. Effect of a food preservation nitrite on mutagenicity of Thai medicinal plants using the Ames test. MS of Science Thesis, Faculty of graduate studies, Mahidol Univ, 1990.
43. Alkofahi A, Batshoun R, Owais W, et al. Biological activity of some Jordanian medicinal plant extracts. Part II. Fitoterapia 1997;68(2):163-8.

44. Schimmer O, Kruger A, Paulini H, Haefele F. an evaluation of 55 commercial plant extracts in the Ames mutagenicity test. *Pharmazie* 1994;49(6):448-51.
45. Hosono A, Suzuki H, Otani H. Mutagenicities of selected spices and desmutagenic compound in regard to spice-induced mutagenicity. *JPN J Zootech Sci* 1987;58(5):413-20.
46. Farag SE, Abo-Zeid M. Degradation of the natural mutagenic compounds safrole in spices by cooking and irradiation. *Die Nahrung* 1997;41(6):359-61.
47. Nakamura H, Yamamoto T. The active part of the [6]-gingerol in mutagenesis. *Mutation Research* 1983;87-94.
48. Lee E, Surh YJ. Induction of apoptosis in HL-60 cells by pungent vanilloids, [6]-gingerol and [6]-paradol. *Cancer Lett.* 1998; 163-8.
49. Iwu MM(ed). *Handbook of African Medicinal Plants*. CRC Press, Boca Raton, FL,1993.
50. Backon J. Ginger as antiemetic:possible side effects due to its thromboxane synthetase activity. *Anaesthesia* 1991;46:705-6.
51. Lumb AB. Effect of dried ginger on human platelet function. *Thromb Haemost* 1994;71(1):110-1.
52. Anon. *Rhizoma Zingiber*. WHO Monographs on Selected Medicinal Plants. Volume I, WHO, Geneva, Switzerland 1999.
53. Stager J, Wuthrich B, Johansson SGO. Spice allergy in celery-sensitive patients. *Allergy* 1991;46(6):475-8.
54. Seetharam KA, Pasricha JS. Condiments and contact dermatitis of the finger-tips. *Indians J Dermatol Venereol Leprol* 1987;53(6):325-8.
55. Langner E, et al. Ginger:history and use. *Adv Ther* 1998;15(1):25-44.
56. Blumenthal M, et al. *German commission E Monographs: Therapeutic Monographs on Medicinal Plants for Human Use*. Austin, Texas: American Botanical Council. 1997.
57. Greunwald J, Brendler T, Jaenicke C,et al. (Eds.) *PDR for Herbal Medicines (2<sup>nd</sup> Edition)*. Montvale. New Jersey: Medical Economic Company,2000:858pp.
58. Desai HG, Kalro RH, Choksi AP. Effect of ginger & garlic on DNA content of gastric aspirate. *Ind J Med Res* 1990;92:139-41.