

เอกสารอ้างอิง

1. อรพรรณ มาตังคสมบัติ การศึกษาถึงฤทธิ์ของยาหอมชนิดต่างๆที่มีขายในประเทศไทยต่อความดันโลหิตและการทำงานของหัวใจในคนและสัตว์ รายงานผลการวิจัยภายใต้ทุนอุดหนุนของสภาวิจัยแห่งชาติ ประจำปี 2516.
2. มนัส หวังหมัด, กัลยา อนุลักขณาปกรณ และ กมล สวัสดิ์มงคล. การศึกษาฤทธิ์บำรุงหัวใจของยาหอม. ว. กรมวิทย์. พ. 2529;427-35.
3. ม.ล. ปุณทริกา ณ พัทลุง และ กมล สวัสดิ์มงคล. ฤทธิ์ของยาหอมต่อการเต้นของหัวใจห้องบนของหนูขาว กองวิจัยและพัฒนาสมุนไพร กรมวิทยาศาสตร์การแพทย์ 2538.
4. สุจิตรา ทองประดิษฐ์โชติ, ยูวดี วงษ์กระจ่าง, วิศุตา สุวิทยาวัฒน์, จรุงจันทร์ กิจผาติ, คณิต อธิสุข. การศึกษาความเป็นพิษของยาหอม วารสารสมุนไพร 2542; 6(1):1-10.
5. Suvitayavat W, Tunlert S, Thirawarapan SS, Kitphati C and Bunyapraphatsara N. Actions of Ya-hom on: I. Isolated rat aortic ring and atrial contraction. (Submitted to Phytomedicine)
6. Thirawarapan SS , Tunlert S, Suvitayavat W, Kitphati C and Bunyapraphatsara N. Actions of Ya-hom on: II. Blood pressure in rats with intravenous administration. (preparation of manuscript).
7. Thirawarapan SS , Nernpermpisooth N, Suvitayavat W, Kitphati C and Bunyapraphatsara N. Actions of Ya-hom on: III. Blood pressure in rats with oral administration. (preparation of manuscript).
8. ศรศิริ ประพฤติธรรม อภิญญา วิริยารัมภานนท์. ผลต่อระบบไหลเวียนโลหิตของยาหอมในคน โครงการพิเศษของการศึกษาตามหลักสูตรปริญญาเภสัชศาสตรบัณฑิต คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล; 2543
9. ภาวิณี ชมศิริ, ภาวิณี พุดเขียว. ผลต่อระบบไหลเวียนโลหิตของยาหอมในคน โครงการพิเศษของการศึกษาตามหลักสูตรปริญญาเภสัชศาสตรบัณฑิต คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล; 2544.
10. Suvitayavat W, Kodchawongs J, Thirawarapan SS, Kitphati C and Bunyapraphatsara N. Actions of Ya-hom on: IV . Gastric secretion in rats. (preparation of manuscript).

เอกสารอ้างอิง

1. Lan C, Harper T, Georges K, Bridgewater E. Medicinal and ethnoveterinary remedies of hunters in Trinidad. BMC Complement Altern MED 2001;1(1):10. (In.2)
2. Lan C, Harper T, Georges K, Bridgewater E. Medicinal plants used for dogs in Trinidad and Tobago. Prev Vet Med2000;45(3-4):201-20. (In.8)
3. Yu J, Chen KJ. Clinical observations of aids treated with herbal formulas. Int J Orient Med1989;14(4):189-93. (M21453)
4. กองกานดา ชยามฤต. สมุนไพรไทย ตอนที่ 4. กรุงเทพฯ:หจก.ชุดิมาการพิมพ์, 2528:515 หน้า.(ref.1)
5. เชาวน์ กลิพันธุ์. ตำราเภสัชศึกษา. กรุงเทพฯ:สมาคมแพทย์เภสัชกรรมไทย, 2522:408 หน้า. (ref.2)
6. Mors WB, DO Nascimento MC, Parente JP, DA Silva MH, Melo PA, Suarez-Kurtz G. Neutralization of lethal and myotoxic activities of south american rattlesnake venom by extracts and constituents of the plant *Eclipta prostrata* (asteraceae). Toxicon1989;27(9):1003-9. (M22732)
7. Kosuge T, Yokota M, Yoshida M, Ochiai A. Studies on antihemorrhagic principles in the crude drugs for hemostatics. I. On hemostatic activities of the crude drugs for hemostatics. Yakugaku Zasshi 1981;101:501-3. (T03992)
8. Gupta S, Yadava JNS, Tandon JS. Antisecretory (antidiarrhoeal) activity of Indian medicinal plants against *Escherichia coli* enterotoxin-induced secretion in rabbit and guinea pig ileal loop models. Int J Pharmacog1993;31(3):198-204. (K17122)
9. Rajurkar NS, Pardeshi BM. Analysis of some herbal plants from India used in the control of diabetes mellitus by NAA and AAS techniques. Appl Radiat Isot1997;48(8):1059-62. (L04280)
10. Jain S, Singh P. A dithienylacetylene ester from *Eclipta erecta* Linn. Indian J Chem1988;27B(1):99-100. (H04573)
11. Bohlmann F, Zdero C. Polyacetylene compounds. Part 173. Constituents of *Eclipta erecta*. Chem Ber1970;103:834-41. (A11729)
12. Yahara S, Ding N, Nohara T. Oleanane glycosides from *Eclipta alba*. Chem Pharm Bull1994;42(6): 1336-8. (H20748)
13. Zhang M, Chen YY, Di XH, Liu M. Isolation and identification of ecliptasaponin D from *Eclipta alba* (L.) Hassk. Yao Xne Xue Bao1997;32(8):633-4. (In.7)

14. Singh B, Saxena AK, Chandan BK, Agarwal SG, Anand KK. In vivo hepatoprotective activity of active fraction from ethanolic extract of *Eclipta alba* leaves. *Indian J Physiol Pharmacol*2001;45(4):435-41. (In.6)
15. Zhang M, Chen Y. Chemical constituents of *Eclipta alba* (L.) Hassk. *Zhongguo Zhong Yao Za Zhi*1996;21(8):480-1, 510. (In.11)
16. Zou JP, Uchiyama M. Chemical constituents of yerbadetajo (*Eclipta prostrata*). *Chung Ts'ao Yao*1993;24(4):174-6. (K14431)
17. Yadav A, Sherwani MRK. *Eclipta prostrata* seed oil (compositae) a newly discovered source of 12-hydroxy-cis-9-octadecenoic acid. *Orient J Chem*1999;15(2):327-30. (L07628)
18. Govindachari TR, Nagarajan K, Pai BR. Wedelolactone from *Elipta alba*. *J Sci Ind Res-B*1956;15:664-5. (A11771)
19. Vaishwanar I, Kowale CN, Jiddewar GG. Effect of two ayurvedic drugs shilajeet & eclinol on changes in liver & serum lipids produced by carbon tetrachloride. *Indian J Exp Biol*1976;14:58-. (M00410)
20. Khin Ma-Ma, Nyunt N, Khin Maung Tin. The protective effect of *Eclipta alba* on carbon tetrachloride-induced acute liver damage. *Toxicol Appl Pharmacol*1978;45:723-8. (N00760)
21. Singh B, Saxena K, Chandan B, Agarwal S, Bhatia M, Anand K. Hepatoprotective effect of ethanolic extract of *Eclipta alba* on experimental liver damage in rats and mice. *Phytother Res*1993;7(2):154-8. (K11414)
22. Saxena AK, Singh B, Anand KK. Hepatoprotective effects of *Eclipta alba* on subcellular levels in rats. *J Ethnopharmacol*1993;40(3):155-161. (K18052)
23. Han Y, Xia C, Chen XY, Xiang RD, Liu H, Yan Q, Xu DY. Preliminary studies on chemical constituents and pharmacological action of *Eclipta prostrata* L. *Zhongguo Zhongyao Zazhi*1998;23(11):680-2. (L03666)
24. Zafar R, Sagar BPS. Hepatoprotective and cardiac inhibitory activities of ethanolic extracts from plant leaves and leaf callus of *Eclipta alba*. *Pharmaceutical Biol*2000;38(5):357-61. (L14981)
25. Pandey VB, Upadhyay RK, Jha RN, Chansouria JPN. Chemical constituents and anti-hepatotoxic activity of *Eclipta alba*. *Phytomedicine Suppl*2000;7(2):63-.(L15010)
26. Kim YS, Park KH. Effects of traditional drugs on CCl₄-induced cytotoxicity in primary cultured rat hepatocytes. *Korean J Pharmacog*1994;25(4):388-94.(K19948)

27. Lin SC, Hyao CJ, Lin CC, Lin YH. Hepatoprotective activity of taiwan folk medicine: *Eclipta prostrata* linn. against various hepatotoxins induced acute hepatotoxicity. *Phytother Res*1996;10(6):483-90. (K28938)
28. Sankaran JR. An all India multicentric clinical survey on a herbal cure-tefroli for hepatitis. *J Natl Integ Med Ass*1984;26(9):255-61. (T13818)
29. Dixit SP, Achar MP. Study of bhringaraja (*Eclipta alba*) therapy in jaundice in children. *J Sci Res PI Med*1981;2:96-100. (N14528)
30. Chandra T, Sadique J, Somasundaram S. Effect of *Eclipta alba* on inflammation and liver injury. *Fitoterapia*1987;58(1):23-32. (T14237)
31. Upadhyay R.K., Chansouria J.P.N., Pandey V.B. Antihepatotoxic activity of *Eclipta alba* in albino rats. *Pharm Pharmacol Lett*1998;8(4):152-3. (Pharm4)
32. Saxena AK, Singh B, Anand KK. Hepatoprotective effect of *Eclipta alba* on subcellular levels in rats. *J Ethnopharmacol*1993;40(3):155-61. (In.13)
33. Wagner H, Geyer B, Kiso Y, Hikino H, Rao GS. Coumestans as the main active principles of the liver drugs *eclipta alba* and *wedelia calendulacea*-1. *Planta Med*1986;52(5):370-374. (M12175)
34. Sharma A, Singh RT, Sehgal V, Handa SS. Antihepatotoxic activity of some plants used in herbal formulations. *Fitoterapia*1991;62(2):131-8. (M27870)
35. Mors WB. Plants against snakebites. *Mem Inst Oswaldo Cruz Rio De Janeiro*1991;86(S-11):193-. (J13005)
36. Kusumoto IT, Nakabayashi T, Kida H, Miyashiro H, Hattori M, Namba T, Shimotohno K. Screening of various plant extracts used in ayurvedic medicine for inhibitory effects on human immunodeficiency virus type 1 (hiv-1) protease. *Phytother Res*1995;9(3):180-4. (K21241)
37. Thein K, Myin W, Myint MM, Aung SP, Khin M, Than A, Bwin M. Preliminary screening of medicinal plants for biological activity based on inhibition of cyclic amp phosphodiesterase. *Int J Pharmaceut* 1995;33(4):330-3. (K28931)
38. Ghisalberti EL, Skelton BW, White AH. Structural study of torquatone, an acylphloroglucinol derivative from eucalyptus species. *Aust J Chem*1995;48(10):1771-4. (K23908)
39. Konarev AV, Anisimava IN, GavriloVA VA, Vachrusheva TE, Konechnaya GY, Lewis M, Shewry PR. Serine proteinase inhibitors in the Compositae: distribution, polymorphism and properties. *Phytochemistry*2002;59(3):279-91. (In.1)

40. Al-Shamma A, Mitscher LA. Comprehensive survey of indigenous iraqi plants for potential economic value. I. Screening results of 327 species for alkaloids and antimicrobial agents. J Nat Prod 1979;42 (6):633-42. (T07382)
41. Ahmad I, Mehmood Z, Mohammad F. Screening of some Indian medicinal plants for their antimicrobial properties. J Ethnopharmacol1998;62(2):183-93. (L15439)
42. Naovi SAH, Khan MSY, Vohora SB. Anti-bacterial, anti-fungal and anthelmintic investigations on Indian medicinal plants. Fitoterapia1991;62(3):221-8. (M29966)
43. Verpoorte R, Dihal PP. Medicinal plants of surinam. IV. Antimicrobial activity of some medicinal plants. J Ethnopharmacol1987;21(3):315-8. (T14756)
44. Phadke SA, Kulkarni SD. Screening of in vitro antibacterial activity of *Terminalia chebula*, *Eclipta alba* and *Ocimum sanctum*. Indian J Med Sci1989;43(5):113-7. (M20586)
45. อาริรัตน์ ถอบัณฑิลา สุรัตนา อำนวยผล วิเชียร จงบุญประเสริฐ. การศึกษาสมุนไพรที่มีฤทธิ์ต้านแบคทีเรียที่ทำให้เกิดการติดเชื้อของระบบทางเดินหายใจ. Th J Pharm Sci1998;13(1):23-35. (pharm 2)
46. Valsaraj R, Pushpangadan P, Smitt UW, Adsersen A, Nyman U. Antimicrobial screening of selected medicinal plants from India. J Ethnopharmacol1997;58(2):75-83. (L15872)
47. Farouk A, Bashir AK, Salih AKM. Antimicrobial activity of certain sudanese plants used in folkloric medicine. Screening for antibacterial activity (I). Fitoterapia1983;54 (1):3-7. (T06766)
48. Chariandy CM, Seaforth CE, Phelps RH, Pollard GV, Khambay BPS. Screening of medicinal plants from trinidad and tobago for antimicrobial and insecticidal properties. J Ethnopharmacol1999;64(3): 265-70. (L13922)
49. Kumar S, Bagchi GD, Darokar MP. Antibacterial activity observed in the seeds of some coprophilous plants. Int J Pharmacog1997;35(3):179-84. (L07721)
50. Reddy KRK, Tehara SS, Goud PV, Alikhan MM. Comparison of the anti-inflammatory activity of *Eclipta alba* (bhanga) and *solanum nigrum* (makokhushk) in rats. J Res Edu Ind Med1990;9(4):43-6. (K25923)
51. Upadhya L, Shukla SS, Agrawal A, Dubey GP. Changes in brain biogenic amines under influence of an indigenous drug, geriforte, following immobilization stress. Indian J Exp Biol1988;26(11):911-2. (J16920)

52. Agrawal RC, Kapadia LA. Treatment of piles with indigenous drugs-pilex tablets and ointment along with styplon. *Probe*1982;21(3):201-4. (T06405)
53. Vijayasathya V, Sharma LK, Prakash A. Indigenous drug treatment for hemorrhoids. *Probe*1981;20(4):285-7. (T06406)
54. Simonsen HT, Nordskjold JB, Smitt UW, Nyman W, Palpu P, Joshi P, Varughese G. In vitro screening of Indian medicinal plants for antiplasmodial activity. *J Ethnopharmacol*2001;74:195-204. (L10340)
55. Misra P, Pal NL, Guru PY, Katiyar JC, Tandon JS. Antimalarial activity of traditional plants against erythrocytic stages of *Plasmodium berghei*. *Int J Pharmacog*1991;29(1):19-23. (M27524)
56. Dixit SP, Achar MP. Bhringaraja (*Eclipta alba* linn.) In the treatment of infective hepatitis. *Curr Med Pract*1979;23(6):237-42. (N05827)
57. Hattori M, Nakabayashi T, Lim YA, Miyashiro H, Kurokawa M, Shiraki K, Gupta MP, Correa M, Pilapitiya U. Inhibitory effects of various ayurvedic and panamanian medicinal plants on the infection of herpes simplex virus-1 in vitro and in vivo. *Phytother Res*1995;9(4):270-6. (K28424)
58. Kongyingoes B, Pientong C, Ekalaksananan T, Simasathiansophon S. Antiviral activity of Thai medicinal herbs on herpes simplex virus. 16th conference on Science and Technology of Thailand 25-27 October 1990. (Pharm 3)
59. Zheng MS. An experimental study of antiviral action of 472 herbs on herpes simplex virus. *J Trad Chin Med*1988;8(3):203-6. (T15276)
60. Minshi Z. An experimental study of the anti-hsv II action of 500 herbal drugs. *J Trad Chin Med*1989;9(2):113-6. (T15782)
61. Mi Z, Chen H, Zhang X, Li Z, Chen W, Shao X. Screening of antiviral agents from medicinal herbs by means of Hepadnaviruses models. *Zhongguo Zhong Yao Za Zhi*1997;22(1):43-5, 63. (In.10)
62. Tripathi RKR, Tripathi RN. Reduction in bean common mosaic virus(bcmv) infectivity vis-a-vis crude leaf extract of some higher plants. *Experientia*1982;38(3):349. (T09049)
63. Kaij-A-Kamb M, Amoros M, Girre L. Search for new antiviral agents of plant origin. *Pharm Acta Helv* 1992;67(5/6):130-47. (K10864)
64. Dhar ML, Dhar MM, Dhawan BN, Mehrotra BN, Ray C. Screening of Indian plants for biological activity: part I. *Indian J Exp Biol*1968;6:232-47. (A03335)

65. Mehmood Z, Ahmad I, Mohammad F, Ahmad S. Indian medicinal plants: a potential source for anticandidal drugs. *Pharmaceutical Biol*1999;37(3):237-42. (L15421)
66. Nene YI, Thapliyal PN, Kumar K. Screening of some plant extracts for antifungal properties. *Labdev J Sci Tech B*1968;6(4):226-8. (W01223)
67. Kiuchi F, Hioki M, Nakamura N, Miyashita N, Tsuda Y, Kondo K. Screening of crude drugs used in Sri Lanka for nematocidal activity on the larva of *Toxocaria canis*. *Shoyakugaku Zasshi*1989;43(4):288-93. (M26175)
68. Vijayalakshmi K, Mishra SD, Prasad SK. Nematicidal properties of some indigenous plant materials against second stage juveniles of *Meloidogyne incognita* (koffoid and white) chitwood. *Indian J Entomol*1979;41(4):326-331. (T07251)
69. Debelmas AM, Hache J. Toxicity of several medicinal plants of Nepal including some behavioral and central nervous system effects. *Plant Med Phytother*1976;10:128-38. (T05690)
70. Leal LKAM, Ferreira AAG, Bezerra GA, Matos FJA, Viana GSB. Antinociceptive, anti-inflammatory and bronchodilator activities of brazilian medicinal plants containing coumarin; a comparative study. *J Ethnopharmacol*2000;70(2):151-9. (L13923)
71. Sajid TM, Rashid S, Ahmad M, Khan U. Estimation of cardiac depressant activity of ten medicinal plant extracts from pakistan. *Phytother Res*1996;10(2):178-8. (K26628)
72. Triratana T, Pariyakanok P, Suwannuraks R, Naengchomnog W. The study of medicinal herbs on coagulation mechanism. *J Dent Ass Thailand*1988;38(1):25-30. (M24874)
73. Han BH, Yang OK, Kim YC, Han YN. Screening of the platelet activating factor (paf) antagonistic activities on herbal medicines. *Yakhak Hoe Chi*1994;38(4):462-8. (K22944)
74. Melo PA, Nascimento MCD, Mors WB, Suarez-Kurtz G. Inhibition of the myotoxic and hemorrhagic activities of crotalid venoms by *Eclipta prostrata* (asteraceae) extracts and constituents. *Toxicon* 1994;32(5):595-603. (K25236)
75. Liu XY, Zhao YP, Jiang YP, Tang HF. Effect of ethyl acetate extract of *Eclipta prostrata* on function of t lymphocyte. *Disi Junyi Daxue Xuebao*2001;22(8):754-6. (L10635)

76. He J, Li Y, Wei S, Gua M, Fu W. Effect of mixture of *Astragalus membranaceus*, Fructus Ligustri lucidi and *Eclipta prostrata* on immune function in mice. Hua Xi Yi Ke Da Xue Bao 1992;23(4):408-11. (In.3)
77. Kapur RD. Action of some indigenous drugs on uterus. A preliminary note. Indian J Med Res 1948;36 :47-. (A04219)
78. Dhawan BN, Saxena PN. Evaluation of some indigenous drugs for stimulant effect on the rat uterus. A preliminary report. Indian J Med Res 1958;46(6): 808-311. (A02600)
79. Misra MB, Mishra SS, Misra RK. Screening of a few indigenous abortifacients. J INDIAN MED ASS 1969;52:535-. (A02332)
80. Mendes NM, Pereira NM, De Souza CP, Lima DE Oliveira ML. Preliminary laboratory studies for the verification of molluscicidal activity of several species from the brazilian flora. Rev Saude Publ Sao Paulo 1984;18:348-54. (M17600)
81. Prakash A, Pasalu IC, Mathur KC. Ovicidal activity of *Eclipta alba* hassk. (compositae). Curr Sci 1979;48:1090-. (N15817)
82. Bhattacharya SK, Satyan KS, Chakrabarti A. Effect of Trasina, an Ayurvedic herbal formulation, on pancreatic islet superoxide dismutase activity in hyperglycaemic rats. Indian J Exp Bio 1997;35(3):297-9. (In.12)
83. Khanna AK, Chander R, Kapoor NK. Hypolipidemic activity of abana in rats. Fitoterapia 199;162(3): 271-40. (M28186)
84. Kuo YC, Sun CM, Tsai WJ, Ou JC, Chen WP, Lin CY. Chinese herbs as modulators of human mesangial cell proliferation: preliminary studies. J Lab Clin Med 1998;132(1):76-85. (J17651)
85. Kuo YCH, Qu JCH, Tsai WJ, Wu CHL, Sun CHM. Evaluation of Chinese herbs that affect the cell-mediated immunity (II). J Chin Med 1996;7(2):119-31. (L13363)
86. Wagner H, Fessler B. In vitro 5-lipoxygenase inhibition by *Eclipta alba* extracts and the coumestan derivative wedelolactone. Planta Med 1986;52(5):374-7. (M12161)
87. Tanaka S, Saito M, Tabata M. Bioassay of crude drugs for hair growth promoting activity in mice by a new simple method. Planta Med Suppl 1980;40:84-90.(T06579)
88. Zhang S. Toothpaste containing medical plant extracts and vitamins for controlling gray hair. Patent-Faming Zhuanli Shenqing Gongkai Shuomingshu-1,039,535 1990:9pp-. (M31075)

89. Kim HY, Park SW, Park JN, Moon KH, Lee CK. Screening and isolation of antibiotic resistance inhibitors from herb materials. I. Resistance inhibition of 21 Korean plants. *Nat Prod Sci*1995;1(1):50-4. (J15323)
90. Gupta A, Gupta R. A survey of plants for presence of cholinesterase activity. *Phytochemistry*1997;46(5):827-31. (Pharm.1)
91. Jayaram S, Thyagarajan SP, Panchanadam M, Subramanian S. Anti-hepatitis-b virus properties of *Phyllanthus niruri* Linn. and *Eclipta alba* Hassk: in vitro and in vivo safety studies1987. *Bio-Medicine*;7(2):9-16. (M16877)
92. Mishra A, Dogra JV, Singh JN, Jha OP. Post-coital antifertility activity of *Annona squamosa* and *Ipomoea fistulosa*. *Planta Med*1979;35: 283-5. (N00591)
93. Kamboj VP. A review of Indian medicinal plants with interceptive activity. *Indian J Med Res*1988;4: 336-55. (T14891)
94. Takatsuki S, Narui T, Ekimoto H, Abuki H, Nijima K, Okuyama T. Studies on cytotoxic activity of animal and plant crude drugs. *Natural Med* 1996;50(2):145-57. (K28521)
95. Nam KA, Lee SK. Evaluation of cytotoxic potential of natural products in cultured human cancer cells2000. *Nat Prod Sci*;6(4):183-8. (L16478)
96. Kosuge T, Yokota M, Sugiyama K, Yamamoto T, Ni MY, Yan SC. Studies on antitumor activities and antitumor principles of Chinese herbs I antitumor activities of Chinese herbs. *Yakugaku Zasshi*1985;105(8):791-5. (H01040)
97. Abdel-Kader. DNA-damaging steroidal alkaloids from *Eclipta alba* from the Suriname rainforest1. *J Nat Prod*1998;61(10):1202-8. (ref A)
98. Sato A. Studies on anti-tumor activity of crude drugs. I. The effects of aqueous extracts of some crude drugs in short-term screening test. *Yakugaku Zasshi*1989;109(6):407-23. (M26592)

เอกสารอ้างอิง

1. จุฑามณี จารุจินดา จงจิตร อังคทะวานิช ลิ่นจี หวังวีระ และคณะ บรรณาธิการ.ความก้าวหน้าของยาที่ใช้ในระบบทางเดินอาหาร. กรุงเทพฯ:คณะเภสัชศาสตร์มหาวิทยาลัย, 2532, หน้า209-31.
2. Holtman S, Clarke AH, Scherer H, Hohn M. The anti-motion sickness mechanism of ginger. A comparative study with placebo and dimenhydrinate. Acta Otolaryngol. 1989; 108(3-4): 168-74.
3. Ernst E, Pittler MH. Efficacy of ginger for nausea and vomiting: a systematic review of randomized clinical trials. Brith J Anaesth 200;84(3):367-71.
4. Niebyl JR. Drug therapy during pregnancy. Current Opinion in Obstetrics & Gynecology. 1992; 4(1): 43-7.
5. Fischer-Rasmussen W, Kjaer SK, Dahl C, et al. Ginger treatment of hyperemesis gravidarum. Eur J Obstet Gynecol Reprod Biol. 1991;38:19-24.
6. Sharma SS, Kochupillai V, Gupta S.K, et al. Antiemetic efficacy of ginger *Zingiber officinale* against cisplatin-induced emesis in dog. J Ethnopharmacology. 1997; 57: 93-96.
7. Bone MB, Wilkinson DJ. Ginger root-a new antiemetic. The effect of ginger root on postoperative nausea and vomiting after gynecological surgery. Anaesthesia. 1990; 45: 669-71.
8. Phillips S, Ruggier R, Hutchinson SE. *Zingiberaceae officinale* (ginger) an antiemetic for day case surgery. Anaesthesia. 1993; 48(12): 715-7.
9. Visalyputra S, Petcpaisit N, Somcharoen K, et al. The efficacy of ginger root in the prevention of postoperative nausea and vomiting after outpatient gynecological laparoscopy. Anaesthesia. 1998; 53(5): 506-10.
10. นันทวัน บุญยะประภัศร อรรนุช โชคชัยเจริญพร บรรณาธิการ. สมุนไพรไม้พุ่มบ้าน เล่ม 1. กรุงเทพฯ:บริษัท ประชาชนจำกัด, 2539, หน้า496.
11. สุนทรี่ สิงหนุตตรา.สรรพคุณสมุนไพร 200 ชนิด. บริษัท ศุภาลักษณ์ มีเดีย จำกัด. พ.ศ.2541, 113-5.
12. Weidner MS, Sigwart K. Investigation of the teratogenic potential of a *Zingiber officinale* extract in the rat. Reproduct Toxicol 2001;15(1):75-80.
13. Runnebaum B, Rabe T, Kiesel L, et al. Biological evaluation of some medicinal plant extracts for contraceptive efficacy in females. Future aspects in contraceptive part 2. Female contraception, MTP Press.Ltd., Boston, USA, 1984,p115-28.
14. Wilkinson JM. Effect of ginger tea on the fetal development of sprague-dawley rats. Reproduct Toxicol 2000;14(6):507-12.

ต้นฉบับจุลสารข้อมูลสมุนไพร ปีที่ 20 ฉบับที่ 1 ตุลาคม 2545

15. Weidner MS, Sigwart K. Investigation of the teratogenic potential of a *Zingiber officinale* extract in the rat. *Reproductive Toxicology*. 2001; 15(1): 75-80.
16. สมใจ นครชัย บรรณารักษ์. การศึกษาต่อเนืองยาป้องกันการอาเจียนจากเคมีบำบัด. สารคลังข้อมูลยา, ภาควิชาเภสัชวิทยา คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล, 1(3), หน้า 9-16.
17. Kawai T, Kinoshita K, Koyama K. Anti-emetic principles of *Magnolia obovata* bark and *Zingiber officinale* rhizome. *Planta Med*. 1994; 17-20.
18. Darrick SHLK, Dong-seon K, Marissa NO. Shogaols from *Zingiber officinale* protect IMR 32 human neuroblastoma and normal human umbilical vein endothelial cells from β -amyloid (25-35) insult. *Planta Med* 2002;68:375-6.
19. Yamahara J, Huang QR, Masatsugu I, et al. Active component of ginger exhibiting antiserotonergic action. *Phytother. Res*. 1989; 3(2): 70-1.
20. Panthong A, Tejasen P. Study of the effects action of ginger (*Zingiber officinale* Roscoe) on motility of the intact intestine in dogs. *Chiang Mai Medicinal Bulletin*. 1975; 14(3): 221-32.
21. Yang Y, Kinoshita K, Koyama K. et al. Structure-antiemetic-activity of some diarylheptanoids and their analogues. *Phytomedicine: International Journal of Phytotherapy and Phytopharmacology*. 2002; 9(2): 146-52.
22. Fulder S, Tenne M. Ginger as an antinausea remedy in pregnancy; the issue of safety. *Herbalgram* 1991;38:47-50.
23. Seukawa M, Ishige A, Yuassa K, et al. Pharmacological studies on ginger. I. Pharmacological actions of pungent constituents 6-gingerol and 6-shogaol. *J Pharm Dyn* 1984;71(1):110-1.
24. Mascolo N, Jain R, Jain SC, et al. Ethnopharmacologic investigation of ginger (*Zingiber officinale*). *J Ethnopharmacol* 1989;27(1/2):129-40.
25. Aswal BS, Bhakuni DS, Goel AK, et al. Screening of Indian plants for biological activity: Part X. *Indian J Exp Biol* 1984;22(6):312-32.
26. Woo WS, Lee EB, Han BH. Biological evaluation of Korean medicinal plants. III. *Arch Pharm Res* 1979;2:127-31.
27. Hantrakul M. Study of the acute toxicity and cardiovascular effects of ginger (*Zingiber officinale* Roscoe) Thesis MS. Chiangmai Univ. Thailand, 1975:71pp.
28. Hantrakul M, Tejasen P. Study of the acute toxicity and cardiovascular effects of ginger (*Zingiber officinale* Roscoe). *Thai J Pharm Sci* 1976;517-30.
29. Emig HM. The pharmacological action of ginger. *J Amer Pharm Ass* 1931;20:114-6.

ต้นฉบับจุลสารข้อมูลสมุนไพร ปีที่ 20 ฉบับที่ 1 ตุลาคม 2545

30. ฤดี สุราฤทธิ์ สุวรรณ อุทยานวัฒนา เทอดพงษ์ ตีร์รัตน์. ผลของสารสกัดจากพืชบางชนิดต่อเซลล์ไฟโบร بلاสของเหงือก. การประชุมวิชาการวิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย ครั้งที่ 19, วันที่ 27-29 ตุลาคม, สงขลา, 2536:434-5.
31. Weidner MS, Sigwart K. The safety of a ginger extract in the rat. J Ethnopharmacol 2000;73:513-20.
32. Nagabhusanb M, Amonkar AJ, Bhide SV. Mutagenicity of gingeol and shogaol and antimutagenicity of Zingerone in *Salmonella* microsome assay. Cancer Lett 1987; 36(2): 221-33.
33. Nakamura H, Yamamoto T. Mutagen and anti-mutagen in ginger, *Zingiber officinale*. Mut Res 1982;103:119-26.
34. Ramos Ruiz A, De la torre RA, Alonso N, et al. Screening of medicinal plants for induction of somatic segregation activity in *Aspergillus indulus*. J Ethnopharmacol 1996;52(3):123-7.
35. Morimoto I, Watanabe F, Osawa T, et al. Mutagenicity of crude drugs with *Bacillus subtilis* rec-assay and *Salmonella*/microsome assay. Mutat Res 1982;97:81-102.
36. Chang IM, Guest IC, Lee-Chang J, et al. Assay of potential mutagenicity and antimutagenicity of Chinese herbal drugs SOS chromotes (*E. coli* PQ37) and SOS UMU test (*S. typhimorium*, TA 1535/psk 1002). Proc First Korea-Japan Toxicology Symposium Safety Assessment of Chemical in vitro 1989;133-45.
37. Mahmoud I, Alkofahi A, Abdelaziz A. . Mutagenic and toxic activities of several species and some Jordanian medicinal plants. Int J Pharmacog 1992;30(2):81-5.
38. Pang HA, Lee YW, Suh NJ, ChangIM. Toxicology study on Korean tea materials: screening of potential mutagenic activities by using SOS-chromototest. Korean J Pharmacog 1990;21(1):83-7.
39. Lee HK, Kim YK, Roh JK. Effect of bacterial growth-inhibiting ingredients on the Ames mutagenicity of medicinal herbs. Muta Res 1987;192:99-104.
40. Sakai Y, Nagase H, Ose Y, et al. Effects of medicinal plant extracts from Chinese herbal medicines on the mutagenic activity of Benzo[a]pyrene. Muta Res 1988;206(3):327-34.
41. Ungsurungsie M, Suthienkul O, Paovalo C. Mutagenicity screening of popular Thai spices. Food Chem Toxicol 1982;20:527-30.
42. Leamworapong C. Effect of a food preservation nitrite on mutagenicity of Thai medicinal plants using the Ames test. MS of Science Thesis, Faculty of graduate studies, Mahidol Univ, 1990.

ต้นฉบับจุลสารข้อมูลสมุนไพร ปีที่ 20 ฉบับที่ 1 ตุลาคม 2545

43. Alkofahi A, Batshoun R, Owais W, et al. Biological activity of some Jordanian medicinal plant extracts. Part II. *Fitoterapia* 1997;68(2):163-8.
44. Schimmer O, Kruger A, Paulini H, Haefele F. An evaluation of 55 commercial plant extracts in the Ames mutagenicity test. *Pharmazie* 1994;49(6):448-51.
45. Hosono A, Suzuki H, Otani H. Mutagenicities of selected spices and desmutagenic compound in regard to spice-induced mutagenicity. *JPN J Zootech Sci* 1987;58(5):413-20.
46. Farag SE, Abo-Zeid M. Degradation of the natural mutagenic compounds safrole in spices by cooking and irradiation. *Die Nahrung* 1997;41(6):359-61.
47. Nakamura H, Yamamoto T. The active part of the [6]-gingerol in mutagenesis. *Mutation Research* 1983;87-94.
48. Lee E, Surh YJ. Induction of apoptosis in HL-60 cells by pungent vanilloids, [6]-gingerol and [6]-paradol. *Cancer Lett.* 1998; 163-8.
49. Iwu MM(ed). *Handbook of African Medicinal Plants*. CRC Press, Boca Raton, FL, 1993.
50. Backon J. Ginger as antiemetic: possible side effects due to its thromboxane synthetase activity. *Anaesthesia* 1991;46:705-6.
51. Lumb AB. Effect of dried ginger on human platelet function. *Thromb Haemost* 1994;71(1):110-1.
52. Anon. *Rhizoma Zingiber*. WHO Monographs on Selected Medicinal Plants. Volume I, WHO, Geneva, Switzerland 1999.
53. Stager J, Wuthrich B, Johansson SGO. Spice allergy in celery-sensitive patients. *Allergy* 1991;46(6):475-8.
54. Seetharam KA, Pasricha JS. Condiments and contact dermatitis of the finger-tips. *Indians J Dermatol Venereol Leprol* 1987;53(6):325-8.
55. Langner E, et al. Ginger: history and use. *Adv Ther* 1998;15(1):25-44.
56. Blumenthal M, et al. *German Commission E Monographs: Therapeutic Monographs on Medicinal Plants for Human Use*. Austin, Texas: American Botanical Council. 1997.
57. Greunwald J, Brendler T, Jaenicke C, et al. (Eds.) *PDR for Herbal Medicines (2nd Edition)*. Montvale, New Jersey: Medical Economic Company, 2000:858pp.
58. Desai HG, Kalro RH, Choksi AP. Effect of ginger & garlic on DNA content of gastric aspirate. *Ind J Med Res* 1990;92:139-41.