

**เอกสารอ้างอิงมะระกับเบาหวาน**

1. เพชร รอดอารีย์. Diabetes is a vascular disease : An update in diabetes โรคเบาหวานในปัจจุบัน. เมดิคัลไทม์ 2546, หน้า 15-23.
2. สุนิตย์ จันทระประเสริฐ. เกล็ดลับในการดูแลผู้ป่วยอายุรกรรม. โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย, 2545. 466 หน้า.
3. นันทวัน บุญยะประภัศร อรุณช โชคชัยเจริญพร, บรรณาธิการ. สมุนไพรไม้พื้นบ้าน เล่ม 3. กรุงเทพฯ: ประชาชน จำกัด, 2542. 823 หน้า.
4. Mueller-Oerlinghausen B, Ngamwathana W, Kanchanapee P. Investigation into Thai medicinal plants said to cure diabetes. J Med Ass Thailand 1971;54:105-11.
5. Rajurkar NS, Pardeshi BM. Analysis of some herbal plants from India used in the control of diabetes mellitus by NAA and AAS techniques. Appl Radiat Isot 1997;48(8):1059-62.
6. Jain SR, Sharma SN. Hypoglycaemic drugs of Indian indigenous origin. Planta Med 1967;15(4):439-42.
7. Khan MA, Singh VK. A folklore survey of some plants of Bhopal district forests, Madhya Pradesh, India, described as antidiabetics. Fitoterapia 1996;67(5): 416-21.
8. Khan AH, Burney A. A preliminary study of the hypoglycaemic properties of indigenous plants. Pak J Med Res 1962;2:100-16.
9. Akhtar MS. Hypoglycaemic activities of some indigenous medicinal plants traditionally used as antidiabetic drugs. J Pak Med Ass 1992;42(11):271-7.
10. Karunanayake EH, Welihinda J, Sirimanne SR, Sinnadorai G. Oral hypoglycaemic activity of some medicinal plants of Sri Lanka. J Ethnopharmacol 1984;11(2):223-31.
11. Oliver-Bever B. Oral hypoglycaemic plants in West Africa. J Ethnopharmacol 1980;2(2):119-27.
12. Yamasaki K. Effect on some saponins on glucose transport system. Adv Exp Med Biol 1996;404:195-206.
13. Mossa JS. A study on the crude antidiabetic drugs used in Arabian folk medicine. Int J Crude Drug Res 1985;23(3):137-45.
14. Aslam M, Stockley IH. Interaction between curry ingredient (Karela) and drug (chlorpropamide). Lancet 1979;1979:607.
15. Ng TB, Wong CM, Li WW, Yeung MW. Insulin like molecules in *Momordica charantia* seeds. J Ethnopharmacol 1986;15:107-17.

16. Ng TB, Wong CM, Li WW, Yeung MW. Effects of  $\alpha$  - momorcharin,  $\beta$  - momorcharin and  $\alpha$  - trichosantin on lipogenesis and testicular and adrenal steroidogenesis in vitro and plasma-glucose levels in vivo. *J Ethnopharmacol* 1986;18:45-53.
17. Ng TB, Li WW, Yeung HW. Effects of ginsenosides, lectins and *Momordica charantia* insulin-like peptide on corticosterone production by isolated rat adrenal cells. *Ibid* 1987;21:21-9.
18. Kedar P, Chakrabarti CH. Effects of bitter gourd (*Momordica charantia*) seed and glibenclamide in streptozotocin induced diabetes mellitus. *Indian J Exp Biol* 1982;20(3):232-5.
19. Pons JA, Santiago Stevenson D. Effects of *Momordica charantia* L. ("cundeamor") in diabetes mellitus. *Peurto Rico J Pub Health Trop Med* 1943;19:198-215.
20. Baldwa VS, Bhandari CM, Pangaria A, Goyal RK. Clinical trial in patients with diabetes mellitus of an insulin-like compound obtained from plant source. *UPS J Med Sci* 1977;82(1):39-42.
21. Leatherdale BA, Panesar RK, Singh G, Atkins TW, Bailey CJ, Bignell AH. Improvement in glucose tolerance due to *Momordica charantia* (Karela). *Bri Med J* 1981;282:1823-4.
22. Welhinda J, Karunanyake EH, Sheriff MHR. Effect of *Momordica charantia* on the glucose tolerance in maturity onset diabetes. *J Ethnopharmacol* 1986;17:277-82.
23. Kharma P, Jain SC. Hypoglycemic activity of polypeptide-p from a plant source. *J Nat Prod* 1981;44(6):648-55.
24. Murakami C, Myoka K, Kasai R, Ohtani K, Kurokawa T, Ishibashi S, Sadahiko D, Fabian P, William G, Yamasaki K. Screening of plant constituents for effect on glucose transport activity on Ehrlich ascites tumor cells. *Chem Pharm Bull* 1993;41(12):2129-31.
25. Liu Y. Pharmaceutical composition containing extracts of fruits and vegetables for treating and preventing diabetes. Patent-Us-4,985-248 1991:6pp.
26. Quan J, Hao X, Zhang Z, Cao Y, Deng X, Si L. Hypoglycemic study of plant insulin from the balsam pear. *Shaanxi Yixue Zazhi* 1991;20(11):691-3.
27. Higashino HD, Suzuki AT, Tanaka YS, Pootakham K. Hypoglycemic effects of Siamese *Momordica charantia* and *Phyllanthus urinaria* extracts in streptozotocin-induced diabetic rats. *Nippon Yakurigaku Zasshi* 1992;100:415-21.
28. Shibib BA, Khan LA, Rahman R. Hypoglycaemic activity of *Coccinia indica* and *Momordica charantia* in diabetic rats: depression of the hepatic gluconeogenic enzymes glucose-6-phosphatase and fructose-1,6-bisphosphatase and elevation of both liver and red-cell shunt enzyme glucose-6-phosphate dehydrogenase. *Biochem J* 1993;292(1):267-70.

29. El-Gengaihi S, Karawya MS, Selim MA, Motawe HM, Ibrahim NA. Chemical and biological investigation of polypeptides of *Momordica* and *Luffa* ssp. Fam. Cucurbitaceae. Bull Natl Res Cent (Egypt) 1996;21(3): 269-76.
30. Srivastava Y, Venkatakrishna – Bhatt H, Verma Y, Venkaiah K. Antidiabetic and adaptogenic properties of *Momordica charantia* extract : an experimental and clinical evaluation. Phytoter Res 1993;7:285-9.
31. Jayasooriya AP, Sakono M, Yukizaki C, Kawano M, Yamamoto K, Fukuda N. Effects *Momordica charantia* powder on serum glucose levels and various lipid parameter in rats fed with cholesterol – free and cholesterol – enriched diets. J Ethnopharmacol 2000;72:331-6.
32. Sitasawad SL, Shewade Y, Bhonde R. Role of bittergourd fruit juice in STZ-induced diabetic state in vivo and in vitro. J Ethnopharmacol 2000;73:71-9.
33. Kar A, Choudhary BK, Bandyopadhyay NG. Comparative evaluation of hypoglycaemic activity of some Indian medicinal plant in alloxan diabetic rats. J Ethnopharmacol 2003;84:105-8.
34. Viridi J, Sivakami S, Shahani S, Suthar AC, Banavalikar MM, Biyani MK. Antihyperglycemic effects of three extracts from *Momordica charantia*. J Ethnopharmacol 2003.
35. Sankaranarayanan J, Jolly CI. Phytochemical, antibacterial and pharmacological investigations on *Momordica charantia* Linn., *Emblica officinalis* Gaertn. And *Curcuma longa* Linn. Indian J Pharm Sci 1993;55(1):6-13.
36. Platel K, Srinivasan K. Effect of dietary intake of freeze dried bitter gourd (*Momordica charantia*) in streptozotocin induced diabetic rats. Nahrung 1995;39(4):262-8.
37. Fu M, Chen J, Zhuang D. *Momordica charantia* extract : antioxidant, antibacterial, and antihyperglycemic properties. Shipin Kexue (Beijing) 2001;22(4):88-90.
38. Khan RA, Singh O. Antidiabetic profile of *Momordica charantia* Linn. (bitter gourd). Hamdard 1992;35(1):76-9.
39. Sreedevi, Chaturvedi A. Effect of vegetable fiber on postprandial glycemia. Plant Foods Hum Nutr (Dordrecht, Neth 1993;44(1):71-8. 105651 (Abstract)
40. William F, Lakshminarayanan S, Chegu H. Effect of some Indian vegetables on the glucose and insulin response in diabetic subjects. Int J Food Sci Nutr 1993;44(3):191-6.
41. Vikrant V, Grover JK, Tandon N, Rathi SS, Gupta N. Treatment with extracts of *Momordica charantia* and *Eugenia jambolana* prevents hyperglycemia and hyperinsulinemia in fructose fed rats. J Ethnopharmacol 2001;76:139-43.

42. Nag B, Medicherla S, Sharma SD. Orally active fraction of *Momordica charantia*, active peptides thereof, and their use in the treatment of diabetes. U S US 6,127,338 2000;19pp.
43. Khanna P. Protein/polypeptide-K obtained from *Momordica charantia*, a process for the extraction thereof, and therapeutic uses for diabetes mellitus. PCT Int Appl WO 00 61,619 2000;30pp.
44. Mitra SK, Gopumadhavan S, Muralidhar TS, Anturlikar SD, Sujatha MB. Effect of a herbomineral preparation D-400 in streptozotocin-induced diabetic rats. J Ethnopharmacol 1996;54:41-6.
45. Kar A, Choudhary BK, Bandyopadhyay NG. Preliminary studies on the inorganic constituents of some Indigenous hypoglycaemic herbs on oral glucose tolerance test. J Ethnopharmacol 1999;64:179-84.
46. Basnet P, Namba , Komatsu K. *Momordica charantia*: what do we really know about its hypoglycaemic activity?). Phytomedicine 2000;63.
47. Cakici I, Hurmoglu C, Tunctan B, Abacioglu N, Kanzik I, Sener B. Hypoglycemic effect of *Momordica charantia* extracts in normoglycemic or cyproheptadine-induced hyperglycemic mice. J Ethnopharmacol 1994;44:117-21.
48. Pugazhenthii S, Murthy PS. Purification of three orally active hypoglycemic compounds kakara IB, IIIB from the unripe fruits of *Momordica charantia* Linn. bitter gourd). Indian J Clin Biochem 1996;11(2):115-9.
49. Grover JK, Vats V, Rathi SS, Dawer R. Traditional Indian anti-diabetic plants attenuate porogression of renal damage in streptozocin induced diabetic mice. J Ethnopharmacol 2001;76:233-8.
50. Mokkahasmit M, Swatdimongkol K, Satrawaha P. Study on toxicity of Thai medicinal plants. Bull Dept Med Sci 1970;12(2/4):36-65.
51. Bhakuni DS, Goel AK, Jain S, Mehrota BN, Patnaik GK, Prakash V. Screening of Indian plants for biological activity: part XIII. Indian J Exp Biol 1988;26(11):883-904.
52. Dhawan BN, Dubey MP, Mehrotra BN, Rastogi RP, Tandon JS. Screening of Indian plants for biological activity. Part IX. Indian J Exp Biol 1980;18:594-606.
53. Aswal BS, Bhakuni DS, Goel AK, Kar K, Mehrotra BN, Mukherjee KC. Screening of Indian plants for biological activity: part X. Indian J Exp Biol 1984;22(6):312-32.
54. Rivera G. Preliminary chemical for pharmacological studies on "Cundeamor", *Momordica charantia*. II. Amer J Pharm 1942;114:72.

55. Sharma VN, Sogani RK, Arora RB. Some observations on hypoglycaemic activity of *Momordica charantia*. Indian J Med Res 1960;48(4):471-7.
56. Raman A, Lau C. Anti-diabetic properties and phytochemistry of *Momordica charantia* L. (Curcubitaceae). Phytomedicine 1996;2(4):349-62.
57. Akhlar MS. Hypoglycaemic activities of some indigenous medicinal plants traditionally used as antidiabetic drugs. J Pak Med Ass 1992;42(11):271-7.
58. Jilka C, Strifler B, Fortner GW, Hays EF, Takemoto DJ. In vivo antitumor activity of the bitter melon (*Momordica charantia*). Cancer Res 1983;43(11):5151-5.
59. Ogunlana EO, Ramstad E. Investigations into the antibacterial activities of local plants. Planta Med 1975;27:354.
60. Dixit VP, Khanna P, Bhargava SK. Effects of *Momordica charantia* fruit extract on the testicular function of dog. Planta Med 1978;34:280-6.
61. Frame AD, Riosolivares E, De Jesus L, Ortiz D, Pagan J, Mendez S. Plants from Puerto Rico with anti-*Mycobacterium tuberculosis* properties. P R Health Sci J 1998;17(3):243-53.
62. Ruiz AR, De La Torre RA, Alonso N, Villaescusa A, Betancourt J, Vizoso A. Screening of medicinal plants for induction of somatic segregation activity in *Aspergillus nidulans*. J Ethnopharmacol 1996;52(3):123-7.
63. Gasperi-Campani A, Barbieri L, Morelli P, Stirpe F. Seed extracts inhibiting protein synthesis in vitro. Biochem J 1980;186:439-41.
64. Kintanar QL, Sison F. Pharmacological screening of Philippine plants using a multidimensional observation technique in mice. Philippine J Sci 1978;107(1-2):71-94.
65. Stepka W, Wilson KE, Madge GE. Antifertility investigation on *Momordica*. Lloydia 1974;37(4):645.
66. Koentjoro-Soehadi T, Santa IGP. Perspectives of male contraception with regards to Indonesian traditional drugs. Proc Second National Congress of Indonesian Society of Andrology, Bali, Indonesia, August 2-6, 1982:12pp.
67. Prakash AO, Mathur R. Screening of Indian plants for antifertility activity. Indian J Exp Biol 1976;14:623-6.
68. Runnebaum B, Rabe T, Kiesel L, Prakash AO. Biological evaluation of some medicinal plant extracts for contraceptive efficacy in females. Future aspects in contraception. Part 2. Female contraception. Boston:MTP Press, Ltd, 1984: 115-28.

69. Saksena SK. Study of antifertility activity of the leaves of *Momordica* (Karela). *Indian J Physiol Pharmacol* 1971;15:79-80.
70. Naseem MZ, Patil SR, Patil SR, Patil SB. Antispermatic and androgenic activities of *Momordica charantia* (Karela) in albino rats. *J Ethnopharmacol* 1998;61(1):9-16.
71. Shum LKW, Coi VEC, Yeung HW. Effects of *Momordica charantia* seed extract on the rat mid-term placenta. *Abstr International Symposium on Chinese Medicinal Materials Research, Hong Kong, June 12-14, 1984:78.*
72. Dong TX, Ng TB, Wong RNS, Yeung HW, Xu GJ. Ribosome inactivating protein-like activity in seeds of diverse Cucurbitaceae plants. *Int J Biochem* 1993;25(3):415-9.
73. Yeung HW, Li WW, Law LK, Chan WY. Purification and partial characterization of momorcharins, abortifacient proteins from the Chinese drug, Kuguazi (*Momordica charantia* seeds). Chang HM, Yeung HW, Tso WW, Koo A (eds): in *advances in Chinese medicinal materials research*. Philadelphia:Philadelphia World Scientific Press, 1984:311-8.
74. Ng TB, Feng Z, Li WW, Chan SH, Yeung HH. Investigation of ribosome inactivating protein-like activity in tissues of Cucurbitaceae plants. *Int J Biochem* 1989;21(2):1353-8.
75. Chan WY, Tam PP, Choi HL, Ng TB, Yeung HW. Effects of momorcharins on the mouse embryo at the early organogenesis stage. *Contraception* 1986;34(5):573-44.
76. Takemoto DJ, Dunford C, Mc Murray MM. The cytotoxic and cytostatic effects of the bitter melon (*Momordica charantia*) on human lymphocytes. *Toxicol* 1982;20:593-9.
77. Basaran AA, Yu TW, Plewa MJ, Anderson D. An investigation of some Turkish herbal medicines in *Salmonella typhimurium* and in the comet assay in human lymphocytes. *Teratogen Carcinogen Mutagen* 1996;16(2):125-38.
78. Lincastro F, Franceschi C, Barbieri L, Stirpe F. Toxicity of *Momordica charantia* lectin and inhibitor for human normal and leukaemic lymphocytes. *Virchows Arch B Cell Pathol Incl Mol Pathol* 1980;33(3):257-65.
79. Tennekoon KH, Jeevathayaparan S, Angumawala P, Karunnayako EH, Jayasinghe KSA. Effect of *Momordica charantia* on key hepatic enzymes. *J Ethnopharmacol* 1994;44:93-7.

เอกสารอ้างอิง : ข้าวโพดกับสุขภาพ 21(1)

1. นันทวัน บุญยะประภัศร อรนุช โชคชัยเจริญพร, บรรณาธิการ. สมุนไพรไม้พื้นบ้าน เล่ม 1 กรุงเทพฯ:บริษัท ประชาชน จำกัด, 2539 หน้า 438.
2. Grubben, G.J.H. & Soetjipto Partohardjono, Ed. ทรัพยากรพืชในภูมิภาคเอเชียตะวันออกเฉียงใต้ ลำดับที่10 ธัญพืช. สหมิตรพรีนติ้ง นนทบุรี หน้า 204.
3. โครงการศึกษาวิจัยสมุนไพร. สมุนไพร อันดับที่ 01. กรุงเทพฯ:บริษัท สารมวลชน จำกัด, 2525 หน้า 34.
4. พะยอม ต้นดีวัฒน์. สมุนไพร. กรุงเทพฯ: โรงพิมพ์จุฬาลงกรณ์มหาวิทยาลัย, 2521 หน้า154.
5. พัฒน์ สุจ้านงค์. ตำรายาไทย-จีน (ยากกลางบ้าน ยาสมุนไพร ยาแผนโบราณ). กรุงเทพฯ: สำนักพิมพ์ แพร์ พิตยา, 2522 หน้า 487.
6. ลัดดาวัลย์ บุญรัตนกรกิจ ถนอมจิต สุภาวิตา. ชื่อพืชสมุนไพรและประโยชน์. คณะเภสัชศาสตร์ จุฬาลงกรณ์ มหาวิทยาลัย.กรุงเทพฯ. หน้า 2.
7. Stone E. Medicine among the iriquois. Ann Med Hist 1934;6:529. (NO ADDRESS GIVEN) (A03595)
8. Zagari A. Medicinal plants vol 4 5th ed, Tehran university publications no 1810/4 Tehran Iran BOOK 4 1992; 969-PP. ( I00004)
9. Hirschhorn HH. Botanical remedies of the former dutch east indies (indonesia).I: eumycetes, pteridophyta, gymnospermae, angiospermae (monocotyledones only).J Ethnopharmacol 1983; 7 2: 123-56. (T06756)
10. Lee EB, Yun HS, Woo WS. Plants and animals used for fertility regulation in Korea. Korean J Pharmacog 1977;8:81-7. (W00346)
11. Ishikura N. Flavonol glycosides in the flowers of hibiscus mutabilis F. verricolor. Agr Biol Chem 1982; 46 : 1705-1706. (T05045)
12. Ramirez VR, Mostacero LJ, Garcia AE, Mejia CF, Pelaez PF, Medina CD, et al. Vegetales empleados en medicina tradicional norperuana. Banco Agrario Del Peru & Nacl Univ Trujillo, Trujillo Peru 1988;1988:54pp. (T15323)
13. วิเศษฐ์ ลีลามานิตย์. ใน: เกษตรกับอาหารเพื่อสุขภาพและอาหารทางการแพทย์. บุษบา จินดาวิจักษณ์ และคณะ (บรรณาธิการ). กรุงเทพฯ คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล 2539: หน้า 85-105.
14. Leonard SL. Pathophysiology of heart disease.Philadelphia/London: Lea & Febiger, 1992 page 84-95.
15. Buggos-hernandez A, Lopez-garcia R, Njapau H, Park DL. Partial chemical/structural elucidation of anti-mutagenic compounds from cron. Toxicology 2001;166(3):161-70. (L16684)
16. Pascual LR, Wiley RC. Fatty acids in the major lipid fractions of maturing sweet corn (*Zea mays*). J Amer Soc Hort Sci 1974;99:573. (J08124)
17. Davis DL, Poneleit CG. Sterols in developing seed from low and high oil *Zea mays*. Phytochemistry 1975;14 :1201-3. (J00234)

18. Mendes DD, Szpiz RR. Chemical constituents of varieties of corn and oil composition. Rev Brasil Farm 1974;55:141. (J09459).
19. Kim KH, Park WS, Shim CG. Determination of  $\beta$ -sitosterol in unsaponifiable fraction of *Zea mays* and related drug preparations by HPLC. Yakhak Hoe Chi 1996;40(2):149-54. (K26517)
20. Davis DL, Poneleit CG. Sterol accumulation and composition in developing *zea mays* kernels. Plant physiol 1974;54:794. (J08231)
21. Raj AS, Katz M. Corn oil and its minor constituents as inhibitors of DMBA-induced chromosomal breaks in vivo. Mutat Res 1984;136(3):247-53. (M05982)
22. Berndorfer-Kraszner E, Lasztity R, Gaspar L. Contribution to the knowledge of some biological agents in *Zea may* L. Dev Food Sci 1983;5a:175-80. (M05296)
23. Tiscornia E, Bertini GC. Composition of the sterol fractions of *Brassica napus*, *Sesamum indicum*, and *Zea mays*. Riv Soc Ital Sci Aliment 1975;4:3. (J07392)
24. Kim SH, Park SH, Ahn BG, Yi JS, Park MS, Lee BR, et al. Extraction and determination of phytosterols from corn oil foots. Arch Pharm Res 1990;13(3):282. (K26607)
25. Itoh T, Shimizu N, Tamura T, Matsumoto T. 24-methyl-e-23-dehydrolophenol, a new sterol and two other 24-methyl-e-delta-23-sterols in *Zea mays* germ oil. Phytochemistry 1981;20:1353-6. (T06953)
26. Fitelson J. The occurrence of squalene in natural fats. J Ass Offic Agr Chem 1943;26: 506-11. (W04175)
27. Mannan A, Ahmad K. Studies on vitamin E in foods of east Pakistan. Pak J Biol Agr Sci 1966;9: 13. (A06599)
28. Lenfeld J, Kroutil M, Marek J, Jezdinsky J, Petrova H, Mosa B, et al. Antiinflammatory effects of substances contained in maize oil 1976;22:423. (T00434)
29. Vlichko AA. Effect of corn oil ingested with food on the level of certain blood lipids. Vopr Pilaniya 1962;21(5):37-41.
30. Ishii T, Yamaguchi M. Effect of prepared soy milk on dietary or hypothyroid hypercholesterolemia in rats. Eiyogaku Zasshi 1993;52(2):73-9.
31. Ajinomoto Co.,Inc. anticholesteremics from corn oil. Jpn Kokai Tokkyo Koho JP 82 35,517 1980: 4pp.
32. Morikawa M, Inoue M, Tsuboi M. Effect of food deprivation and drug administration on intestinal esterase activity. Jpn J Pharmacol 1977;27(5):645-51.
33. Yasui A, Kaneda T. Effect of vegetable oils for reducing plasma cholesterol levels in rats fed butter fat. Rakuno Kagaku Shokuhin No Kenkyu 1978;27(1):A1-A4.
34. Iritani N, Fukuda E. effect of corn oil feeding on triglyceride syntersis in rat. J Nutr 1980;110(6):1138-43.



35. Suzuki M, O'Neal RM, Hartroft WS. Esterification of cholesterol related to hepatic state in rats with hypercholesterolemia: effect of saturated fat (butter) versus unsaturated fat (corn oil). *Pathol Microbiol* 1960;24:1080-90.
36. Nalbone G, Leonard J, Termine E, Portugal H, Lechene P, Pauli AM, et al. Effect of fish oil, corn oil, and lard diets on lipid peroxidation status and glutathione peroxidase activities of rat heart. *Lipids* 1989;24(3):179-86.
37. Joel A, Daniel S. Effect of saturated and unsaturated fats on cholesterol metabolism in rat. *Proc Soc Exp Biol Med* 1958;97:914-6.
38. Borensztajn J, Getz GS. Contribution of lipogenesis in situ to the accumulation of fat by rat adipose tissue. *Biochim Biophys Acta* 1972;280(1):86-93.
39. Gerson T, Shorland FB, Adams Y. Effects of corn oil on the amounts of cholesterol and the excretion of sterol in rat. *Biochem J* 1961;81:584-91.
40. Meijer GW, De Buijine JJ, Beynen AC. Dietary cholesterol-fat type combinations and carbohydrate and lipid metabolism in rats and mice. *Int J Vitam Nutr Res* 1987;57(3):319-26.
41. Calleja L, Trallero MC, Carrizosa C, Mendez MT, Palacios-Alaiz E, Osada J. Effects of dietary fat amount and saturation on the regulation of hepatic mRNA and plasma apolipoprotein A-I in rats. *Atherosclerosis (Shannon, Irel.)* 2000;152(1):69-78.
42. Worthington RE, Milex J. High fat-high cholesterol diets reduce serum HDL cholesterol levels in the rat. *Nutr Rep Int* 1983;28(6):1361-8.
43. Sitaram SP, Herbert CT. Effect of fat and cholesterol ingestion upon formation and storage of lipids and cholesterol from acetate 1-14 C. *Proc Soc Exp Biol Med* 1967;125(2):352-5.
44. Effects of dietary corn and olive oil versus coconut fat on biliary cholesterol secretion in rats. Smit Mj, Wolters H, Temmerman Am, Kuipers F, Beynen Ac, Vonk Rj. *Int J Vitam Nutr Res* 1994; 64(1): 75-80. (K22184)
45. Bravo E, Cantafora A, Marinelli T, Avella M, Mayes PA, Botham KM. Differential effects of chylomicron remnants derived from corn oil or palm oil on bile acid synthesis and very low density lipoprotein secretion in cultured rat hepatocytes. *Life Sci* 1996;59(4):331-7.
46. Fang C. Dietary psyllium reverses hypercholesterolemic effect of trans fatty acids in rats. *Nutrition research* 2000;20(5):695-705.
47. Benton DA, Harper AE, Elvehjem CA. The effect of different dietary fats on liver-fat deposition. *J Biol Chim* 1956;218:693-700.
48. Siedler MSR, Maloney PA, Lushbough CH, Schweigert BS. The influence of varying levels of dietary protein, carbohydrate, and fats in the nutrition of the rat. *J Nutr* 1962;77(2):149-54.

49. Schouten JA, Beynen AC, Mulder C, Hoitsma HFW. The effect of dietary saturated fat versus polyunsaturated fat on serum cholesterol and phospholipid concentrations in rabbits with partial ileal bypass. *Z Ernahrungswiss* 1984;23(2):136-42.
50. Honour AJ, Carter RD, Mann JI. The effects of changes in diet on lipid levels and platelet thrombus formation in living blood vessels. *Br J Exp Pathol* 1978;59(4):370-41.
51. Antiatherogenic effect of corn oil in experimental atherosclerosis. Lopukhin Ym, Sdvigova Ag, Torkhovskava Ti, Kivuchnikova Zi, Evstigneeva Mk, Khalilov Em. *Byull Eksp Biol Med* 1992; 113 5: 476-478. (K12895)
52. Kim DN, Schmeel J, Lee KT, Thomas WA. Hypo-atherogenic effect of dietary corn oil exceeds hypo-cholesterolemic effect in swine. *Atherosclerosis* 1984;52(1):101-13.
53. Nicolosi RJ, Hayes KC, El Loszy M, Herrera MG. Hypercholesterolemia and triglyceride secretion rates in monkeys fed different dietary fats. *Lipids* 1977;12(11):936-40.
54. Robert W, Wissler L, Lawrence E, Frazier RHH, Richard AR. Atherogenesis in the Cebus monkey I A comparison of three food fats under controlled dietary conditions. *Arch Pathol* 1962;74:312-22.
55. Ramjiganesh T, Roy S, Freake HC, McIntyre JC, Fernandez ML. Corn fiber oil lowers plasma cholesterol by altering stimulation of hepatic cholesterol metabolism and up-regulating LDL receptors in guinea pigs. *Journal of Nutrition* 2002;132(3):335-40.
56. Ibrahim JBT, McNamara DJ. Cholesterol homeostasis in guinea pigs fed saturated and polyunsaturated fat diets. *Biochim Biophys Acta* 1988; 963(1):109-18.
57. Carlos C, Aguilar de la T, Rogelio V, Carlos CF. The effect of corn oil on serum cholesterol. *Santo Tomas J Med* 1959;14:105-7.
58. Kacic M. Diet and serum lipids in preschool children. *Hrana Ishrana* 1979;20(3-4):129-34.
59. Tomomichi T, Sumiko O, Shinjiro S. *Ann Rept Natl Inst Nutrition* 1959;14.
60. Kohlmeier M, Riesen W, Schlierf G. Metabolic changes in healthy men using fat-modified diets. I Disposition of serum cholesterol. *Ann Nutr Metab* 1988;32(1):1-9.
61. Miyoshi T, Imaki M, Yoshimura T, Takeshi T, Takamichi. Effect of dietary fats on serum cholesterol in men. *Igaku to Seibutsugaku* 1982;105(3):231-3.
62. Wilcox EB, Galloway LS. Serum cholesterol and different dietary fats. *J Am Diet Assoc* 1961;38:227-30.
63. Ng TKW, Hassan KL, Lim JB, Lye MS, Ishak R. Nonhypercholesterolemic effects of a palm-oil diet in Malaysian volunteers. *Inst Med Res* 1991;53(4):1015S-20S.
64. Connor WE, Witiak DT, Stone DB, Armstrong ML. Cholesterol balance and fecal neutral steroid and bile acid excretion in normal men fed dietary fats of different fatty acid composition. *J Clin Invest* 1969;48(8):1363-75.

65. Armstrong WD, Pilsum JV, Keys A, Grande F, Anderson JT, Tobain L. Alteration of serum cholesterol by dietary fats. *Proc Soc Expt Biol Med* 1957;96:302-6.
66. Park S, Snook Jt. Does a diet high in corn oil lower ldl cholesterol levels in women via an effect on ldl receptor activity? *Nutr Biochem* 1995; 6 (2): 88-96. (K19816)
67. Bagdade JD, Hazzard WR, Carlin J. Effect of unsaturated dietary fat on plasma lipoprotein lipase activity in normal and hyperlipidemic states. *Metab Clin Exp* 1970;19(12):1020-4.
68. Bo G, Meloni C, Zanardi A. Blood lipid indexes in relation to customary diets and variants. *Quaderni Nutr* 1961;21:89-128.
69. Rhoads DV, Barker NW. Effect of reduction of dietary fat and additional ingestion of corn oil on hypercholesterolemia. *Proc Staff Meetings Mayo Clinic* 1959;34:225-9.
70. Bayer PA, Lowe JT, Gardner RW, Ralston JD. Effect of a practical dietary regimen on serum cholesterol level. *J Am Med Assoc* 1959;170:257-61.
71. Steinbach M, Georgescu M, Lazarovici M, Sutanu A. Hypolipemic effect of corn oil. *Acad Populare Romine, Studii Cercetari Med Interna* 1963;4:37-40.
72. Englberg H. Studies of serum cholesterol and low-density lipoprotein levels, previously lowered by a reduced fat intake, after addition of corn oil to the diet. *J Chronic Disease* 1957;6:229-33.
73. Rosselli M, Sordi A. Serum lipids and transaminases after treatment with unsaturated vegetable oils. *Mal Cardiovasc* 1960;:115-30.
74. Kozlovskii VN. Influence of corn oil on some indexes of lipid and protein metabolism in patients with atherosclerosis. *Klinick Med* 1962;40(11):112-5.
75. Volfson TI, Golikov, and Mikushkin MK. Effect of corn oil on lipid metabolism and on the development of atherosclerosis. *Kardiologiya* 1961;5:29-34.
76. Alieva OK. Effect of some vegetable oils on blood lipids in atherosclerosis. *Voprpsy Pitaniya Zdorogo i Bolnogo Cheloveka (Riga : Akad Nauk Latv SSR) Sbornik* 1960:189-95.
77. Pallone e, Cagianelli MA, Spremolla, Gustinucci R. Clinical studies on the effect of essential fatty acids in atherosclerosis. *Giorn Clin Med* 1959;40:1143-58.
78. Alivera OK. Influence of certain fats upon lipids-metabolism indexes in patients with coronary atherosclerosis. *Vopr Pitaniya* 1960;19(2):13-7.
79. Tobain L, Tuna N. Efficacy of corn oil in lowering the serum cholesterol of patients with coronary atherosclerosis. *Am J Med Sci* 1958;235:133-7.
80. Lloyd JK, Fosbrooke AS, Wolff OH, Salt HB. Effect of dietary corn oil on lipemia in diabetic children. *Lancet* 1962:1329-30.
81. Ebihara K, Nakamoto Y. Effect of the particle size of corn bran on the plasma cholesterol concentration, fecal output and fermentation in rats. *Nutrition Research* 2001;21(12):1509-18.

82. Ayano Y, Oto F, Watanabe Y, Nakamura T, Takizawa M. Effect of corn bran on the cholesterol metabolism in rats. *Eiyo to Shokuryo* 1982;35(6):431-9.
83. Uberoi Sk, Vadhera S, Soni GI. Role of dietary fibre from pulses and cereals as hypocholesterolemic and hypolipidemic agent. *J Food Sci Technol* 1992; 29 (5): 281-283. (K16040)
84. Ayano Y, Oto F, Endoh N, Kokubu T. Effect of dietary apple pomace on the cholesterol metabolism in rats. *Chiba Daigaku Engeigkubu Gakujutsu Hokoku* 1989;42:123-8.
85. Shane Jm, Walker Pm. Corn bran supplementation of low-fat controlled diet lowers serum lipids in men with hypercholesterolemia. *Diet Ass* 1995; 95 1: 40-45. (K18446)
86. Kasaoka S, Morita T, Ikai M, Chhashi A, Kiriyaama S. High-amylose corn starch prevents increased serum lipids and body fat accretion in rats. *Nippon Eiyo Shokuryo Gakkaishi* 1998; 51(6):345-53.
87. Alexander JC. Biological properties of heated dietary fats. *ACS Symp Ser* 1983; 234:129-48.
88. Kitchin KT, Ebron MT. Further development of rodent whole embryo culture: solvent toxicity and water insoluble compound delivery system. *Toxicology* 1984; 30(1):45-57.
89. Shibayama Y. Hepatotoxicity of heated and oxygenated corn oil. *Exp Toxicol Pathol* 1992; 44(5):255-8.
90. Gabriel HG, Alexander JC, Valli VE. Effects of intubating rats with fractions from thermally oxidized corn oil and olive oil. *Nutr Rep Int* 1979; 19(4): 515-26.
91. Kunitz H, Johnson RE, Pegus L. Longer survival time of rats fed oxidized vegetable oils. *Proc Soc Exp Biol Med* 1966; 123(1):204-6.
92. Berdanier CD, Johnson B, Hartle DK, Crowell W. Life span is shortened in BHE/cdb rats fed a diet containing 9% menhaden oil and 1 % corn oil. *J Nutr* 1992; 122(6):1309-17.
93. Drehmer E, Valls V, Muniz P, Cabo J, Saez GT. 8-hydroxy-2'-deoxyguanosine levels and antioxidant status in rat liver fed with olive and corn oil diets: effect of ascorbic acid supplementation. *Journal of Food Lipids* 2001; 8(4): 281-294.
94. Gao C, Wang E. Influence of dietary fat on liver and serum lipid as well as on erythrocyte membrane in rats. *Yingyang Xuebao* 1992; 14(1): 10-6.