

1. Sastrapradja S, Sutisna U, Panggabean G, et al. Fruits. Bogor:Bena Karya 78, 1980.
2. Council of Scientific and Industrial Research. The Wealth of India. Vol. VIII. Calcutta: Sree Saraswaty Press Ltd., 1969
3. นันทวัน บุญยะประภัสร์ อรรนุช โชคชัยเจริญพร, บรรณาธิการ. สมุนไพรพื้นบ้าน เล่ม 2. กรุงเทพฯ: ประชาชน จำกัด, 2541.
4. Poyrazoglu E, Goekmen V, Artik N. Organic acids and phenolic compounds in pomegranates (*Punica granatum* L.) grown in Turkey. J Food Compos Anal 2002;15(5): 567-75.
5. Santagati NA, Duro R, Duro F. Study on pigments present in pomegranate seeds. Riv Merceol 1984;23(2):247-54.
6. Du CT, Wang PL, Francis FJ. Anthocyanins of pomegranate, *Punica granatum*. J Food Sci 1975;40:417.
7. Mavlyanov SM, Islambekov SY, Karimdzhanov AK, Ismailov AI. Polyphenols of the fruits of some varieties of pomegranate growing in Uzbekistan. Chem Nat Comp 1997;33(1):98-9.
8. Kirillova VV, Kondzhariya ZT. Nature of the tannins of some subtropical plants. Chem Nat Comp 1988;23(4):507-8
9. Botrus D, Zykina TF, Kostinskaya LI, Golovchenko GA. Polyphenol compounds in pomegranate. Izv Vyssh Uchebn Zaved Pishch Tekhnol 1984;3:117-9
10. Moneam NMA, El Sharaky AS, Badreldin MM. Oestrogen content of pomegranate seeds. J Chromatogr 1988;438(2):438-42
11. Tanaka T, Nonaka GI, Nishioka L. Tannins and related compounds. XII. Isolation and characterization of novel ellagitannins, punicacorteins A, B, C and D, and punigluconin from the bark of *Punica granatum* L. Chem Pharm Bull 1986;34(2):656-63
12. Satomi H, Umemura K, Ueno A, Hatano T, Okuda T, Noro T. Carbonic anhydrase inhibitors from the pericarps of *Punica granatum* L. Biol Pharm Bull 1993;16(8):787-90
13. Nawwar MAM, Hussein SAM, Merfort I. NMR spectral analysis of polyphenols from *Punica granatum*. Phytochemistry 1994;36(3):793-8
14. Tanaka T, Nonaka GI, Nishioka I. Punicafolin, an ellagitannin from the leaves of *Punica granatum*. Phytochemistry 1985;24(9):2075-8
15. Kakiuchi N, Hattori M, Namba T, Nishizawa M, Yamagishi T. Inhibitory effect of tannins on reverse transcriptase from RNA tumor virus. J Nat Prod 1985;48(4):614-21

16. Kakiuchi N, Hattori M, Nishizawa M, Yamagishi T, Okuda T, Namba T. Studies on dental caries prevention by traditional medicines. VIII. Inhibitory effect of various tannins on glucan synthesis by glucosyltransferase from *Streptococcus mutans*. Chem Pharm Bull 1986; 34 (2):720-5
17. Mayer W, Gorner A, Andra K. Pinicalagin and punicalin, two tannins from pomegranate peel. Justus Liebigs Ann Chem 1977: 1976
18. El Toumy SAA, Rauwald HW. Two ellagitannins from *Punica granatum* heartwood. Phytochemistry 2002;61(8):971-4.
19. Anon. Studies on the toxic effects of certain burn escharotic herbs. Chung-Hua I Hsueh Tsa Chih (New Ser) 1978;4:388.
20. Kyota Y, Watanabe M. Diellagilactone and its use as an antiinflammatory agent. Patent: Japan Kokai Tokkyo Koho 05 310,745, 1993:7 pp.
21. Lowry JB. The distribution and potential taxonomic value of alkylated ellagic acids. Phytochemistry 1968;7(10):1803-13
22. Fatope MO, Al Burtomani SKS, Takeda Y. Monoacylglycerol from *Punica granatum* seed oil. J Agr Food Chem 2002;50(2):357-60
23. Batra A, Mehta BK, Bokadia MM. Fatty acid composition of *Punica granatum* seed oil. Acta Pharm Jugosl 1986;36(1):63-6
24. Yusuph M, Mann J. A triglyceride from *Punica granatum*. Phytochemistry 1997;44(7):1391-2
25. El Wahab A, El Fiki NM, Mostafa SF, Hassan AEB. Characterization of certain steroid hormones in *Punica granatum* L. seeds. Bull Fac Pharm Cairo Univ 1998;36(1):11-16
26. Gawienowski AM, Gibbs CC. Biosynthesis of pregnenolone from cholesterol in *Punica granatum*. Phytochemistry 1969;8:2317-9
27. Ahmed R, Ifzal SM, Saifuddin A, Nazeer M. Studies on *Punica granatum*. I. isolation and identification of some constituents from the seeds of *Punica granatum*. Pak J Pharm Sci 1995;8(1):69-71
28. Willaman JJ, Schubert BG. Alkaloid bearing plants and their contained alkaloids. (continued from A05062). Ars, Usda, Tech Bull 1234, Supt Documents, Govt Print Off, Washington DC, 1961.
29. Neuhofer H, Witte L, Gorunovic M Czygan F. Alkaloids in the bark of *Punica granatum* L. (pomegranate) from Yugoslavia. Pharmazie 1993;48(5):389-91
30. www.greendoor.hypermart.net. Available access to 29 Decemember 2003.

31. พงษ์พีระ สุวรรณกุล. พยาธิวิทยาหัวใจและหลอดเลือด. กรุงเทพฯ:โรงพิมพ์จุฬาลงกรณ์มหาวิทยาลัย, 2529:265.
32. Aviram M, Dornfeld L, Rosenblat M, et al. Pomegranate juice consumption reduces oxidative stress, atherogenic modifications to LDL, and platelet aggregation : studies in human and in atherosclerotic apolipoprotein E-deficient mice. *Am J Clin Nutr* 2000;71(5):1062-76.
33. Kaplan M, Hayek T, Raz A, Coleman R, Dornfeld L, Vaya J, Aviram M. Pomegranate juice supplementation to atherosclerotic mice reduces macrophage lipid peroxidation, cellular cholesterol accumulation and development of atherosclerosis. *J Nutr* 2001;131(8):2082-9.
34. Kishan AR, Ajitha M, Rajanarayana K. Antidiabetic, antihyperlipidemic and free radical scavenging activities of an ayurvedic medicine. *Indian Drugs* 2000; 37(3):130-2.
35. Noda Y, Kaneyuki T, Mori A, Packer L. Antioxidant activities of pomegranate fruit extract and its anthocyanidins: delphinidin, cyanidin, and pelargonidin. *J Agr Food Chem* 2002;50(1):166-71
36. Aviram M. Pomegranate juice as a major source for polyphenolic flavonoids and it is most potent antioxidant against LDL oxidation and atherosclerosis. *Free Radical Research* 2002;36(suppl. 1):71-2.
37. Gil MI, Tomas-Barberan FA, Hess-Pierce B, Holcroft DM, Kader AA. Antioxidant activity of pomegranate juice and its relationship with phenolic composition and processing. *J Agr Food Chem* 2000;48(10):4581-9.
38. Schubert SY, Lansky EP, Neeman I. Antioxidant and eiconoid enzyme inhibition properties of pomegranate seed oil and fermented juice flavonoids. *J Ethnopharmacol* 1999;66(1):11-7.
39. Shay YC, Ishak N, Nitzan R. A novel mechanism for the inhibition of NF-KB activation in vascular endothelial cells by natural antioxidants. *FASEB J* 2002;4:1931-3.
40. Yokozawa T, Chen CP, Tanaka T. Direct scavenging of nitric oxide by traditional crude drugs. *Phytomedicine* 2000;6(6):453-63.
41. Singh RP, Murthy KNC, Jayaprakasha GK. Studies on the antioxidant activity of pomegranate (*Punica granatum*) peel and seed extracts using in vitro models. *J Agr Food Chem* 2002;50(1):81-6
42. Murthy KNC, Jayaprakasha GK, Singh RP. Studies on antioxidant activity of pomegranate (*Punica granatum*) peel extract using in vivo models. *J Agr Food Chem* 2002;50(17):4791-5.

43. Aviram M, Dornfeld L. Pomegranate juice consumption inhibits serum angiotensin converting enzyme activity and reduces systolic blood pressure. *Atherosclerosis* 2001; 158(1):195-8.
44. Goh SH, Soepadmo E, Chang P. Studies on Malaysian medicinal plants: preliminary results. Proc fifth Asian symposium on medicinal plants and spices, August 20-24 1984, Seoul, Korea. Han BH, Han DS, Han YN, Woo WS (eds.) 1984,5:473-83
45. Vidal A, Fallarero A, Pena BR, Medina ME, Gra B, Rivera F, Gutierrez y, Vuorela PM. Studies on the toxicity of *Punica granatum* L. (Punicaceae) whole fruit extracts. *J Ethnopharmacol* 2003;89(2-3):295-300.
46. Hattori M, Nakabayashi T, Lim YA, et al. Inhibitory effects of various ayurvedic and Panamanian medicinal plants on the infection of Herpes simplex virus-1 in vitro and in vivo. *Phytother Res* 1995;9(4):270-6.
47. Prakash A, Mathur R. Screening of Indian plants for antifertility activity. *Indian J Exp Biol* 1976;14:623-6.
48. Kamboj VP. A review of Indian medicinal plants with interceptive activity. *Indian J Med Res* 1988;4:336-55.
49. Desta B. Ethiopian traditional herbal drugs. Part III: anti-fertility activity of 70 medicinal plants. *J Ethnopharmacol* 1994;44(3):199-209
50. Igea JM, Cuesta J, Cuevas M. Adverse reaction to pomegranate ingestion. *Allergy* 1991;46(6):472-4.
51. Gaig P, Botey J, Gutierrez V, et al. Allergy to pomegranate (*Punica granatum*). *J Investig Allergol Clin Immunol* 1992;2(4):216-8.

เอกสารอ้างอิง ถั่วเหลืองกับโรคกระดูกพรุน ๕๑(๕)

1. ณรงค์ บุญยะรัตเวช, บรรณาธิการ. หนังสือประกอบการบรรยายอบรมระยะสั้น Metabolic Bone Disease 28-29 มีนาคม 2539 กรุงเทพฯ:บริษัท Zen, 2539 หน้า 129.
2. กระเชียร ปัญญาคำเลิศ สุกัญญา ชัยกิตติศิลป์ นิमित เตชไกรชนะ กอบจิตต์ ลิมปพยอม. เอสโตรเจนจากพืช. Chula Med J 1999;43(2):117-127.
3. กองโภชนาการ กรมอนามัย กระทรวงสาธารณสุข. ตารางแสดงคุณค่าทางโภชนาการของอาหารไทย กรุงเทพฯ:องค์การทหารผ่านศึก, 2535 หน้า 17.
4. นันทวัน บุญยะประภัศร อรณัฐ โชคชัยเจริญพร, บรรณาธิการ. สมุนไพรไม้พื้นบ้าน เล่ม 2 กรุงเทพฯ: บริษัท ประชาชน จำกัด, 2541 หน้า 209.
5. Omi N, Aoi S, Murata K, Ezawa I. Evaluation of the effect of soybean milk and soybean milk peptide on bone metabolism in the rat model with ovariectomized osteoporosis. J Nutr Sci Vitaminol (Tokyo) 1994; Apr ; 40(2):201-11.
6. Shi L, Su Y, Xie W, Bu H. Preventive effect of soy bean on osteoporosis. Shipin Kexue (Beijing) 1999; 20(7):42-5.
7. Shika K, Hara H, Takahashi T, Aoyama Y, Furuta H, Maeda H. Ingestion of water-soluble soybean fiber improves gastrectomy-induced calcium absorption and osteopenia in rats. Nutrition (New York ,NY) United states) 2002;18(7/8):636-642.
8. Arjmandi BH, Alekel I, Hollis BW, Amin D, Stacewicz-Sapuntzakis M, Guo P, Kukreja SC. Dietary soybean protein prevents bone loss in an ovariectomized rat model of osteoporosis J Nutr 1996;Jan;126(1):161-7.
9. Sato T, Isobe Y, Ehara Y, Yamaguchi M. Effect of menaquinone-7 (M-7) purified from the fermented soybean (Natto) in the femoral metaphysis from rat femur. Bitamin 1996;70(70):317-22.
10. Potter SM, Baum JA, Teng H, Stillman RJ, Shay NF, Erdman Jr JW. Soy protein and isoflavones:their effects on blood lipids and bone density in postmenopausal women. Am J Clin Nutr 1998;68 (Suppl):1375S-9S.
11. Tsuchida K, Mizushima S, Toba M, Soda K. Dietary soybeans intake and bone mineral density among 995 middle-aged women in Yokohama. J Epidemiol 1999;Feb;9(1):14-9. J Clin Endocrinol Metab. 2003 Mar;88(3):1048-54.
12. Choi EM, Suh KS, Kim YS, Choue RW, Koo SJ. Soybean ethanol extract increase the function of osteoblastic MC3T3-E1 cells. Phytochemistry 2001; Apr;56(7):733-9.

13. Kaneki M, Hedges SJ, Hosoi T, et al. Japanese fermented soybean food as the major determinant of the large geographic difference in circulating levels of vitamin k2. Possible implications for hip-fracture risk. *Nutrition (NY, NY, U.S.)* 2001;17(4):315-21.
14. Yamaguchi M, Masayoshi OR, Ma ZJ. Prolonged intake of isoflavone-and saponin-containing soybean extract (Nijiru) supplement enhances circulating γ -carboxylated osteocalcin concentrations in healthy individuals. *Journal of Health Science* 2001;47(6):579-82.
15. Askim M. Vitamin K in the Norwegian diet and osteoporosis. *Tidsskr Nor Laegeforen* 2001 Sep 20;121(22):2614-6.
16. Chiechi LM, Secreto G, D'Amore M, et al. Efficacy of a soy rich diet in preventing postmenopausal osteoporosis: the Menfis randomized trial. *Maturitas* 2002 Aug 30;42(4):295-300.
17. Katsuyama H, Ideguchi S, Fukunaga M, Saijoh K, Sunami S. Usual dietary intake of fermented soybeans (Natto) is associated with bone mineral density in premenopausal women. *J Nutr Sci Vitaminol (Tokyo)* 2002;Jun;48(3):207-15.
18. Mihalache G, Mihalache GD, Indrei LL, Indrei A, Hegsted M. Phytoestrogens role in bone functional structure protection in the ovariectomized rat. *Rev Med Chir Soc Med Nat Iasi* 2002;Jan-Mar;106(1):89-92.
19. Choi M-J. Effects of soy protein on bone mineral content and bone mineral density in growing male rats. *Honguk Yongyang Hakhoechi* 2002;35(4):409-13.
20. Khalil DA, Lucas EA, Juma S, Smith BJ, Payton ME, Arjmandi BH. Soy protein supplementation increases serum insulin-like growth factor-I in young and old men but does not affect markers of bone metabolism. *J Nutr* 2002; Sep;132(9):2605-8.
21. Blum SC, Heaton SN, Bowman BM, Hegsted M, Miller SC. Dietary soy protein maintains some indices of bone mineral density and bone formation in aged ovariectomized rat *J Nutr* 2003;May;133(5):1244-9.
22. Arjmandi BH, Khalil DA, Smith BJ, Lucas EA, Juma S, Payton ME, Wild RA. Soy protein has a greater effect on bone in postmenopausal women not on hormone replacement therapy, as evidenced by reducing bone resorption and urinary calcium excretion. *J Clin Endocrinol Metab* 2003 Mar;88(3):1048-54.
23. Chen YM, Ho SC, Lam SS, Ho SS, Woo JL. Soy isoflavones have a favorable effect on bone loss in Chinese postmenopausal women with lower bone mass: a

- double-blind, randomized, controlled trial. *J Clin Endocrinol Metab* 2003; Oct;88(10):4740-7.
24. Anderson JJ, Ambrose WW, Garner SC. Orally dose genistein from soy and prevention of cancellous bone loss in two ovariectomized rat model. *The Journal of Nutrition* 1995;125(3S):799S.
 25. Register TC, Jayo MJ, Anthony MS. Soy phytoestrogens do not prevent bone loss in postmenopausal monkeys. *J Clin Endocrinol Metab* 2003; Sep;88(9):4362-70.
 26. Lee CJ, Cinn TA. Soy protein isolate diet dose not prevent increased cortical bone turnover in ovariectomized macaques. *Calcif, Tissue Int* 1999;62(6):557-8.
 27. Ishida H, Uesugi T, Hirai K, Toda T, Nukaya H, Yokotsuka K, Tsuji K. Preventive effects of the plant isoflavones, daidzin and genistin, on bone loss in ovariectomized rats fed a calcium-deficiency diet. *Biol Pharm Bull* 1998;21(1):62-66.
 28. Toda T, Uesugi T, hirai K, Nukaya H, Tsuji K, Ishida H. New 6-o-acyl isoflavone glycosides from soybeans fermented with bacillus subtilis (natto).i. 6-o-succinylated isoflavone glycosides and their preventive effects on bone loss in ovariectomized rats fed a calcium-deficient. *Biol Pharm Bull* 1999;22(11):1193-201.
 29. Ishimi Y, Arai N, Wang X, et al. Difference in effective dosage of genistein on bone and uterus in ovariectomized mice. *Biochem Biophys Res Commun* 2000; Aug 11;274(3):697-701.
 30. Picherit C, Coxam V, Bennetau-Pelissero C, Kati-Coulibaly S, Davicco MJ, Lebecque P, Barlet JP. Daidzein is more efficient than genistein in preventing ovariectomy-induced bone loss in rats. *J Nutr* 2000;Jul;130(7):1675-81.
 31. Takanori T, Yutaka F, Katsumi I, Yukio Y. Soy isoflavones attenuate ovariectomy-induced bone loss in stroke-prone spontaneously hypertensive rats (SFRSP). *J Clin Biochem Nutr* 2000;28(1):15-20.
 32. Nakajima D, Kim CS, Oh TW, Yang CY, Naka T, Igawa S, Ohta F. Suppressive effects of genistein dosage and resistance exercise on bone loss in ovariectomized rats. *J Physiol Anthropol Appl Human Sci* 2001;Sep;20(5):285-91.
 33. Alekel DL, Germain AS, Peterson CT, Hanson KB, Stewart JW, Toda T. Isoflavone-rich soy protein isolate attenuates bone loss in the lumbar spine of perimenopausal women. *Am J Clin Nutr* 2000 Sep;72(3):844-52.

34. Horiuchi T, Onouchi T, Takahashi M, Ito H, Orimo H. Effect of soy protein on bone metabolism in postmenopausal Japanese women. *Osteoporos Int* 2000;11(8):721-4.
35. Picherit C, Bennetau-Pelissero C, Chanteranne B, Lebecque P, Davicco MJ, Barlet JP, Coxam V. Soybean isoflavones dose-dependently reduce bone turnover but do not reverse established osteopenia in adult ovariectomized rats *J Nutr* 2001;Mar;131(3):723-8.
36. Ebisawa H, Koshihara Y. Inhibitory effects of soy-isoflavones on osteoclastogenesis in human bone marrow cell culture. *Daizu tanpakushisu Kenkyu* 2001;4:129-34.
37. Uesugi T, Fukui Y, Yamori Y. Beneficial effects of soybean isoflavone supplementation on bone metabolism and serum lipids in postmenopausal Japanese women: a four-week study. *J Am Coll Nutr* 2002;Apr;21(2):97-102.
38. Arjmandi BH, Smith BJ. Soy isoflavones' osteoprotective role in postmenopausal women: mechanism of action. *Journal of nutrition of biochemistry* 2002; 13(3):130-137.
39. Shi L, Su Y, Yang C. Study on preventive effects of soy isoflavones on bone mass and blood lipid of ovariectomized rat. *Shipin Kexue (Beijing, China)* 2002; 23(2):119-8.
40. Fang Q, Na X, Cui H. Influence of soy bean isoflavone on rat's biochemical markers of bone turnover. *Zhonggou Gongnong Weisheng* 2002;18(3):293-4.
41. Ishimi Y, Yoshida M, Wakimoto S, et al. Genistein, a soybean isoflavone, affects bone marrow lymphopoiesis and prevents bone loss in castrated male mice. *Bone* 2002;Jul;31(1):180-5.
42. Hidaka S, Okamoto Y, Miyazaki K, Uesugi T. Evaluation of a soybean product fujiflavone P40 as an antiosteoporotic agent in rats. *Phytother Re* 2003;Feb;17(2):112-9.
43. Nagata C, ShimiZu H, Takami R, Hayashi M, Yasuda K. Soy product intake and serum isoflavonoid and estradiol concentrations in relation to bone mineral density in postmenopausal Japanese women. *Osteoporosis International* 2002;13(3):200-4.
44. Wangen KE, Duncan AM, Merz-Demlo BE, XU X, Marcus R, Phipps WR, Kerzer MS. Effects of soy isoflavones on markers of bone turnover in premenopausal and postmenopausal women. *J Clin Endocrinal Metab* 2000;85(9):3043-48.

45. Dalais FS, Ebeling PR, Kotsopoulos D, McGrath BP, Teede HJ. The effects of soy protein containing isoflavones on lipids and indices of bone resorption in postmenopausal women. Clin Endocrinol (Oxf) 2003;Jun;58(6):704-9.
46. นายแพทย์อุดม วิศิษฎ์สุนทร. คู่มือโรคกระดูกพรุนสำหรับประชาชน กรุงเทพฯ:เรือนแก้วการพิมพ์, 2542 หน้า 48.