

## เอกสารอ้างอิง (น้ำผึ้งกับการรักษาแผล) (๒(๖))

1. Meyer O. The products of the hive. In: The keeper's handbook, Meyer Q, ed. New York: Sterling Publishing Co., Inc., 1983:117-43.
2. พรเพ็ญ สุรังสิมันต์กุล. น้ำผึ้ง-น้ำผึ้ง. วารสารวิทยาศาสตร์ ฉบับพิเศษ 2533;44:73-80.
3. ไม่ปรากฏนามผู้แต่ง. เรื่องของน้ำผึ้ง. Biotec News 2000;6(1);3.
4. Mato I, Huidobro JF, Simal-Lozano J, Sancho MT. Significance of nonaromatic organic acids in honey. J Food Prot 2003;66(12):2371-6.
5. สมาคมโรงเรียนแพทย์แผนโบราณ. ประมวลสรรพคุณยาไทย (ภาคสอง) ว่าด้วยพฤกษชาติ วัตถุธาตุ และสัตว์วัตถุนานาชาติ. กรุงเทพฯ:ไพศาลศิลปการพิมพ์, 2521:219 หน้า.
6. หลวงบุเรศบำรุงการ. เรามาดื่มน้ำผึ้งกันเถิด. กรุงเทพฯ:อักษรสัมพันธ์, 2514:46 หน้า.
7. วุฒิ วุฒิธรรมเวช. เกษชกรรมไทยรวมสมุนไพร ฉบับปรับปรุงใหม่. กรุงเทพฯ:โอ.เอส.พรินติ้ง เฮ้าส์, 2540:480 หน้า.
8. วีระพันธ์ ตันติพงษ์. น้ำผึ้ง ยาอายุวัฒนะขนานแท้. เกษตรกรรมชาติ 2530;1(2):8-9.
9. Jeddar A, Kharsany A, Ramsaroop UG, Bhamjee A, Haffejee IE, Moosa A. The antibacterial action of honey. An *in vitro* study. S Afr Med J 1985;67(7);257-8.
10. Ali AT, Chowhury MN, Al Humayyd MS. Inhibitory effect of natural on *Helicobacter pylori*. Trop Gastroenterol 1991;12(3):139-43.
11. Cooper RA, Molan PC, Harding KG. Antibacterial activity of honey against strains of *Staphylococcus aureus* from infected wounds. J R Soc Med 1999;92(6):283-5.
12. Cooper R, Molan PC. The use of honey as an antiseptic in managing *Pseudomonas* infection. J Wound Care 1999;8(4):161-4.
13. Cooper RA, Halas E, Molan PC. The efficacy of honey in inhibiting strains of *Pseudomonas aeruginosa* from infected burns. J Burn Care Rehabil 2002;23(6):366-70.
14. Allen KL, Molan PC, Reid GM. A survey of the antibacterial activity of some New Zealand honeys. J Pharm Pharmacol 1991;43(12):817-22.
15. Al-Jabri AA, Nzeako B, Al Mahrooqi Z, Al Naqdy A, Nsanze H. *In vitro* antibacterial activity of Omani and African honey. Br J Biomed Sci 2003;60(1):1-4.
16. Lusby PE, Coombes A, Wilkinson JM. Honey : a potent agent for wound healing? J Wound Ostomy Continence Nurs 2002;29(6):295-300.
17. Willix DJ, Molan PC, Harfoot CG. A comparison of the sensitivity of wound-infecting species of bacteria to the antibacterial activity of manuka honey and other honey. J Appl Bacteriol 1992;73(5):388-94.

18. Cooper RA, Molan PC, Harding KG. The sensitivity of honey of gram-positive cocci of clinical significance isolated from wounds. *J Appl Microbiol* 2002;93(5):857-63.
19. Karayil S, Deshpande SD, Koppikar GV. Effect of honey on multidrug resistant organisms and its synergistic action with three common antibiotics. *J Postgrad Med* 1998;44(4):93-6.
20. Bang LM, Buntting C, Molan PC. The effect of dilution on the rate of hydrogen peroxide production in honey and its implications for wound healing. *J Altern Complement Med* 2003;9(2):267-73.
21. Oryan A, Zaker SR. Effects of topical application of honey on cutaneous wound healing in rabbits. *Zentralbl Veterinarmed A* 1998;45(3):181-8.
22. Phuapradit W, Saropala N. Topical application of honey in treatment of abdominal wound disruption. *Annual Research Abstracts and Bibliography of Non-Formal Publications 1994, Mahidol Univ* 1995;22:56.
23. Al-Waili NS, Saloom KY. Effects of topical honey on post-operative wound infections due to gram positive and gram negative bacteria following caesarean sections and hysterectomies. *Eur J Med Res* 1999;4(3):126-30.
24. Ahmed AK, Hoekstra MJ, Hage JJ, Karim RB. Honey-medicated dressing: transformation of an ancient remedy into modern therapy. *Ann Plast Surg* 2003;50(2):143-7.
25. Aysan E, Ayar E, Arem A, Cifter C. The role of intra-peritoneal honey administration in preventing post-operative peritoneal adhesions. *Eur J Obstet Gynecol Reprod Biol* 2002;104(2):152-5.
26. Hamzaoglu I, Saribeyoglu R, Durak H, et al. Protective covering of surgical wounds with honey impedes tumors implantation. *Arch Surg* 2000;135(12):1414-7.
27. Subrahmanyam M. Honey impregnated gauze versus polyurethane film (OpSite) in the treatment of burns- a prospective randomised study. *Br J Plast Surg* 1993;46(4):322-3.
28. Subrahmanyam M. Honey dressing versus boiled potato peel in the treatment of burns: a prospective randomized study. *Burns* 1996;22(6):491-3.
29. Subrahmanyam M. Topical application of honey in treatment of burns. *Br J Surg* 1991;78(4):497-8.
30. Subrahmanyam M. A prospective randomised clinical and histological study of superficial burn wound healing with honey and silver sulfadiazine. *Burns* 1998;24(2):157-61.
31. Postmes TJ, Bosch MMC, Dutrieux R, Van Baare J, Hoekstra MJ. Speeding up the healing of burns with honey; an experimental study with histological assessment of wound biopsies.

Proceedings of an International Conference on Bee Products: Properties, Applications, and Apitherapy, May 26-30, 1996:57-63.

32. Subrahmanyam M. Early tangential excision and skin grafting of moderate burns is superior to honey dressing: a prospective randomised trial. *Burns* 1999;25(8):729-31.
33. เอมอร ดำรงค์เลิศ. การศึกษาติดตามการหายของบาดแผลเรื้อรังที่ทำแผลด้วยน้ำผึ้ง. วารสารสำนักงานคณะกรรมการวิจัยแห่งชาติ (พิมพ์เพิ่ม) 2526;15(2):39-66.
34. Ndayisaba G, Bazira L, Habonimans E, Muteganya D. Clinical and bacteriological outcome of wounds treated with honey. An analysis of a series of 40 cases. *Rev Chir Orthop Reparatrice Appra Mot* 1993;;79(2):111-3.
35. Efem SE. Clinical observations on the wound healing properties of honey. *Br J Surg* 1988;75(7):679-81.
36. Natarajan S, Williamson D, Grey J, Harding KG, Cooper RA. Healing of an MRSA-colonized, hydroxyurea-induced ulcer with honey. *J Dermatolog Treat* 2001;12(1):33-6.
37. Vardi A, Barzilay Z, Linder N, Cohen HA, Paret G, Barzilai A. Local application of honey for treatment of neonatal postoperative wound infection. *Acta Paediatr* 1998;87(4):429-32.
38. Oluwatosin OM, Olabanji JK, Oluwatosin OA, Tijani LA, Onyechi HU. A comparison of topical honey and phenytoin in the treatment of chronic leg ulcers. *Afr J Med Sci* 2000;29(1);31-4.
39. Van der Weyden Elizabeth A. The use of honey for the treatment of two patients with pressure ulcers. *British Journal of Community Nursing* 2003;8(12);S14-20.
40. Karakaya G, Fuat Kalyoncu A. Honey allergy in adult allergy practice. *Allergol immunopathol (Madr)* 1999;27(5);271-2.
41. Lombardi C, Senna GE, Gatti B, et al. Allergic reactions to honey and royal jelly and their relationship with sensitization to Compositae. *Allergol Immunopathol (Madr)* 1998;26(6);288-90.
42. Bauer L, Kohlich A, Hirschwehr R, et al. Food allergy to honey: pollen or bee products? Characterization of allergenic proteins in honey by means of immunoblotting. *J Allergy Clin Immunol* 1996;97(1 Pt 1):65-73.
43. Kiistala R, Hannuksela M, Makinen-Kiljunen S, Niinimaki A, Haahtela T. Honey allergy is rare in patients sensitive to pollens. *Allergy* 1995;50(10);844-7.
44. Helbling A, Peter C, Berchtold E, Bogdanov S, Muller U. Allergy to honey: relation to pollen and honey bee allergy. *Allergy* 1992;47(1);41-9.
45. Molan PC, Allen KL. The effect of gamma-irradiation on the antibacterial activity of honey. *J Pharm Pharmacol* 1996;48(11);1206-9.

เอกสารอ้างอิง (อิงกับฤทธิ์ต้านอนุมูลอิสระ) (21(3))

1. Backer CA, Brink RCB. Flora of Java Vol.II Groningen : N.V. Wolter-Norodhoff 1965:641 pp.
2. Vinson JA, Dabbagh YA, Serry MM, Jang JH. Plant flavonoids, especially tea flavonols, are powerful antioxidants using an *in vitro* oxidation model for heart disease. J Agr Food Chem 1995;43(11):2800-2.
3. Alcolea JF, Cano A, Manuel A, Marino B. Hydrophilic and lipophilic antioxidant activities of grapes. Nahrung 2002;46(5)353-6.
4. Van Dyke K, Ogle CL, Reasor MJ. Antioxidant activity in grape and other fruit extracts inhibits peroxytrifluoromethyl-dependent oxidation (from SIN-1) as measured by luminescence. Luminescence Biotechnology 2002:435-41.
5. Okubo K, Yoshiki Y, Sato K, Someya H. Active oxygen scavenging materials, filters, health food, and beverages containing scavengers and the action accelerators. Patent: Jpn Kokai Tokkyo Koho JP 2001 158,742, 2001:9 pp.
6. Saura Calixto FD, Larrauri Garcia JA. Antioxidant dietetic fiber from grape byproducts. Patent: PCT Int Appl WO 99 25,209, 1999:14 pp.
7. Pietta P, Simonetti P, Mauri P. Antioxidant activity of selected medicinal plants. J Agr Food Chem 1998;46(11):4487-90.
8. Torres JL, Lozano C, Julia L, Sanchez-Baeza FJ, Anglada JM, Centelles JJ, Cascante M. Cysteinyl-flavan-3-ol conjugates from grape procyanidins. Antioxidant and antiproliferative properties. Bioorganic & Medicinal Chemistry 2002;10(8):2497-509.
9. Shalashvili A, Zambakhidze N, Ugrekhelidze D, Parlar H, Leupold G, Kvesitadze G, Simonishvili S. Antioxidant activity of grape bioflavonoids and some flavonoid standards. AFS, Advances in Food Sciences 2002;24(1):24-9.
10. Yi O-S, Meyer AS, Frankel EN. Antioxidant activity of grape extracts in a lecithin liposome system. J Am Oil Chem Soc 1997;74(10):1301-7.
11. Revilla E, Ryan J-M. Analysis of several phenolic compounds with potential antioxidant properties in grape extracts and wines by high-performance liquid chromatography-photodiode array detection without sample preparation. J Chromatogra 2000;881(1+2):461-9.
12. Wei F, Hai J, Zhang L. Extraction of polyphenols from grape seeds and its health protection by scavenging free radicals. Huaxue Shijie 2001;42(11):576-8.

13. Torres JL, Varela B, Garcia MT, et al. Valorization of grape (*Vitis vinifera*) byproducts. Antioxidant and biological properties of polyphenolic fractions differing in procyanidin composition and flavonol content. *J Agric Food Chem* 2002;50(26):7548-55.
14. Matito C, Mastorakou F, Centelles JJ, Torres JL, Cascante M. Antiproliferative effect of antioxidant polyphenols from grape in murine Hepa-1c1c7. *European Journal of Nutrition* 2003;42(1):43-9.
15. Sun GY, Xia JM, Xu JF, Allenbrand B, Simony A, Rudeen PK, Sun AY. Dietary supplementation of grape polyphenols to rats ameliorates chronic ethanol-induced changes in hepatic morphology without altering changes in hepatic lipids. 1999;129(10):1814-9.
16. Bonilla F, Mayen M, Merida J, Medina M. Extraction of phenolic compounds from red grape marc for use as food lipid antioxidants. *Food Chem* 1999;66(2):209-15.
17. Baldi A, Romani A, Mulmacci N, Vincieri FF, Ghiselli A. The relative antioxidant potencies of some polyphenols in grapes and wines. *ACS Symp Ser* 1997;661:166-79.
18. de Gaulejac NS-C, Provost C N. Comparative Study of Polyphenol Scavenging Activities Assessed by Different Methods. *J Agric Food Chem* 1999;47(2):425-31.
19. Xia J, Allenbrand B, Sun GY. Dietary supplementation of grape polyphenols and chronic ethanol administration of LDL oxidation and platelet function in rats. *Life Sci* 1998;63(5):383-90.
20. Bagchi D, Garg A, Krohn RL, Bagchi M, Tran MX, Stohs SJ. Oxygen free radical scavenging abilities of vitamins C and E, and a grape seed proanthocyanidin extract *in vitro*. *Res Commun Molec Pathol Pharmacol* 1997;95(2):179-89.
21. Ahmad AKS, El-Gendy AE, Kelani KM, Abdel Aziz L. The antioxidant effect of flavonoid compounds: grape seed extract, hesperidin and silymarin. *Bulletin of the Faculty of Pharmacy (Cairo University)* 2000;38(3):15-21.
22. Mimura A, Matsushima H, Takamori Y. Manufacture of antioxidant grape seed extracts. *Jpn Kokai Tokkyo Koho JP* 2001 292,731 2000:5pp.
23. Macrides TA, Shihata A, Kalafatis N, Wright PFA. A comparison of the hydroxyl radical scavenging properties of the shark bile steroid 5- $\beta$ -scymnol and plant pycnogenols. *Biochem Mol Biol Int* 1997;42(6):1249-60.
24. Wood JE, Senthilmohan ST, Peskin AV. Antioxidant activity of procyanidin-containing plant extracts at different pHs. 2002;77(2):155-61.

25. Lau DW, King AJ. Pre-and Post-Mortem Use of Grape Seed Extract in Dark Poultry Meat To Inhibit Development of Thiobarbituric Acid Reactive Substances. *Journal of Agricultural and Food Chemistry* 2003;51(6):1602-7.
26. Gao JT, Tang HR, Zhao B. The ESR study on the protective effect of grape seed extract on rat heart mitochondria from the injury of lipid peroxidation. *Res Chem Intermed* 2000;26(7/8):817-28.
27. Guo Y, Cai X, Chen Q, Li W. Anti-lipoperoxidation of grape seed extracts *in vitro*. *Weisheng Yanjiu* 2002;31(1):28-30.
28. Ahn HS, Jeon TI, Lee Jy, Hwang SG, Lim Y, Park DK. Antioxidative activity of persimmon and grape seed extract: *in vitro* and *in vivo*. *Nutrition Research (New York, NY, United States)* 2002;22(11):1265-73.
29. Hersh T, Hersh R. Glutathione, green tea, grape seed extract to neutralize tobacco free radicals. Patent: U S Pat Appl Publ US 2002 117,180, 1998:10 pp.
30. Bos MA, Vennat B, Meunier MT, Pouget MP, Pourrat A, Fialip J. Procyanidins from Tormentil: antioxidant properties towards lipoperoxidation and anti-elastase activity. *Biol Pharm Bull* 1996;19(1):146-8.
31. Yamakoshi J, Kataoka S, Koga T, Agriga T. Proanthocyanidin-rich extract from grape seeds attenuates the development of aortic atherosclerosis in cholesterol-fed rabbits. *Atherosclerosis* 1999;142(1):139-49.
32. Xu S, Hang H. Scavenging effect of grape seed and grape peel on free radicals. *Shipin Kexue (Beijing)* 1999;20(12):28-30.
33. Xu S, Hang H. Scavenging effect of grape seed and grape peel on free radicals. *Shipin Kexue (Beijing)* 1999;20(12):28-30.
34. Calliste CA, Trouillas P, Allais DP, Simon A, Duroux JL. Free radical scavenging activities measured by electron spin resonance spectroscopy and B16 cell antiproliferative behaviors of seven plants. *J Agr Food Chem* 2001;49 (7):3321-7.
35. Ahn HS, Jeon TI, Lee JY, Hwang SG, Lim Y, Park DK. Antioxidative activity of persimmon and grape seed extract : *in vitro* and *in vivo*. *Nutr Res* 2002;22(11): 1265-73.
36. Hirose Y, Iwama F. Antioxidant isolated from grape seed optical isomer mixtures of catechin. *Yukagaku* 1984;33(7):435-8.

37. Nakayama M, Hirose Y. Antioxidant activity of catechins and an approach to the antioxidant mechanism based on the oxidation products. *Foods Food Ingredients J Jpn* 1994;161:4-12.
38. นพมาศ สุนทรเจริญนนท์, ทรงศิริ แก้วสุวรรณ.ฤทธิ์ต้านอนุมูลอิสระของสมุนไพรรไทยและไวน์สมุนไพรร.วารสารสมุนไพรร 2001;8(2):8-13.
39. Chung H-Y, Yoon S-J. Antioxidant activity of grape seed ethanol extract according to serial solvent fractionation. *Han'guk Sikk'um Youngyang Kwahak Hoechi* 2002;31(6):1092-6.
40. Negro C, Tommasi L, Miceli A. Phenolic compounds and antioxidant activity from red grape marc extracts. *Bioresource Technology* 2003;87(1):41-4.
41. Xu S, Hang H, Hao X. Study on chemical constituent and antioxidation of grape seed. *Shipin Gongye Keji* 2000;21(2):18-20.
42. Kandil FE, Pezzuto JM, Marley K, Seigler DS, Smith MAL. Isolation of oligomeric proanthocyanidins from flavonoid-producing cell cultures. *In Vitro Cell Dev Biol* 2000;36(6):492-500.
43. Mimura A, Matushima H, Takamori Y. Manufacture of antioxidant grape seed extracts. Patent: Japan Kokai Tokkyo Koho 292,731, 2000:5 pp.
44. Gabrielska J, Oszmianski J, Lamer Zarawska E. Protective effect of plant flavonoids on the oxidation of lecithin liposomes. *Pharmazie* 1997;52(2):170-1.
45. Bagchi D, Garg A, Krohn RL, Bagchi M, Tran MX, Stohs SJ. Oxygen free radical scavenging abilities of vitamins C and E and a grape seed proanthocyanidin extract in vitro. *Res Commun Mol Pathol Pharmacol* 1997;95(2):179-89.
46. Williams R, Elliott M, Reddy J. Bioflavanol studies: The biological activities of grape seed polyphenolics in cell culture. *Colloq – Inst Natl Rech Agron* 1995;69 (polyphenols 94):403-4.
47. Gao J, Tang H, Hou J, Li M, Xin W, Zhao B. ESR study of the oxygen free radicals scavenging effect of polyphenols from grape seeds. 1999;16(5):409-15.
48. Castillo J, Benavente-Garcia O, Lorente J, Alcaraz M, Redondo A, Ortuno A, Del Rio JA. Antioxidant activity and radioprotective effects against chromosomal damage induced *in vivo* by x-rays of flavan-3-ols (procyranidins) from grape seeds (*Vitis vinifera*): comparative study versus other phenolic and organ compounds. *J Agr Food Chem* 2000;48(5):1738-45.

49. Facino RM, Carini M, Aldini G, Bombardelli E, Morazzoni P, Morelli R. Free radical scavenging action and anti-enzyme activities of procyanidins from *Vitis vinifera*. *Arzneim-Forsch* 1994;44(5):592-601.
50. Lanningham-Foster L, Chen C, Chance DS, Loo G. Grape extract inhibits lipid peroxidation of human low density lipoprotein. *Bio Pharm Bull* 1995;18(10):1347-51.
51. Ahmad AKS, EL Gendy AE, Kelani KM, Abdel Aziz L. The antioxygenic effect of flavonoid compounds : grape seed extract, hesperidin and silymarin. *Bull Fac Pharm Cairo Univ* 2000;38(3):15-21.
52. Yamagushi F, Yoshimura Y, Nakazawa H, Ariga T. Free radical scavenging activity of grape seed extract and antioxidants by electron spin resonance spectrometry in an H2O2/NAOH/DMSO system. *J Agr Food Chem* 1999;47(7):2544-8.
53. Mazur A, Bayle D, Lab C, Rock E, Rayssiguier Y. Inhibitory effect of procyanidin-rich extracts on LDL oxidation *in vitro*. *Atherosclerosis* 1999;145(2):421-2.
54. Wulff HP. Natural antioxidant composition from grtape seed. *Pct Int Appl WO 97 39,632* 1997:26pp.
55. Kitao S, Teramoto M, Matoba T. Effect of heat and pH on the radical-scavenging activity of proanthocyanidin-rich extract from grape seeds and production of Konjak enriched with proanthocyanidin. *Nippon Shokuhin Kagaku Kogaku Kaishi* 2001;48(8):591-7.
56. Lu L, Cao D. Study on oligomeric proanthocyanidins in grape seed. *Zhongguo Youzhi* 2001;26(1):38-9.
57. Bagchi D, Ray SD, Bagchi M, Preuss HG, Stohs SJ. Mechanistic pathways of antioxidant cytoprotection by a novel IH636 grape seed proanthocyanidin extract. *Indian Journal of Experimental Biology* 2002;40(6):717-26.
58. Andry MC, Vezin H, Dumistracel I, Bernier JL, Levy MC. Proanthocyanidin microcapsules: preparation, properties and free radical scavenging activity. *Int J Pharmaceut* 1998;171(2):217-26.
59. Bouhamidi R, Prevost V, Nouvelot A. High protection by grape seed proanthocyanidins against UV-C-induced peroxidation of polyunsaturated fatty acids. *C R Acad Sci, Ser III* 1998;321(1):31-8.



60. Bouhamidi R, Prevost V, Nouvelot A. High protection by grape seed proanthocyanidins (GSPC) of polyunsaturated fatty acids against UV-C induced peroxidation. *C R Acad Sci* 1998;321(1):31-8.
61. Bagchi D, Kuszynski C, Balmoori J, Bagchi M, Stohs SJ. Hydrogen peroxide induced modulation of intracellular oxidized states in cultured macrophage J774A.1 and neuroactive PC-12 cells, and protection by a novel grape seed proanthocyanidin extract. *Phytother Res* 1998;12(8):568-71.
62. Bagchi M, Kuszynski CA, Balmoori J, Joshi SS, Stohs SJ, Bagchi D. Protective effects of antioxidants against smokeless tobacco-induced oxidative stress and modulation of Bcl-2 and p53 genes in human oral keratinocytes. *Free Radical Res* 2001;35(2):181-94.
63. Roychowdhury S, Wolf G, Keilhoff G, Bagchi D, Horn T. Protection of primary glial cells by grape seed proanthocyanidin extract against nitrosative/oxidative stress. *Nitric Oxide* 2001;5(2):137-49.
64. Roychowdhury S, Wolf C, Keilhor G, Bagchi D, Horn T. Protection of primary glial cells by grape seed proanthocyanidin extract against nitrosative/oxidative stress. *Nitric Oxide* 2001;5(2):137-49.
65. Shao ZH, Becker LB, Vanden TL, et al. Grape seed proanthocyanidin extract attenuates oxidant injury in cardiomyocytes. *Pharmacol Res* 2003;47(6):463-9.
66. Facino RM, Carini M, Aldini G, Berti F, Rossoni G, Bombardelli E, Morazzoni P. Procyanidines from *Vitis vinifera* seeds protect rabbit heart from ischemia/reperfusion injury: antioxidant intervention and/or iron and copper sequestering ability. *Planta Med* 1996;62(6):495-502.
67. Carini M, Stefani nR, Aldini G Oziolo M, Facino RM. Procyanidins from *Vitis vinifera* seeds inhibit the respiratory burst of activated human neutrophils and lysosomal enzyme release. *Planta Medica* 2001;67(8):714-7.
68. Carini M, Stefani R, Aldini G, ozioli M, Facino MB. Procyanidins from *Vitis vinifera* seeds inhibit the respiratory burst of activated human neutrophils and lysosomal enzyme release. *Planta Med* 2001;67(8):714-7.
69. Wang C, Zhong J. Scavenging effect of grape procyanidin on active oxygen free radical. *Yingyang Xuebao* 2001;23(2):170-3.
70. Shafiee M, Carbonneau M-A, Urban N, Descomps B, Leger CL. Grape and grape seed extract capacities at protecting LDL against oxidation generated by  $\text{Cu}^{2+}$ , AAPH or SIN-1

and at decreasing superoxide THP-1 cell production. A comparison to other extracts or compounds. *Free Radical Research* 2003;37(5):573-84.

71. Koga T, Moro K, Nakamorai K, Yamakoshi J, Hosoyama H, Kataoka S, Arica T. Increase of antioxidative potential of rat plasma by oral administration of proanthocyanidin-rich extract from grape seeds. *J Agr Food Chem* 1999;47(5):1892-7.
72. Tebib K, Rouanet JM, Besancon P. Antioxidant effects of dietary polymeric grape seed tannins in tissues of rats fed a high cholesterol-vitamin E-deficient diet. *Food Chem* 1997;59(1):135-41.
73. Tebib K, Rouanet JM, Basancon P. Antioxidant effects of dietary polymeric grape seed tannins in tissues of rats fed a high cholesterol-vitamin E-deficient diet. *Food Chem* 1997;59(1):135-41.
74. Yu H, Xu G, Zhao X, Wang S. Antioxidation effect of polyhydroxystilbene extracted from grape seed in hyperlipidemia rabbits. *Shandong Yike Daxue Xuebao* 2001;39(6):547-8.
75. Xia J, Allengrand B, Sun GY. Dietary supplementation of grape polyphenols and chronic ethanol administration on LDL oxidation and platelet function in rats. *Life Sci* 1998;63(5):383-90.
76. Tanaka N. Polyphenols and garlic extracts for prevention of cardiovascular diseases. Patent: JPN Kokai Tokkyo Koho JP 2003 95,968, 2003:5 pp.
77. Preuss HG, Montamarry S, Echard B, Scheckenbach R, Bagchi D. Long-term effects of chromium, grape seed extract, and zinc on various metabolic parameters of rats. *Molecular and Cellular Biochemistry* 2001;223(1&2):95-102.
78. Sato M, Bagchi D, Tosaki A, Das DK. Grape seed proanthocyanidin reduces cardiomyocyte apoptosis by inhibiting ischemia/reperfusion-induced activation of JNK-1 and C-JUN. *Free Radical Biol Med* 2001;31(6):729-37.
79. Bagchi M, Milnes M, Williams C, Balmoori J, Ye X, Stohs S, Bagchi D. Acute and chronic stress-induced oxidative gastrointestinal injury in rats, and the protective ability of a novel grape seed proanthocyanidin extract. *Nutr Res (N Y)* 1999;19(8):1189-99.
80. Bagehi M, Milnes M, Williams C, Balmoori J, Xumei MS, Stohs S, Bagehi D. Acute and chronic stress-induced oxidative gastrointestinal injury in rats, and the protective ability of a novel grape seed proanthocyanidin extract. *Nutr Res* 1999;19(8):1189-99.

81. Koga T, Moro K, Nakamori K, Yamakoshi J, Hosoyama H, Kataoka S, Ariga T. Increase of antioxidative potential of rat plasma by oral administration of proanthocyanidin-rich extract from grape seeds. *J Agric Food Chem* 1999;47(5):1892-7.
82. Li WG, Zhang XY, Wu YJ, Tian X. Anti-inflammatory effect and mechanism of proanthocyanidins from grape seeds. *Acta Pharmacol Sinica* 2001;22(12):1117-20.
83. Natella F, Belevi F, Gentili V, Ursini F, Scaccini C. Grape seed proanthocyanidins prevent plasma postprandial oxidative stress in humans. *J Agric Food Chem* 2002;50(26):7720-5.
84. Seo K, Jung S, Park M, Song Y, Choung S. Effects of leucocyanidins on activities of metabolizing enzymes and antioxidant enzymes. *Biol Pharm Bull* 2001;24(5):592-3.
85. Yamakoshi J, Saito M, Kataoka S, Tokutake S. Procyanidin-rich extract from grape seeds prevents cataract formation in hereditary cataractous (ICR/f) rats. *J Agric Food Chem* 2002;50(17):4983-8.
86. Simonetti P, Ciappellano S, Gardana C, Bramati L, Pietta P. Procyanidins from *Vitis vinifera* seeds: *in vivo* effects on oxidative stress. *J Agric Food Chem* 2002;50(21):6217-21.
87. Nuttall SL, Kendall MJ, Bombardelli E, Morazzoni P. An evaluation of the antioxidant activity of a standardized grape seed extract, Leucoselect. *J Clin Pharm Ther* 1998;23(5):385-9.
88. Bagchi D, Bagchi M, Stohs SJ, et al. Free radicals and grape seed proanthocyanidin extract: importance in human health and disease prevention. *Toxicology* 2000;148(2-3):187-97.
89. Larrauri JA, Sanchez-Moreno C, Saura-Calixto F. Effect of temperature on the free radical scavenging capacity of extracts from red and white grape pomace peels. *J Agr Food Chem* 1998;46(7):2694-7.
90. Wang Z-C, Yang C-C, Lee W-L. Estimation of antioxidative activity and safety of methanolic extracts from 'Black Queen' and 'Kyoho' grape skins in Taiwan. *Taiwan Nongye Huaxue Yu Shipin Kexue* 2001;39(1):8-15.
91. Larrauri JA, Ruperez P, Clixto FS. Antioxidant activity of wine pomace. *Am J Enol Vitic* 1996;47(4):369-72.
92. Racek J, Holecek V. Free radicals in gastroenterology and antioxidants in the nutrition. *Ceska Slov Gastroenterol* 1998;52(1):14-7.
93. Henn T, Stehle P. Total phenolics and antioxidant activity of commercial

- wines, teas, and fruit juices. *Ernaehr-Umsch* 1998;45(9):308-10, 312-3.
94. Spagna G, Tomaino A, Cimino F, Barbagallo RN, Ventura D, Bonina F, Saija A. Chemical analysis and photoprotective effect of an extract of wine from Jacques grapes. *Journal of the Science of Food and Agriculture* 2002;82(15):1867-74.
  95. Wasek M, Wawer I. EPR studies of the antioxidant activity of fruit and grape wines. *Przemysl Fermentacyjny i Owocowo-Warzywny* 2002;46(1):22-3.
  96. Durak I, Avci A, Kacmaz M, Buyukkocak S, Cimen MYB, Elgun S, Ozturk HS. Comparison of antioxidant potentials of red wine, white wine, grape juice and alcohol. *Curr Med Res Opin* 1999;15(4):316-20.
  97. Filippova RL, Kolesnov AY, Filatova IA. Antioxidant properties of phenolic compounds in grape and prune juices (purees). *Pishch Prom-st (Moscow)* 2000(3):42-3.
  98. Sanchez-Moreno C, Larrauri JA, Saura-Calixto F. Free radical scavenging capacity and inhibition of lipid oxidation of wines, grape juices and related polyphenolic constituents. *Food Res Int* 1999;32(6):407-12.
  99. Miyagi Y, Miwa K, Inoue H. Inhibition of human low-density lipoprotein oxidation by flavonoids in red wine and grape juice. *Am J Cardiol* 1997;80(12):1627-31.
  100. Abu-Amsha Caccetta R, Burke V, Mori TA, Beilin LJ, Puddey IB, Croft KD. Red wine polyphenols, in the absence of alcohol, reduce lipid peroxidative stress in smoking subjects. *Free Radical Biol Med* 2001;30(6):636-42.
  101. Wakabayashi Y. Effect of red wine consumption on low-density lipoprotein oxidation and atherosclerosis in aorta and coronary artery in Watanabe heritable hyperlipidemic rabbits. *J Agric Food Chem* 1999;47:4724-30.
  102. Wang H, Cao G, Prior RL. Total antioxidant capacity of fruits. *J Agr Food Chem* 1996;44(3):701-5.
  103. Lanningham-foster L, Chen C, Chance DS, Loo G. Grape extract inhibits lipid peroxidation of human low density lipoprotein. *Biol Pharm Bull* 1995;18(10):1347-51.
  104. Shimoi K, Masuda S, Shen B, Furugori M, Kinae N. Radioprotective effects of antioxidative plant flavonoids in mice. *Mutat Res* 1996;350(1):153-61.
  105. Day AP, Kemp HJ, Bolton C, Hartog M, Stansbie D. Effect of concentrated red grape juice consumption on serum antioxidant capacity and low-density lipoprotein oxidation. *Ann Nutr Metab* 1997;41(6):353-7.

106. Frankel EN, Meyer AS. Antioxidants in grapes and grape juices and their potential health effects. *Pharmaceutical Biol Suppl* 1998;36:14-20.
107. Landbo A-K, Meyer AS. Ascorbic acid improves the antioxidant activity of European grape juices by improving the juice ability to inhibit lipid peroxidation of human LDL in vitro. *International Journal of Food Science and Technology* 2001;36(7):727-35.
108. Frankel EN, Bosanek CA, Meyer AS, Siliman K, Kirk LL. Commercial grape juices inhibit the *in vitro* oxidation of human low-density lipoproteins. *J Agr Food Chem* 1998;46(3):834-8.
109. Rojanasakul Y. Antioxidant and anticarcinogenic properties of phytochemicals. สัมมนาวิชาการเทคโนโลยีชีวภาพเภสัชกรรม ครั้งที่ 3 27-29 มิ.ย.44:49-57.
110. Durak I, Avci A, Kacmaz M, Buyukkocak S, Cimen MYB, Elgun S, Ozturk HS. Comparison of antioxidant potentials of red wine, white wine, grape juice and alcohol. *Curr Med Res Opin* 1999;15(4):316-20.
111. Meyer AS. Antioxidant activity of phenolic compounds in grape juice and prune juice on human low-density lipoproteins. *Fruit Process* 1999;9(11):426-30.
112. O'Byrne DJ, Devaraj S, Grundy SM, Jialal I. Comparison of the antioxidant effects of concord grape juice flavonoids and  $\alpha$ -tocopherol on markers of oxidative stress in healthy adults. *American Journal of Clinical Nutrition* 2002;76(6):1367-74.
113. Vinson JA, Teufel K, Wu N. Red wine, dealcoholized red wine, and especially grape juice, inhibit atherosclerosis in a hamster model. *Atherosclerosis* 2001;156(17):67-72.
114. Miyagi Y, Miwa K, Inoue H. Inhibition of human low-density lipoprotein oxidation by flavonoids in red wine and grape juice. *Amer J Cardiol* 1997;80(12):1627-31.
115. Freedman JE, Parker III C, Li L, et al. Select flavonoids and whole juice from purple grapes inhibit platelet function and enhance nitric oxide release. *Circulation* 2001;103(23):2792-8.
116. Krisa S, Waffo TP, Decendit A, Deifieux G, Huguet F, Fanconneau B, Merillon J-M. Production, isolation and biological activity of piceids (stilbenes) extracted from *Vitis vinifera* cell cultures. *Bull Soc Pharm Bordeaux* 1997;136(1-2-3-4):7-18.
117. Tebib K, Besancon P, Rouanet J-M. Dietary grape seed tannins affect lipoproteins, lipoprotein lipases and tissue lipids in rats fed hypercholesterolemic diets. *J Nutr* 1994;124(12):2451-7.

118. Tebib K, Bitri L, Besancon P, Rouanet JM. Polymeric grape seed tannins prevent plasma cholesterol changes in high-cholesterol-fed rats. *Food Chem* 1994;49(4):403-6.
119. Tebib K, Besancon P, Rouanet JM. Dietary grape seed tannins affect lipoproteins, lipoprotein lipases and tissue lipids in rats fed hypercholesterolemic diets 1,2,3. *J Nutr* 1994;124(12):2451-7.
120. Bobek P. Dietary tomato and grape pomace in rats: effect on lipids in serum and liver, and on antioxidant status. *Brit J Biomed Sci* 1999;56(2):109-13.
121. Martin-Carron N, Goni I, Larrauri JA, Garcia-Alonso A, Saura-Calixto F. Reduction in serum total and LDL cholesterol concentrations by a dietary fiber and polyphenol-rich grape product in hypercholesterolemic rats. *Nutr Res (N Y)* 1999;19(9):1371-81.
122. Martin-Carron N, Saura-Calixto F, Goni I. Effects of dietary fiber and polyphenol-rich grape products on lipidaemia and nutritional parameters in rats. *J Sci Food Agric* 2000;80(8):1183-8.
123. Nakamura Y, Tonogai Y. Effects of grape seed polyphenols on serum and hepatic lipid contents and fecal steroid excretion in normal and hypercholesterolemic rats. *Journal of Health Science* 2002;48(6):570-8.
124. Shchelkunov LF. Dietary fibers from secondary plant raw materials for the correction of carbohydrate and lipid metabolism in laboratory animals. *Vopr Pitan* 2001;70(3):11-4.
125. Um MY, Kim MK. Effect of grape intake on lipid metabolism of rats during aging. *Hanguk Yongyang Hakhoechi* 2002;35(7):713-28.
126. Yu H, Zhao X, Xu G, Wang S. Effect of grape seed extracts on blood lipids in rabbits model with hyperlipidemia. *Weisheng Yanjiu* 2002;31(2):114-6.
127. Tanaka N. Polyphenols and garlic extracts for prevention of cardiovascular diseases. *Jpn Kokai Tokkyo Koho JP* 2003 95,968 2003:5pp.
128. Preuss HG, Wallerstedt D, Talpur N, et al. Effects of niacin-bound chromium and grape seed proanthocyanidin extract on the lipid profile of hypercholesterolemic subjects: A pilot study. *J Med (Westbury, NY, US)* 2000;31(5&6):227-46.
129. Pace-Asciak CR, Rounova O, Hahn SE, Diamandis EP, Goldberg DM. Wines and grape juices as modulators of platelet aggregation in healthy human subjects. *Clin Chim Acta* 1996;246(1/2):163-82.

130. Shanmuganayagam D, Beahm MR, Osman HE, Krueger CGT, Reed JD, Folts JD. Grape seed and grape skin extracts elicit a greater antiplatelet effect when used in combination than when used individually in dogs and humans. *J Nutr* 2002;132(12):3592-8.
131. Xia J, Allenbrand B, Sun GY. Dietary supplementation of grape polyphenols and chronic ethanol administration of LDL oxidation and platelet function in rats. *Life Sci* 1998;63(5):383-90.
132. Folts JD, Begolli B, Shanmuganayagam D, Osman H, Maalej N. Inhibition of platelet activity with red wine and grape products. *Biofactors* 1997;6(4):411-4.
133. Osman HE, Maalej N, Shanmuganayagam D, Folts JD. Grape juice but not orange or grapefruit juice inhibits platelet activity in dogs and monkeys (*Macaca fascicularis*). *J Nutr* 1998;128(12):2307-12.
134. Pace-Asciak CR, Rounova O, Hahn SE, Diamandis EP, Goldberg DM. Wines and grape juices as modulators of platelet aggregation in healthy human subjects. *Clin Chim Acta* 1996;246(1,2):163-82.
135. Keevil JG, Osman HE, Reed JD, Folts JD. Grape juice, but not orange juice or grapefruit juice, inhibits human platelet aggregation. *J Nutr* 2000;130(1):53-6.
136. Facino RM, Carini M, Aldini G, Perti F, Rossoni G, Bombardelly E, Morazzoni P. Procyanides from *Vitis vinifera* seeds protect rabbit heart from ischemia/ reperfusion injury. Antioxidant intervention and/or iron and copper sequestering ability. *Planta Med* 1996;62(6):495-502.
137. Sato M, Maulik G, Ray PS, Bagchi D, Das DK. Cardioprotective effects of grape seed proanthocyanidin against ischemic reperfusion injury. *J Mol Cell Cardiol* 1999;31(6):1289-97.
138. Sato M, Bagchi D, Tosaki A, Das DK. Grape seed proanthocyanidin reduces cardiomyocyte apoptosis by inhibiting ischemia/reperfusion-induced activation of JNK-1 and C-JUN. *Free Radical Biology & Medicine* 2001;31(6):729-37.
139. Pataki T, Bak I, Kovacs P, Bagchi D, Das DK, Tosaki A. Grape seed proanthocyanidins improved cardiac recovery during reperfusion after ischemia in isolated rat hearts. *Amer J Clin Nutr* 2002;75(5):894-9.
140. Cui J, cordis GA, Tosaki A, Maulik N, Das DK. Reduction of myocardial ischemia reperfusion injury with regular consumption of grapes. *Annals of the New York Academy of Sciences* 2002;957:302-7.

141. Facino RM, Carini M, Aldinj G, Berti F, Rossoni G, Bombardelli E, Morazzoni P. Diet enriched with procyanidins enhances antioxidant activity and reduces myocardial post-ischæmic damage in rats. *Life Sci* 1999;64(8):627-42.
142. Yu H, Wang S, Zhao C, Xu G, Zhao X. Study of anti-atherosclerosis effect of grape seed extract and its mechanism. *Weisheng Yanjiu* 2002;31(4):263-5.
143. Vinson JA, Teufel K, Wu N. Red wine, dealcoholized red wine, and especially grape juice, inhibit atherosclerosis in a hamster model. *Atherosclerosis (shannon, Irel)* 2001;156(1):67-72.
144. Morazzoni P, Bombardelli E. The use of phospholipid complexes of extracts of *Vitis vinifera* as anti-atherosclerotic agents. Patent: Pct Int Appl Wo 99 29,331, 1999:12 pp.
145. Fitzpatrick DF. Endothelium dependent vasorelaxing activity of wine, grapes, and other plant products. *ACS Symp Ser* 1997;661:237-46.
146. Soares De Moura R, Costa Viana FS, Souza MAV, et al. Antihypertensive, vasodilator and antioxidant effects of a vinifera grape skin extract. *Journal of Pharmacy and Pharmacology* 2002;54(11):1515-20.
147. Fitzpatrick DF, Bing B, Maggi DA, Fleming RC, O'malley RM. Vasodilating procyanidins derived from grape seeds. *Annals of the New York Academy of Science* 2002;957:78-89.
148. Burns J, Gardner PT, O'neil J, et al. Relationship among antioxidant activity, vasodilation capacity, and phenolic content of ped wines. *J Agric Food Chem* 2000;48(2):220-30.
149. Kogire M, Inoue K, Sumi S, et al. Effect of ethanol and wine on hepatic arterial and portal venous flows in conscious dogs. *Digestion* 1992;52(1):47-54.
150. Chou EJ, Keevil JG, Aeschlimann S, Wiebe DA, Folts JD, Stein JH. Effect of ingestion or purple grape juice on endothelial function in patients with coronary heart disease. *American Journal of Cardiology* 2001;88(5):553-5.
151. Moura RS. Process for preparation of decoctions of *Vitis labrusca* and *Vitis vinifera* skins. *Pct Int Appl WO 0272,118* 2002:21pp.
152. Tyson DA, Talpur NA, Echard BW, Bagchi D, Preuss HG. Acute effects of grape seed extract and niacin-bound chromium on cardiovascular parameters of normotensive and hypertensive rats. *Res Commun Pharmacol Toxicol* 2000;5(1 & 2):91-106.
153. Preuss HG, Montamarry S, Echard B, Scheckenbach R, Bagchi D. Long-term effects of chromium, grape seed extract, and zinc on various metabolic parameters of rat. *Mol Cell Biochem* 2001;223(1&2):95-102.



154. Tyson AD, Talpur NA, Echard BW, Bagchi D, Preuss HG. Acute effects of grape seed extract and niacin-bound chromium on cardiovascular parameters of normotensive and hypertensive rats. *Res Commun Chem Pathol Pharmacol* 2000;5(1/2):91-106.
155. Carini M, Aldini G, Bombardelli E, Morazzoni P, Facino RM. UVB-induced hemolysis of rat erythrocytes: protective effect of procyanidins from grape seeds. *Life Sci* 2000;67(15):1799-814.
156. Facino RM, Carini M, Aldini G, Bombardelli E, Morazzoni P, Cristoni A, Reeve V. Photoprotective action of procyanidins from *Vitis vinifera* seeds on UV-induced damage: *in vitro* and *in vivo* studies. *Fitoterapia* 1998;69(5):39-40.
157. Carini M, Aldini G, Bombardelli E, Morazzoni P, Facino RM. UVB-induced hemolysis of rat erythrocyte: protective effect of procyanidins from grape seeds. *Life Sci* 2000;67(15):1799-814.
158. Castillo J, Benavente-Garcia O, Lorente J, Alcaraz M, Redondo A, Ortuno A, Del Rio JA. Antioxidant activity and radioprotective effects against chromosomal damage induced *in vivo* by X-rays of flavan-3-ols (procyanidins) from grape seeds (*Vitis vinifera*). Comparative study versus other phenolic and organic compounds. *J Agric Food Chem* 2000;48(5):1738-45.
159. Castillo J, Benavente-Garcia O, Del Bano MJ, Lorente J, Alcaraz M, Dato MJ. Radioprotective effects against chromosomal damage induced in human lymphocytes by  $\gamma$ -rays as a function of polymerization grade of grape seed extracts. *Journal of Medicinal Food* 2001;4(2):117-23.
160. Li S, Zhong J. Protective effect of grape procyanidins on male reproductive cells damage induced by radiation. *Weisheng Dulixue Zazhi* 2000;14(4):204-6.
161. Novikov DA, Kurchenko VP, Azarko II. Photoprotection properties of melanins of grapes (*Vitis vinifera*) and black tea (*Thea sinensis*). *Radiatsionnaya Biologiya, Radioekologiya* 2001;41(6):664-70.
162. Rull Prous S, Granolleras Castello A, Alaoui Ismaili S. Synergetic combination of natural antioxidants from grapes and use in cosmetic preparations. *Eur Pat Appl EP 1,284,133* 2003:20pp.
163. Kislichenko VS, Voronina LM, Abujusef AAC, Korol VV, Naboka OI. Extraction of flavonoids from leaves of grapes and biological activity of total polyphenols. *Farmatsevtichnii Zhurnal (Kiev)* 2002(3):87-91.

164. McPeak P, Cheruvanky R, Cherukuri RSV, Mazhar M. Methods for treating joint inflammation, pain, and loss of mobility. PCT Int Appl WO 03 9,741 2003:47pp.
165. Sen CK, Bagchi D. Regulation of inducible adhesion molecule expression in human endothelial cells by grape seed proanthocyanidin extract. Molecular and Cellular Biochemistry 2001;216(1&2):1-7.
166. Li W-G, Zhang X-Y, Wu Y-J, Tian X. Anti-inflammatory effect and mechanism of proanthocyanidins from grape seeds. Acta Pharmacologica Sinica 2001;22(12):1117-20.
167. Kontek A, Campeanu R, Petrescu L, Rizea S. Effect of grape seed procyanidins on some vascular diseases. Colloq – Inst Natl Rech Agron 1995;69(Polyphenols 94),399-400.
168. Facino RM, Carini M, Aldini G, Bombardelli E, Morazzoni P, Morelli R. Free radicals scavenging action and anti-enzyme activities of procyanidines from *Vitis vinifera*. Arzneim-Forsch 1994;44(5):592-601.
169. Avramidis N, Kourounakis A, Hadjipetrou L, Senchuk V. Anti-inflammatory and immunomodulating properties of grape melanin. Inhibitory effects on paw edema and adjuvant induced disease. 1998;48(7):764-71.
170. Simonyi A, Woods D, Sun AY, Sun GY. Grape polyphenols inhibit chronic ethanol-induced COX-2 mRNA expression in rat brain. Alcoholism: Clinical and Experimental Research 2002;26(3):352-7.
171. Luceri C, Caderni G, Sanna A, Dolara P. Red wine and black tea polyphenols modulate the expression of cyclooxygenase-2, inducible nitric oxide synthase and glutathione-related enzymes in azoxymethane-induced F344 rat colon tumors. Journal of Nutrition 2002;132(6):1376-9.
172. Waffo-Teguo P, Hawthorne ME, Cuendet M, Merillon J-M, Kinghorn AD, Pezzuto JM, Mehta RG. Potential cancer-chemopreventive activities of wine stilbenoids and flavans extracted from grape (*Vitis vinifera*) cell cultures. Nutrition and Cancer 2001;40(2):173-9.
173. Waffo-Teguo P, Lee D, Cuendet M, Merillon J-M, Pezzuto JM, Kinghorn AD. Two new stilbene dimer glucosides from grape (*Vitis vinifera*) cell cultures. J Nat Prod 2001;64:136-8.
174. Cichewicz RH, Kouzi SA, Hamann MT. Dimerization of resveratrol by the grapevine pathogen *Botrytis cinerea*. J Nat Prod 2000;63:29-33.
175. Zhao J, Wang J, Chen Y, Agarwal R. Anti-tumor-promoting activity of a polyphenolic fraction isolated from grape seeds in the mouse skin two-stage initiation-promotion protocol

and identification of procyanidin B5-3'-gallate as the most effective antioxidant constituent. *Carcinogenesis* 1999;20(9):1737-45.

176. Alam A, Khan N, Sharma S, Saleem M, Sultana S. Chemopreventive effect of *Vitis vinifera* extract on 12-O-tetradecanoyl-13-phorbol acetate-induced cutaneous oxidative stress and tumor promotion in murine skin. *Pharmacological Research* 2002;46(6):557-64.
177. Carrero P, Ortega H, Martinez-Botas J, Gomez-Coronado D, Lasuncion MA. Flavonoid-induced ability of minimally modified low-density lipoproteins to support lymphocyte proliferation. *Biochem Pharmacol* 1998;55(7):1125-9.
178. Agarwal C, Sharma Y, Agarwal R. Anticarcinogenic effect of a polyphenolic fraction isolated from grape seeds in human prostate carcinoma DU145 cells: modulation of mitogenic signaling and cell-cycle regulators and induction of G1 arrest and apoptosis. *Mol Carcinogen* 2000;28(3):129-38.
179. Joshi SS, Kuszynski CA, Benner EJ, Bagchi M, Bagchi D. Amelioration of the cytotoxic effects of chemotherapeutic agents by grape seed proanthocyanidin extract. *Antiox Redox Signal* 2001;1(4):563-70.
180. Gwaltney Brant S, Holding JK, Donaldson CW, Eubic PA, Khan SA. Renal failure associated with ingestion of grapes or raisins in dogs. *J Amer Vet Med Ass* 2001;218(10):1555-6.
181. Zhao WZ, Lu y, Yan ZQ, Ruan JS, Zhang SW. Inhibitory effect of grape seed procyanidins on tumor promotion. *Zhongcaoyao* 2000;31(12):917-20.
182. Ray S, Bagchi D, Lim PM, Bagchi M, Gross SM, Kothari SC, Preuss HG, Stohs SJ. Acute and long-term safety evaluation of a novel IH636 grape seed proanthocyanidin extract. *Res Commun Molec Pathol Pharmacol* 2001;109(3/4):165-97.