

เอกสารอ้างอิงว่านหางจระเข้กับเริมและงูสวัด (๒๒(๑))

1. Rosenthal HR, Hert L. Treatment of Herpes. Patent: US Cl 424-195-1, 1964.
2. Sydiskis RJ, Owen D, Lohr JL, Rosler KH, Blomster RN. Inactivation of enveloped viruses by anthraquinones extracted from plants. *Antimicrobial Agents & Chemotherapy* 1991;35(12):2463-6.
3. Hormann HP, Korting HC. Evidence for efficacy and safety of topical herbal drugs in Dermatology. Part I: Anti-inflammatory agents. *Phytomedicine* 1994;1(2):161-71.
4. Anderson DO, Weber ND, Wood SG, Hughes BG, Murray BK, North JA. In vitro virucidal activity of selected anthraquinones and anthraquinone derivatives. *Antiviral Research* 1991;16(2):185-96.
5. Syed TA, Cheema KM, Ahmad SA, Holt Jr. AH. Aloe vera extract 0.5% in hydrophilic cream versus Aloe vera gel for the management of genital herpes in males. A placebo control. *J Eur Acad Dermatol Venereol* 1996;7:294-5.
6. Nordgren RM. Vaccine containing acemannan as an adjuvant. Patent: PCT Int Appl WO 93 14,195 1993:92pp.
7. Saoo K, Miki H, Ohmori M, Winters WD. Antiviral activity of aloe extracts against cytomegalovirus. *Phytother Res* 10(4):348-50.
8. Atta AH, Alkofahi A. Anti-nociceptive and anti-inflammatory effects of some Jordanian medicinal plant extracts. *J Ethnopharmacol* 1998;60:117-24.
9. Davis RH, Leitner MG, Russo JM. Topical anti-inflammatory activity of *Aloe vera* as measured by ear swelling. *J Am Podiatr Med Assoc* 1987;77(11):610-2.
10. Davis RH, Kabbani JM, Maro NP. *Aloe vera* and wound healing. *J Am Podiatr Med Assoc* 1987b;4:166-9.
11. Davis RH, Leitner MG, Russo JM. *Aloe vera*, a natural approach for treating wounds, edema and pain in diabetes. *J Am Podiatr Med Assoc* 1988;78(2):60-8.
12. Davis RH, Leitner MG, Russo JM, Byrne ME. Anti-inflammatory activity of *Aloe vera* against a spectrum of irritants. *J Am Podiatr Med Assoc* 1989a;79(6):263-76.
13. Davis RH, Rosenthal KY, Cesario LR, Rouw GA. Processed *Aloe vera* administered topically inhibits inflammation. *J Am Podiatr Med Assoc* 1989b;79(8):395-7.
14. Davis RH, Maro NP. *Aloe vera* and gibberallin. Anti-inflammatory activity in diabetes. *J Am Podiatr Med Assoc* 1989;79(1):24-6.
15. Davis RH, Parker WL, Murdoch DP. *Aloe vera* as a biologically active vehicle for hydrocortisone acetate. *J Am Podiatr Med Assoc* 1991a;81(1):1-9.

16. Davis RH, Parker WL, Samson RT, Murdoch DP. Isolation of a stimulatory system in an aloe extract. *J Am Podiatr Med Assoc* 1991b;81(9):473-8.
17. Davis RH, Parker WL, Samson RT, Murdoch DP. The isolation of an active inhibitory system form an extract of *Aloe vera*. *J Am Podiatr Med Assoc* 1991c;81(5):258-61.
18. Davis RH, Stewar GJ, Bregman PJ. *Aloe vera* and the inflamed synovial pouch model. *J Am Podiatr Med Assoc* 1992;82(3):140-8.
19. Magnuson JA, Waller TA. Aloe as ingrediant. *Drug Cosmet Ind* 1991;118(6):20-2.
20. Shinpo M, Kameyama S, Tokita F. Antiinflammatory compositions containing aloe extracts and steroids. Patent: Japan Kokai 78 59,019 1978:6pp.
21. Shimpo K, Toda C, Chihara T, Beppu H, Kaneko T, Kuzuya H. *Aloe arborescens* extract inhibits TPA-induced ear oedema, putrescine increase and tumour promotion in mouse skin. *Phytother Res* 2002;16(5):491-3.
22. Davis RH, Agnew PS, Shapiro E. Antiarthritic activiry of anthraquinones found in aloe for podiatric medicine. *J Am Podiatr Med Assoc* 1986;76(2):61-6.
23. Yaki A, Kabash A, Okamura N, Haraguchi H, Moustafa SM, Khlifa T. Antioxidant, free radical scavenging and anti-inflammatory effects of aloesin derivatives in *Aloe vera*. *Planta Med* 2002;68:957-60.
24. Yagi A, Takeo S. Anti-inflammatory constituents, aloesin and aloemmannan in *Aloe species* and effect of tanshinon VI in *Salvia miltiorrhiza* on heart. *Yakugaku Zasshi* 2003;123(7):517-32.
25. Hutter JA, Salman M, Stavinoha WB, *et al.* Antiinflammatory C-Glycosyl chromone from *Aloe barbadensis*. *J Nat Prod* 1996;59(5):541-3.
26. Davis RH, Donato JJ, Hartman GM, Haas RC. Anti-inflammatory and wound healing activity of a growth substance in *Aloe vera*. *J Am Podiatr Med Assoc* 1994;84(2):77-81.
27. Kodym A, Grzeskowiak E, Partyka D, Marcinkowski A, Kaczynska-Dyba E. Biopharmaceutical assessment of eye drops containing aloe (*Aloe arborescens* Mill.) and neomycin sulphate. *Acta Polonide Pharmaceutica* 2002;59(3):181-6.
28. Nakagomi K, Oka S, Tomizuka N, Yamamoto M, Masui T, Nakazawa H. A novel biological activity in aloe components: Effects on mast cell degranulation and platelet aggregation. *Rep Ferment Res Inst* 1935;0(63):23-30.

29. Capasso F, Masocolo N, Autore G, Ruraccio MR. Effect of indomethacin on aoin and 1,8-dioxyanthraquione-induced production of prostaglandins in rat isoated colon. *Prostaglandins* 1983;26(4):557-62.
30. Bowden RA. A mannose rich extract reduces inflammation by inhibiting  $\beta(2)$ -integrins (*Aloe vera*, neutrophil, adhesion). *Diss Abstr int, B* 1998;58(7):3543.
31. Davis RH. Aloe plant for formation of wound healing. Patent: US 5,487,899 1996.
32. Fujita K, Teradaira R, Nagatsu T. Bradykininase activity of aloe extract. *Biochem Pharm* 1976;25:205.
33. Upupa SL, Udupa AL, Kulkarni DR. Anti-inflammatory and wound healing properties of *Aloe vera*. *Fitoterapia* 1994;66(2):141-6.
34. Robinson M. Medical therapy of inflammatory bowel disease for the 21<sup>st</sup> century. *Eu Surg Supplement* 1998;74(582):90-8.
35. Ajinomoto Co., Inc. Aloctin A. Patent: Jpn Kokai Tokkyo Koho JP 81 87,593 1979.
36. Suzuki I. Antiinflammatory agent. Patent: Eur Pat Appl 25,873 1981.
37. Saito H, Ishiguro T, Imanishi K, Suzuki I. Pharmacological studies on a plant lectin aloctin A II. Inhibitory effect of aloctin A on experimental models of inflammation in rats. *Japan J Pharmacol* 1982;32:139-42.
38. Saito H. Purification of active substances of *Aloe arborescens* Miller and their biological and pharmacological activity. *Phytotherapy Research* 1993;7:S14-S19.
39. Busing KH. Hyaluronidase inhibition of some naturally occurring substances used in therapy. *Arzneimitttel-Forsch* 1955;5:320-2.
40. Yagi A, Hamada K, Mihashi K, Harada N, Nishioka I. Structure determination of polysaccharides in *Aloe saponaria* (Hill.) Haw. (Liliaceae). *J Pharm Sci* 1984;73(1):62-5.
41. 't Hart LA, van den Berg AJJ, Kuis L, van Dijk H, Labadie RP. An Anti-complementary polysaccharide with immunological adjuvant activity from the leaf parenchyma gel of *Aloe vera*. *Planta Medica* 1989;55:509-12.
42. Bautista-Perez R, Segura-Cobos D, Vazquez-Cruz B. In vitro antibradykinin activity of *Aloe barbadensis* gel. *J Ethnopharmacol* 2004;93:89-92.
43. Yagi A, Harada N, Yamada H, Iwadare S, Nishioka I. Antibradykinin active material in *Aloe saponaria*. *J Pharm Sci* 1982;71:1172-4.

44. Yagi A, Hrada N, Shimomura K, Nishioka I. Bradykinin-degrading glycoprotein in *Aloe arborescens* var. *natalensis*. *Planta Medica* 1987;19-21.
45. Beppu H, Fujita K. Isolation and the pharmacological activities of the effective compounds *Aloe arborescens* Mill var. *natalensis* Berger. *Int Congress of Phytotherapy*, Seoul, Korea. October 16-17, 1991:37.
46. Fujita K, Ito S, Teradaira R, Beppu H. Properties of a carboxypeptidase from aloe. *Biochem Pharmacol* 1979;28(7):1261-2.
47. Ito S, Teradaira T, Beppu H, Obata M, Nagatsu T, Fujita K. Properties and pharmacological activity of carboxypeptidase in *Aloe arborescens* Mill var. *natalensis* Berger. *Int Congress of Phytotherapy*, Seoul, Korea. October 16-17, 1991:39.
48. Ito S, Teradaira R, Beppu H, Obata M, Fujita K. Biochemical properties of carboxypeptidase from *Aloe arborescens* Miller var. *natalensis* Berger. *Phytotherapy Research* 1993;7:S26-S29.
49. Obata M, Ito S, Beppu H, Nagatsu T, Fujita K. Mechanism of anti-inflammatory and anti-thermal burn action of *Aloe arborescens* Mill var. *natalensis* Berger. *Int Congress of Phytotherapy*, Seoul, Korea. October 16-17, 1991:30.
50. Obata M, Ito S, Beppu H, Fujita K. Mechanism of antiinflammatory and antithermal burn action of Cpase from *Aloe arborescens* Miller var. *natalensis* Berger in rats and mice. *Phytotherapy Research* 1993;7:S30-S33.
51. Langmead L, Makins RJ, Rampton DS. Anti-inflammatory effects of *Aloe vera* in human colorectal musoca *in vitro*. *Aliment Pharmacol Ther* 2004;19(5):521-7.
52. Ohuchi K, Watanabe M, Takahashi E, Tsurufuji S. Lectins modulate prostaglandin E<sub>2</sub> production by rat peritoneal macrophages. *Agents and Action* 1984;15(3/4):419-23.
53. Penneys NS. Inhibition of arachidonic acid oxidation in vitro by vehicle components. *Acta Derm-Venereol* 1982;62(1):59-61.
54. Heggors JP, Robson MC, Manavalen K, *et al*. Experimental and clinical observations on forstbite. *Annals of Emergency Medicine* 1987;16(9):1056-62.
55. Yagi A, Kabash A, Mizuno K, Moustafa SM, Khalifa TI, Tsuji H. Radical scavenging glycoprotein inhibiting cyclooxygenase-2 and thromoxane A<sub>2</sub> synthase from *Aloe vera* gel. *Planta Med* 2003;69:269-71.
56. Zachary LS, David Jr JS, Herrers JP, *et al*. The role of thromboxane in experimental inadvertent intra-arterial drug injections. *J Hand Surgery* 1987;12A(2)240-5.

57. Lindsey KL, Jager AK, Viljoen AM. Cyclooxygenase inhibitory activity of *Aloe species*. South African J Botany 2002;68(1):47-50.
58. Vazquez B, Avila G, Segura D, Escalante B. Antiinflammatory activity of extracts from *Aloe vera* gel. J Ethnopharmacol 1996;55:69-75.
59. Duansak D, Somboonwong J, Patumraj S. Effects of *Aloe vera* on leukocyte adhesion and TNF-alpha and IL-6 levels in burn wounded rats. Clin Hermorheol Microcirc 2003;29(3-4):239-46.
60. Ando N, Yamaguchi I. Sitosterol from *Aloe vera* (*Aloe vera* (L.) Burm .f.) gel. Kenkyu Kiyō-Tokyo Kasei Daigaku 1990;30:15-20.
61. Waller GR, Mangiafico S, Ritchey CR. A chemical investigation of *Aloe barbadensis* Miller. Proceeding of Oklahoma Academy of Science 1978;58:69-76.
62. Davis RH, DiDonato JJ, Johnson RW, Stewart CB. *Aloe vera*, hydrocortisone, and sterol influence on wound tensile strength and anti-inflammation. J Am Podiatr Med Assoc 1994;84(12):614-21.
63. Vajaragupta O, Thiptanasup P, Rochanaonda C, Busapawan W. Aloe 1: Screening test for dermatological treatment. R T A Med J 1986;39(4):223-30.
64. Busciglio JA. Antiinflammatory topical compositions containing lidocaine and diphenhydramine. Patent: U.S. US 4,748,022 1988:5pp.
65. Chauhan O, Godhwani JL, Khanna NK, Pendse VK. Antiinflammatory activity of Muktaashukti bhasma. Indian J Exp Biol 1998;36(10):985-9.
66. Lion Corp. Topical anti-inflammatory formulations containing aloe extracts. Patent: Jpn Kokai Tokkyo Koho JP 59 13,716 [84 13,716] 1984:12pp.
67. Hayashi M, Suzuki T, Asano K, *et al.* Pharmacological studies on combined product of crude drug. Poltistan: the anti-inflammatory effects and the general pharmacological studies. Oyo Yakuri 1978;16(3):503-19.
68. Brudner IK, Baranova LL. Treatment of acne conglobata. Zdravookhr Beloruss 1972;18(10):62-3.
69. Jain A, Basal E. Inhibition of Propionibacterium acnes-induced mediators of inflammation by Indian herbs. Phytomedicine 2003;10(1):34-8.
70. Orafidiya LO, Agbani EO, Oyedele AO, Babalola OO, Onayemi O, Aiyedun FF. The effect of *aloe vera* gel on the anti-acne properties of the essential oil of *Ocimum gratissimum* Linn leaf. – a preliminary clinical investigation. The Inter J Aromatherapy 2004;14:15-21.

71. Susanka F. Therapeutical preparation for treating respiratory tract inflammations. Patent: Austrian 172,669 1952.
72. Grigor'eva IF. Treatment of children with persistent cough and pharyngitis. Vestn Otorinolaringol 1985;0(4):13-6.
73. Matsui H, Matsukura T. Cough drops containing aloe polysaccharides. Patent: Japan Kokai 75,155,664 1975:3pp.
74. McCauley RL, Heggens JP, Robson MC. Frostbite. Methods to minimize tissue loss. Postgraduate Medicine 1990;88(8):67-8,73-7.
75. Marchuk GI, Zhivoderov VM, Berbentsova AP, *et al.* Biological stimulation in chronic nonspecific pulmonary diseases. Ter Arkh 1982;54(1):31-7.
76. Timina VA, Faustova GM. Changes of blood serum properdin in patients with parodontosis during methyluracil (methacyl) treatment. Stomatologiya 1971;50(2):77-9.
77. Noskov AD. Treatment of parodontosis by injections of aloe extract and their effect on phosphorus-calcium metabolism. Stomatologiya 1966;15(4):13-5.
78. Lerner FN. Investigation of effects of proteolytic enzymes, aloe gel and iontophoresis on chronic and acute athletic injuries. Chiropractic Sports Med 1987;1(3):106-10.

## เอกสารอ้างอิงของชากับสุขภาพช่องปาก (๕๕ (๑))

1. กองทันตสาธารณสุข กรมอนามัย กระทรวงสาธารณสุข. รายงานผลการสำรวจทันตสุขภาพแห่งชาติ ครั้งที่ 5 พ.ศ. 2543-2544. กรุงเทพฯ:บริษัทสามเจริญพาณิชย์ จำกัด, 2545.
2. ปิยะดา ประเสริฐสม ศรีสุดา ลีละศิธร. รายงานการวิจัยสถานการณ์และแนวโน้มของปัญหาตลอดจนปัจจัยที่เกี่ยวข้องกับปัญหาทันตสาธารณสุขในระดับอำเภอ. กรุงเทพฯ:โรงพิมพ์ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย จำกัด, 2542.
3. กองทันตสาธารณสุข กรมอนามัย กระทรวงสาธารณสุข. สถานภาพของโรคฟันผุจากการสำรวจทันตสุขภาพระดับจังหวัด พ.ศ. 2526-2541. ไม่ระบุโรงพิมพ์, 2542.
4. ความรู้พื้นฐานเพื่อการสร้างเสริมสุขภาพช่องปากสำหรับผู้ปฏิบัติงานในสถานบริการ (E-book) จาก [www.anamai.moph.go.th/oralhealth/pr/e-book/dh/index.html](http://www.anamai.moph.go.th/oralhealth/pr/e-book/dh/index.html) , Available in 23/8/2004.
5. สมาคมแพทย์แผนโบราณ วัฒมหาธาตุฯ. ตำราเภสัชกรรมไทยแผนโบราณ. กรุงเทพฯ:โรงพิมพ์พิทักษ์อักษร, 2523:396 หน้า.
6. อาจินต์ ปัญจพรรค์. ขุดทองในบ้าน. รวบรวมจากฟ้าเมืองไทย. กรุงเทพฯ:โรงพิมพ์อนงค์ศิลป์การพิมพ์, 2524:192 หน้า.
7. กองวิจัยทางแพทย์ กรมวิทยาศาสตร์การแพทย์ กระทรวงสาธารณสุข. สมุนไพรพื้นบ้าน ตอนที่ 1. กรุงเทพฯ:กรมวิทยาศาสตร์การแพทย์, 2526:131 หน้า.
8. โกมล คิวะบวร. สมุนไพรไทย. กรุงเทพฯ:โครงการวิจัยยาแผนโบราณ คณะสาธารณสุขศาสตร์ มหาวิทยาลัยมหิดล, 2523: 65 หน้า.
9. เขาวินท์ กลีพันธ์. ตำราเภสัชศึกษา. กรุงเทพฯ:สมาคมแพทย์เภสัชกรรมไทยโบราณ, 2522:408 หน้า.
10. สมาคมพ่อค้ายา กรุงเทพฯ. ตำราหลักวิชาแพทย์แผนโบราณ สาขาเภสัชกรรม. กรุงเทพฯ :ห้างหุ้นส่วนจำกัดคุณทินอักษรกิจ, 2521:352 หน้า.
11. พยอม ตันดีวัฒน์. สมุนไพร. กรุงเทพฯ:โรงพิมพ์จุฬาลงกรณ์มหาวิทยาลัย, 2521:202 หน้า.
12. ลัดดาวัลย์ บุญรัตนกรกิจ ถนอมจิต สุภาวิตา. ชื่อพืชสมุนไพรและประโยชน์. คณะเภสัชศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย. กรุงเทพฯ:107 หน้า.
13. เทพพนม เมืองแมน ภรณ์ หวังธำรงค์วงศ์ อรษา สุดเกียรติกุล วรัญญา แสงเพชรส่อง ร่มไทร กล้าสุนทร. คู่มือสมุนไพรรักษาโรคตามกลุ่มอาการ. กรุงเทพฯ:คณะสาธารณสุขศาสตร์ มหาวิทยาลัยมหิดล, 2533:190 หน้า.
14. เสรี อาจสาตี. ยาสมุนไพร. กรุงเทพฯ:สำนักพิมพ์พิทยาการ, 2524:160 หน้า.
15. กรุงไกร เจนพาณิชย์. บทความบางเรื่องเกี่ยวกับสมุนไพร. กรุงเทพฯ:โรงพิมพ์มหามงกุฎราชวิทยาลัย, 2522:93 หน้า.
16. พระเทพวิมลโมลี. ตำรายากลางบ้าน. กรุงเทพฯ:โรงพิมพ์มหามงกุฎราชวิทยาลัย, 2524:342 หน้า.

17. ไชโย ชัยชาญทิพยุทธ และคณะ. สมุนไพรอันดับที่ 02. กรุงเทพฯ:บริษัทสารมวลชนจำกัด, 2527:224 หน้า.
18. Patel VK, Venkatakrishna-Bhatt H. Folklore therapeutic indigenous plants in periodontal disorders in India (review, experimental and clinical approach). *Int J Clin Pharmacol Ther Toxicol* 1988;26(4):176-84.
19. Hamilton Miller JMT. Anti-cariogenic properties of tea (*Camellia sinensis*). *J Med Microbiol* 2001;50(4):299-302.
20. Sakanaka S, Kim M, Taniguchi M, Yamamoto T. Antibacterial substances in Japanese green tea extract against *Streptococcus mutans*, a cariogenic bacterium. *Agr Biol Chem* 1989;53(9):2307-11.
21. Ishigami T, Seto R, Nanjo F, Hara M. Tea extract for preparation of anticariogenic materials. Patent: Jpn Kokai Tokkyo Koho JP 08 34,743 [96 34,743], 1996:5pp.
22. Hamilton-Miller JMT. Antimicrobial properties of tea (*Camellia sinensis* L.). *Antimicrob Agents Chemother* 1995;39(11):2375-7.
23. Rasheed A, Haider M. Antibacterial activity of *Camellia sinensis* extracts against dental caries. *Arch Pharm Res* 1998;21(3):348-52.
24. Sasaki H, Matsumoto M, Tanaka T, Maeda M, Nakai M, Hamada S, Ooshima T. Antibacterial of polyphenol components in Oolong tea extract against *Streptococcus mutans*. *Caries Res* 2004;38(1):2-8.
25. Matsumoto M, Minami T, Sasaki H, Sobue S, Hamada S, Ooshima T. Inhibitory effects of Oolong tea extract on caries-inducing properties of mutans Streptococci. *Caries Res* 1999;33(6):441-5.
26. Wang T. Bactericidal effect of tussah powder treated with tea polyphenols. *Shipin Kexue* (Beijing, China) 2001;22(11):59-60.
27. Hirasawa M, Takada K, Makimura M, Otake S. Improvement of periodontal status by green tea catechin using a local delivery system: a clinical pilot study. *J Periodont Res* 2002;37(6):433-8.
28. Tagashira M, Uchiyama K, Yoshimura T, Shirota M, Uemitsu N. Inhibition by hop bract polyphenols of cellular adherence and water-insoluble glucan synthesis of mutans Streptococci. *Biosci Biotech Biochem* 1997;61(2):332-5.
29. Otake S, Makimura M, Kuroki T, Nishihara Y, Hirasawa M. Anticaries effects of polyphenolic compounds from Japanese green tea. *Caries Res* 1991;25(6):438-43.



30. Xiao Y, Liu T, Zhan L, Zhou X. The effects of tea polyphenols on the adherence of cariogenic bacterium to the salivary acquired pellicle *in vitro*. *Hua Xi Kou Qiang Yi Xue Za Zhi* 2000;18(5):336-9.
31. Xiao Y, Liu T, Zhan L, Zhou X. The effects of tea polyphenols on the adherence of cariogenic bacterium to the collagen *in vitro*. *Hua Xi Kou Qiang Yi Xue Za Zhi* 2000;18(5):340-2.
32. Xiao Y, Lin TJ, Zhan L, Dong Zhou X. The effect of tea polyphenols on the adherence of cariogenic bacteria to the salivary acquired pellicle and collagen *in vitro*. *Chinese Journal of Dental Research* 2002;5(1):22-6.
33. Koga K, Nakahara K, Ono H. Anti-caries activity of catechin oligomer synthesized by peroxidase. *Foods Food Ingredients J* 1993;157:62-9.
34. Nakahara K, Kawabata S, Ono H, Ogura K, Tanaka T, Ooshima T, Hamada S. Inhibitory effect of Oolong tea polyphenols on glucosyltransferases of mutans *Streptococci*. *Appl Environ Microbiol* 1993;59(4):968-73.
35. Matsumoto M, Hamada S, Ooshima T. Molecular analysis of the inhibitory effects of Oolong tea polyphenols on glucan-binding domain of recombinant glucosyltransferases from *Streptococcus mutans* MT8148. *FEMS Microbiol Lett* 2003;228(1):73-80.
36. Sarkar S, Sett P, Chowdhury T, Ganguly DK. Effect of black tea on teeth. *J Indian Soc Pedod Prev Dent* 2000;18(4):139-40.
37. Ooshima T, Minami T, Aono W, Tamura Y, Hamada S. Reduction of dental plaque deposition in humans by Oolong tea extract. *Caries Res* 1994;28(3):146-9.
38. Wolinsky LE, Cuomo J, Quesada K, Bato T, Camargo PM. A comparative pilot study of the effects of a dentifrice containing green tea bioflavonoids, sanguinarine or tricosan on oral bacterial biofilm formation. *J Clin Dent* 2000;11(2):53-9.
39. Esimone CO, Adikwu MU, Nwafor SV, Okolo CO. Potential use of tea extract as a complementary mouthwash: comparative evaluation of two commercial samples. *J Altern Complement Med* 2001;7(5):523-7.
40. Ingkaninan K, Plianbangchang P, Piyapattamin T, Waranuch N. Antimicrobial and oral malodor suppression activities of the herbal mouthrinse containing guava and green tea extracts. *The 3<sup>rd</sup> World Congress on Medicinal Plant and Aromatic Plants for Human Welfare*, 3-7 Feb 2003, Chiang Mai, Thailand:121.
41. Oho H Yu T, Xu LX. Effects of several tea components on acid resistance of human tooth enamel. *J Dent* 1995;23(2):101-5.

42. Okamoto M, Sugimoto A, Leung KP, Nakayama K, Kamaguchi A, Maeda N. Inhibitory effect of green tea catechins on cysteine proteinase in *Porphyromonas gingivalis*. *Oral Microbiol Immunol* 2004;19(2):118-20.
43. Li M, Liu Z. Effect of tea polyphenol on pathogenic bacteria in oral and pharynx *in vitro*. *Shanghai Dier Yike Daxue Xuebao* 1999;19(1):41-3, 55.
44. Zhang G, Kashket S. Inhibition of salivary amylase by black and green teas and their effects on the intraoral hydrolysis of starch. *Caries Res* 1998;32(3):233-8.
45. Nagahata T, Miyazaki T, Konishi N. Methioninase and/or proteinase inhibitors for compositions for applying oral cavity. Patent: Jpn Kokai Tokkyo Koho JP 2002 03,353, 2002:10pp.
46. Touyz LZ, Amsel R. Anticariogenic effects of black tea (*Camellia sinensis*) in caries prone-rats. *Quintessence Int* 2001;32(8):647-50.
47. Linke HAB, LeGeros RZ. Black tea extract and dental caries formation in hamsters. *Int J Food Sci Nutr* 2003;54(1):89-95.
48. Ooshima T, Minami T, Aono W, et al. Oolong tea polyphenols inhibit experimental dental caries in SPF rats infected with mutans Streptococci. *Caries Res* 1993;27(2):124-9.
49. Sakanaka S, Shimura N, Aizawa M, Kim M, Yamamoto T. Preventive effect of green tea polyphenols against dental caries in conventional rats. *Biosci Biotech Biochem* 1992;56(4):592-4.
50. Ooshima T, Minami T, Matsumoto M, Fujiwara T, Sobue S, Hamada S. Comparison of the cariostatic effects between regimens to administer Oolong tea polyphenols in SPF rats. *Caries Res* 1998;32(1):75-80.
51. Parajas IL. Caries preventive effect of wild tea (tsaang-gubat) among school children. *J Philipp Dent Assoc* 1995;47(3):3-13.
52. Feng XP, Liu YL, Shu CB. The clinical effects of tea polyphenol varnish on caries prevention. *Shanghai Kou Qiang Yi Xue* 1997;6(3):135-7.
53. Yue L, Gao X, Dong Y. Effect of tea on fluoride in plaque and saliva. *Zhonghua Kou Qiang Yi Xue Za Zhi* 1998;33(6):355-7.
54. Liu T, Chi Y. Experimental study on polyphenol anti-plaque effect in human. *Zhonghua Kou Qiang Yi Xue Za Zhi* 2000;35(5):383-4.
55. Krahwinkel T, Willershausen B. The effect of sugar-free green tea chew candies on the degree of inflammation of the gingiva. *Eur J Med Res* 2000;5(11):463-7.
56. Brunton PA, Hussain A. The erosive effect of herbal tea on dental enamel. *J Dent* 2001;29(8):517-20.

57. Simpson A, Shaw L, Smith AJ. Tooth surface pH during of black tea. Br Dent J 2001;190(7):374-6.
58. Joiner A, Muller D, Eloffsson UM, Malmsten M, Arnebrant T. Adsorption from black tea and red wine onto *in vitro* salivary pellicles studies by ellipsometry. Eur J Oral Sci 2003;111(5):417-22.
59. Cao J, Zhao Y, Liu J. Fluoride in the environment and brick-tea-type fluorosis in Tibet. Huan Jing Ke Xue 2002;23(6):97-100.
60. Cao J, Chen H, Zhao Y, Liu J, Shen N. Dental fluorosis of brick tea type in rats. Hunan Yi Ke Da Xue Xue Bao 1998;23(3):257-60.
61. Cao J, Zhao Y, Liu J. Brick tea consumption as the cause of dental fluorosis among children from Mongol, Kazak and Yugu populations in China. Food Chem Toxicol 1997;35(8):827-33.
62. Jin C, Yan Z, Jian-Wei L, Ruoden X, Sangbu D, Zeguo, Zhouma S. Prevention and control of brick-tea type fluorosis- -a 3-year observation in Dangxiong, Tibet. Ecotoxicol Environ Saf 2003;56(2);222-7.
63. Cao J, Zhao Y, Liu J, Xirao R, Danzeng S , Daji D, Yan Y. Brick tea fluoride as a main source of adult fluorosis. Food Chem Toxicol 2003;41(4);535-42.
64. Masuda K. Dentifrices for controlling halitosis and dental caries. Patent: Jpn Kokai Tokkyo Koho JP 09,136,819 [97,136,819], 1997:3pp.
65. Omori T, Junpo T. Green tea extract for manufacture of chewing gum for dental care. Paten: Jpn Kokai Tokkyo Koho JP 2003 310,170, 2003:4pp.

เอกสารอ้างอิงกาแฟกับคอเลสเตอรอล (๒๒๖)

1. Wellman, Frederick L. Coffee: botany, cultivation and utilization. New York: Interscience, 1961:8-9 p.
2. กาแฟ. Available from: <http://www.ops.moc.go.th/eco-news/econewsth/Coffee-report.doc> (access 13 August 2004)
3. นันทวัน บุญยะประภัศร อรณูช โชคชัยเจริญพร, บรรณาธิการ. สมุนไพรไม้พุ่มบ้าน เล่ม 1 กรุงเทพฯ: บริษัท ประชาชน จำกัด, 2539 หน้า 225-226.
4. เกียรติความรู้เรื่องกาแฟ. Available from: <http://www.boncafe.co.th/trivia/coffeefacts-th.htm#general> (access 19 August 2004)
5. วิวาทะกาแฟ. Available from: [http://www.elib-online.com/doctors46/food\\_coffee001.html](http://www.elib-online.com/doctors46/food_coffee001.html) (access 19 August 2004)
6. van der Vossen HAM, Soenaryo & S. Mawardi, 2000. *Coffea L.*. ใน: van der Vossen HAM and Wessel M (Editors): ทรัพยากรพืชในภูมิภาคเอเชียตะวันออกเฉียงใต้ ลำดับที่ 16. พืชที่ให้สารกระตุ้น. Backhuys Publishers, เลเดน, เนเธอร์แลนด์. 235 หน้า.
7. วิภา จิรัจฉริยากุล. ยาและผลิตภัณฑ์จากธรรมชาติที่แสดงฤทธิ์ต่อระบบประสาท. ใน วันดี กฤษณพันธ์ (บรรณาธิการ): เกษัชวินิจฉัย-ยาและยาและผลิตภัณฑ์จากธรรมชาติ เล่ม 2 กรุงเทพฯ. ภาควิชาเภสัชวินิจฉัย คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล, 2536 หน้า 7-8.
8. Smith A. Effect of carfeine on human behavior. Food and Chemical Toxicology 2000;40:1243-1255.
9. Yokogoshi H, Mochizuki S, Takahata Masahiro, Quazi S, Yoshida A. The hypercholesterolemia effect of caffeine-containing beverages and xanthine-derivatives in rats. Nutr Rep Int 1983;28(4): 805-14.
10. Huggett AC, Marchesini, M, Perrin I. Effects of coffee oil on plasma cholesterol in the rat. Colloq Sci Int Café 1993;15(2):497-503.
11. Al-Kanhal MA, Al-Orf S, Khanam L, Younes B. Combined effect of gahwa, dates and cholesterol on tissue lipid levels and histopathological changes in male weanling rats Med Sci Res 1994;22(12):853-7.
12. van der Weusten Wouw MPME.; Katan MB, Viani R, Huggett AC, et al. Identity of the cholesterol-raising factor from boiled coffee and its effects on liver function enzymes J Lipid Res 1994;35(4):721-33.
13. Urgert R, Meyboom S, Kuilman M, Rexwinkel H, Vissers MN, Klerk M, Katan MB. Comparison of effect of cafetiere and filtered coffee on serum concentrations of liver

aminotransferases and lipids: six month randomized controlled trial. Br Med J 1996; 313(7069): 1362-6.

14. Strandhagen E, Thelle DS. Filtered coffee raises serum cholesterol: results from a controlled study. Eur J Clin Nutr 2003;Sep; 57(9): 1164-8.
15. Urgert R, van der Weg G, Kosmeijer-Schuil TG, van de Bovenkamp P, Hovenier R, Katan MB. Levels of the Cholesterol-Elevating Diterpenes Cafestol and Kahweol in Various Coffee Brews. J Agric Food Chem 1995;43(8): 2167-72.
16. Post SM, de Wit ECM, Princen HMG. Cafestol, the cholesterol-raising factor in boiled coffee, suppress bile acid synthesis by down-regulation of cholesterol 7 $\alpha$ -hydroxylase and sterol 27- hydroxylase in rat hepatocytes. 11th International symposium of arteriosclerosis, Paris, October 1997:333 p.
17. Post SM, de Roos B, Vermeulen M, et al. Cafestol increases serum cholesterol levels in apolipoprotein E\*3-Leiden transgenic mice by suppression of bile acid synthesis. Arteriosclerosis, Thrombosis, and Vascular Biology 2000;20(6): 1551-6.
18. Al-Kanhal MA, Ahmed F, Arif Z. Effect of coffee oil and its unsaponifiable fraction on plasma cholesterol level in female rats. Int J Food Sci Nutr 1999;50(2): 99-103.