

เอกสารอ้างอิง (ผลของพริกไทยต่อระดับยาบางชนิดในเลือด)

1. Shoba G, Joy D, Joseph T, Majeed M, Rajendran R, Srinivas PSSR. Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta Med* 1998;64:353-6.
2. Mujumdar AM, Dhuley JN, Deshmukh VK, Naik SR. Effect of piperine on bioavailability of oxyphenylbutazone in rats. *Indian Drugs* 1999;36(2):123-6.
3. Hiwale AR, Dhuley JN, et al. Effect of co-administration of piperine on pharmacokinetics of beta-lactam antibiotics in rats. *Indian J Exp Biol* 2002;40(3):277-81.
4. Satish Balkrishna B, Vilas Yogesh P. Influence of co-administration of piperine on pharmacokinetic profile of ciprofloxacin. *Indian Drugs* 2002;39(3):166-8.
5. Atal CK, Zutshi U, Rao PG. Scientific evidence on the role of Ayurvedic herbals on bioavailability of drugs. *J Ethnopharmacol* 1981;4(2):229-32.
6. Karan RS, Bhargava VK, Garg SK. Effect of Trikatu, an Ayurvedic prescription, on the pharmacokinetic profile of rifampicin in rabbits. *J Ethnopharmacol* 1999;64:259-64.
7. Lala LG, D'Mello PM, Naik SR. Pharmacokinetic and pharmacodynamic studies on interaction of "Trikatu" with diclofenac sodium. *J Ethnopharmacol* 2004;91:277-80.
8. Badmaev V, Majeed M, et al. Piperine derived from black pepper increases the plasma levels of coenzyme Q10 following oral supplementation. *J Nutr Biochem* 2000;11(2):109-13.
9. Tsukamoto S, Cha B-C, et al. Dipiperamides A, B, and C: bisalkaloids from the white pepper *Piper nigrum* inhibiting CYP3A4 activity. *Tetrahedron* 2002;58(9):1667-71.
10. Tsukamoto S, Tomise K, Miyakawa K, et al. CYP3A4 inhibitory activity of neubisalkaloids, dipiperamides D and E, and cognates from white pepper. *Bioorg Med Chem* 2002;10:2981-5.
11. Cha BC. Inhibitory effect of a drug metabolizing enzyme CYP3A4 on spices. *Saengyak Hakhoechi* 2003;34(1):86-90.
12. Bajad S, Bedi KL, Singla AK, Johri RK. Piperine inhibits gastric emptying and gastrointestinal transit in rats and mice. *Planta Med* 2001;67:176-9.

13. Khajuria A, Zutshi U, Bedi KL. Permeability characteristics of piperine on oral absorption -an active alkaloids from peppers and a bioavailability enhancer. *Indian J Exp Biol* 1998;36(1):46-50.
14. Khajuria A, Thusu N, Zutshi U. Piperine modulated permeability characteristics of intestine by inducing alterations in membrane dynamics: Influence on brush border membrane fluidity, ultrastructure and enzyme kinetics. *Phytomedicine* 2002;9:224-31.