

### เอกสารอ้างอิง ผลของชาต่อภาวะไขมันในเลือดสูง

1. Li X, Song S, Zhu Z, Xiao X, He L, Huang S. Effect of Rucheng Baimao tea on blood lipid lowering in mid and old aged people with hyperlipidemia. *Chaye Kexue* 1997;17(2):235-9.
2. Hasegawa N, Mori M. Effect of powdered green tea and its caffeine content on lipogenesis and lipolysis in 3T3-L1 cell. *J Health Sci* 2000;46(2):153-5.
3. Hasegawa N, Niimi N, Odani F. Vitamin C is one of the lipolytic substances in green tea. *Phytother Res* 2002;16(S1):S91-2.
4. Mori M, Hasegawa N. Superoxide dismutase activity enhanced by green tea inhibits lipid accumulation in 3T3-L1 cells. *Phytother Res* 2003;17(5):566-7.
5. Song X, Tang Z, Hou Z, Yuan J, Zhang F, Chen Q. Prophylactic effect of tea polyphenols against hyperlipidemia in animal. *Zhongguo Zhongyao Zazhi* 1999;24(9):562-4.
6. Zhao J, Chen H, Jin P, Zhou R. Process for extracting tea pigment and its application in treating hyperlipemia. Patent: Faming Zhuanli Shenqing Gongkai Shuomingshu CN 1,328,092, 2001:11pp.
7. Yee W, Wang Q, Agdinaoy T, et al. Green tea catechins decrease apolipoprotein B-100 secretion from HepG2 cells. *Mol Cell Biochem* 2002; 229(1&2):85-92.
8. Bursill C, Roach PD, Bottema CDK, Pal S. Green tea upregulates the low-density lipoprotein receptor through the sterol-regulated element binding protein in HepG2 liver cells. *J Agric Food Chem* 2001;49(11):5639-45.
9. Abe I, Seki T, Umehara K, Miyase T, Noguchi H, Sakakibara J, Ono T. Green tea polyphenols: novel and potent inhibitors of squalene epoxidase. *Biochem Biophys Res Commun* 2000;268(3):767-71.
10. Kuhn DJ, Burns AC, Kazi A, Dou QP. Direct inhibition of the ubiquitin- proteasome pathway by ester bond-containing green tea polyphenols is associated with increased expression of sterol regulatory element-binding protein 2 and LDL receptor. *Biochim Biophys Acta* 2004;1682(1-3):1-10.
11. Isoda Y, Nishizawa Y, Kashima M, Akusawa K, Koban M. Synergistic anticholesteremics containing highly unsaturated fatty acid-containing oils and catechin. Patent: Jpn Kokai Tokko Koho JP 02,243,622 [90,243,622], 1990:4pp.

12. Sohn OS, Surace A, Fiala ES, Richie Jr JP, Colosimo S, Zang E, Weisburger JH. Effects of green and black tea on hepatic xenobiotic metabolizing systems in the male F344 rat. *Xenobiotica* 1994;24(2):119-27.
13. Oguni I, Sayama K, Rin S. Effects of green tea on weight increase and accumulation of body fat. *Tokubetsu Kenkyu Hokokusho - Shizuoka-kenritsu Daigaku Tanki Daigakubu* 1997:159-66.
14. Lin YL, Cheng CY, Lin YP, Lau YW, Juan IM, Lin JK. Hypolipidemic effect of green tea leaves through induction of antioxidant and phase II enzymes including superoxide dismutase, catalase, and glutathione S-transferase in rats. *J Agr Food Chem* 1998;46(5):1893-9.
15. Sayama K, Lin S, Zheng G, Oguni I. Effects of green tea on growth, food utilization and lipid metabolism in mice. *In Vivo* 2000;14(4):481-4.
16. Deng Z, Tao B, Li X, He J, Chen Y, Chu F. Effects of tea on blood glucose, blood lipids and antioxidative activity in old rats. *Chaye Kexue* 1998;18(1):74-7.
17. Shen MZ, Takahashi K, Noji A, et al. Effect of dietary oleic acid on metabolism of lipid in the rats. Studies with tea oil and olive oil. *Nippon Eiyo, Shokuryo Gakkaishi* 1999;52(6):349-58.
18. Yang TTC, Koo MWL. Hypocholesterolemic effect of Chinese tea. *Pharmacol Res* 1997;35(6):505-12.
19. Srimathi V, Seshagiri PB, Raju R, Ramakrishnan S. Effect of coffee and tea on cholesterol and triacylglycerol of blood serum of humans and rats. *Indian J Nutr Diet* 1981;18(10):360-4.
20. Kim D-J, Cho S-Y, Kim M-J. Effect of Korean traditional teas on plasma and hepatic lipid levels in lead-administered rats. *Han'guk sikip'um Yongyang Kwahak Hoechi* 2003;32(2):263-8.
21. Iwata K. Effect of oolong tea on plasma lipids, liver lipids and lipoprotein lipase activities in rats with fructose-induced hyperlipidemia. *Tokyo Joshi Ika Daigaku Zasshi* 1989;59(12):1323-33.
22. Ali M, Afzal M, Gubler CJ, Burka JF. A potent thromboxane formation inhibitor in green tea leaves. *Prostaglandins Leukot Essent Fatty Acids* 1990;40(4):281-3.
23. Yokozawa T, Dong E, Nakagawa T, Kim KW, Hattori M, Nakagawa H. Effects of Japanese black tea on atherosclerotic disorders. *Biosci Biotechnol Biochem* 1998;62(1):44-8.

24. Chen M, Yu J, Li J. Manufacture of Chinese herbal tea for lowering lipid content and its health promoting effects. *Shipin Gongye Keji* 1999;4:42-4.
25. Vasil'ev AV, Ryong LH, Orekhov AN, Jon KH, Tertov VV, Kung LH, Tutel'yan VA. Antiatherosclerotic properties of certain components of tea. *Pharm Chem J* 1990;23(9):776-8.
26. Pugalendhi KV, Ramakrishnan S. Effect of coffee and tea on intestinal cholesterogenesis and the contents of cholesterol in serum, liver, duodenum, jejunum and ileum. *J Coffee Res* 1990;20(1):28-36.
27. Oshita Y, Kimura T, Isemura Y. Effects of green tea intake on blood parameters. *J Phys Fitness, Nutr Immunol* 1998;8(2):217-9.
28. Wang DG, Wang SR. Isolation, purification, analysis, and antihyperlipidemia effect of green tea polysaccharide. *Zhongguo Yaoke Daxue Xuebao* 1991;22(4):225-8.
29. Matsumoto N, Okushio K, Hara Y. Effect of black tea polyphenols on plasma lipids in cholesterol-fed rats. *J Nutr sci Vitaminol* 1998;44(2):337-42.
30. Zeyuang D, Bingyin T, Xiaolin L, Jinming H, Yifeng C. Effect of green tea and black tea on the blood glucose, the blood triglycerides, and antioxidation in aged rats. *J Agr Food Chem* 1998;46(10):3875-8.
31. Rademacher W, Kraemer K, Schweden j, Herbers K. Method for preparing plants with reduced flavanone hydroxylase activity and increased levels of flavonoids and phenolic compounds and use of extracts. Patent: Ger Offen DE 19927574, 2000:8pp.
32. De Vos S, De Schrijver R. Lipid metabolism, intestinal fermentation and mineral absorption in rats consuming black tea. *Nutrition Research (New York, NY, United states)* 2003;23(4):527-37.
33. Shen X, Lu R, Wu M. Effects of tea polyphenol on blood lipid and antioxidation *in vivo* in aged rats. *Zhonghua Yufang Yixue Zazhi* 1998;32(1):34-6.
34. Yoshino K, Tomita I, Sano M, Oguni I, Hara Y, Nakano M. Effects of long-term dietary supplement of tea polyphenols on lipid peroxide levels in rats. *Age (Chester, Pa)* 1994;17(3):79-85.
35. Liu B. Effect of tea polyphenols on serum-lipid and lipoprotein level and antioxidation in animal. *Chaye Kexue* 2000;20(1):67-70.
36. Suzuki H, Ishigaki A, Hara Y. Long-term effect of a trace amount of tea catechins with perilla oil on the plasma lipids in mice. *Int J Vitam Nutr Res* 1998;68(4):272-4.
37. Chen Z-Y, Fong WP. Hypolipidemic activity of green tea epicatechins. *ACS Symp Ser* 2000;754:156-64.

38. Arslan SO, Kocyigit A, Erel O, Aktepe N, Avci S. Effects of catechin consumption on plasma lipid, lipoprotein and lipid peroxidation levels in rats. *FABAD Farm Bilimler Derg* 1999;24(4):207-10.
39. Shirai N, Suzuki H. Effects of simultaneous docosahexaenoic acid and catechin intakes on the plasma and liver lipids in low- and high-fat diet fed mice. *Nutrition Research (New York, NY, United States)* 2003;23(7):959-69.
40. Yamahara J. Tea leaves with high contents of catechins. Patent: Jpn Kokai Tokkyo Koho JP 11 00,107 [99 00,107], 1999:4pp.
41. Nakamura Y, Kaihara A, Yoshii K, Tsumura Y, Ishimitsu S, Tonogai Y. Effects of the oral administration of green tea polyphenol and tannic acid on serum and hepatic lipid contents and fecal steroid excretion in rats. *J Health Sci* 2001;47(2): 107-17.
42. Avramidis N, Kourounaki A, Chatzipetrou-Kourounaki L. Use of melanin for the prevention or treatment of any type of hypercholesterolemia, hyperlipidemia and any other lipid disorder in humans and animals. Patent:Greek Pat Appl GR 2002100011, 2003:8pp.
43. Roh-Schmidt H, Roufs JB. Theaflavins for the treatment of hyperlipidemia and/or hypercholesterolemia. Patent: U S Pat Appl Publ US 2004097432, 2004:7pp.
44. Oguni I, Sayama K, Zheng G. Inhibitory effects of green tea components on fatty accumulation *in vivo*. *Tokubetsu Kenkyu Hokokusho - Shizuoka-kenritsu Daigaku Tanki Daigakubu Hamamatsuko* 1999-2000:1-12.
45. Zeller W. Effect of caffeine, coffee, and tea on the free fatty acid level of the serum. *Caffein Andre Methylxanthine, Int Symp* 1968:171-3.
46. Ikeda I, Kobayashi M, Hamada T, et al. Heat-epimerized tea catechins rich in gallocatechin gallate and catechin gallate are more effective to inhibit cholesterol absorption than tea catechins rich in epigallocatechin gallate and epicatechin gallate. *J Agric Food Chem* 2003;51(25):7303-7.
47. Wang X, Tian W. Green tea epigallocatechin gallate: A natural inhibitor of fatty-acid synthase. *Biochem Biophys Res Commun* 2001;288(5):1200-6.
48. Wang X, Song K-S, Guo Q-x, Tian W-X. The galloyl moiety of green tea catechins is the critical structural feature to inhibit fatty-acid synthase. *Biochem Pharmacol* 2003;66(10):2039-47.
49. Qi G, Zheng J, Yin J, Wu S, Diao Q, Zhang P. Effect of flavonoid on antioxidative status and lipid metabolism of laying hen. *Yingyang Xuebao* 2002;24(2):153-7.

50. Yang CJ, Yang IY, Oh DH, et al. Effect of green tea by-product on performance and body composition in broiler chicks. *Asian-Australasian J Animal Sci* 2003;16(6):867-72.
51. Eid YZ, Ohtsuka A, Hayashi K. Tea polyphenols reduce glucocorticoid-induced growth inhibition and oxidative stress in broiler chickens. *Br Poult Sci* 2003;44(1):127-32.
52. Ali M, Afzal M, Hassan RA, Gubler CJ. Effect of tea extract on animal lipids. *Agr Biol Chem* 1988;52(4):1061-3.
53. Zhou J, Ding J, Wang Z, Xie X. Effect of tea polysaccharides on blood-glucose, blood lipid, and immunological function of mice. *Chaye Kexue* 1997;17(1):75-9.
54. Yokogoshi H, Mochizuki S, Takahata M, Quazi S, Yoshida A. The hypercholesterolemic effect of caffeine-containing beverages and xanthine-derivatives in rats. *Nutr Rep Int* 1983;28(4):805-14.
55. Vinson JA, Dabbagh YA. Effect of green and black tea supplementation on lipids, lipid oxidation and fibrinogen in the hamster: mechanisms for the epidemiological benefits of tea drinking. *Febs Lett* 1998;433(1/2):44-6.
56. Matsuda H, Chisaka T, Kubomura Y, Yamahara J, Sawada T, Fujimura H, Kimura H. Effects of crude drugs on experimental hypercholesterolemia. I. Tea and its active principles. *J Ethnopharmacol* 1986;17(3):213-24.
57. Mori M. Hypolipemics containing polysaccharides from green tea. Patent: Japan Kokai Tokkyo Koho 02 286,620, 1990:3pp.
58. Takeo C, Kawasaki T. Extraction of anticholesteremics from tea leaves. Patent: Jpn Kokai Tokkyo Koho JP 06 80,580 (94 80,580), 1994:5pp.
59. Sano M, Takenaka Y, Kojima R, Saito S, Tomita I, Katou M, Shibuya S. Effects of pu-erh tea on lipid metabolism in rats. *Chem Pharm Bull* 1986;34(1):221-8.
60. Chen PT, Fong WP, Cheung YL, Huang Y, Ho WKK, Chen Z-Y. Jasmine green tea epicatechins are hypolipidemic in hamsters (*Mesocricetus auratus*) fed a high fat diet. *J Nutr* 1999;129(6):1094-101.
61. Wu L-Y, Chien Y-L, Su Z-Y, Ho C-C, Lu C-R, Hwang LS. Effect of commercial green tea drink on plasma lipid and low-density lipoprotein oxidation in hamster. *Zhonghua Minguo Yingyang Xuehui Zazhi* 2003;28(3):158-67
62. Jeong W-H, Sin M-K. The effect on rats serum lipid of treadmill exercise and green tea extracts intake with high fat diet. *Han'guk Sikip'um Yongyang Kwahak Hoechi* 2000;29(4):683-90.

63. Yang TTC, Koo MWL. Chinese green tea lowers cholesterol level through an increase in fecal lipid excretion. *Life Sci* 2000;66(5):411-23.
64. Yang M-H, Wang C-H, Chen H-L. Green, oolong and black tea extracts modulate lipid metabolism in hyperlipidemia rats fed high-sucrose diet. *J Nutr Biochem* 2001;12(1):14-20.
65. Zhang G, Miura Y, Yagasaki K. Effects of dietary powdered green tea and theanine on tumor growth and endogenous hyperlipidemia in hepatoma-bearing rats. *Biosci Biotechnol Biochem* 2002;66(4):711-6.
66. Hwang LS, Lin L-C, Chen N-T, Liuchang H-C, Shiao M-S. Hypolipidemic effect and antiatherogenic potential of pu-erh tea. *ACS Symposium Series* 2003;859:87-103.
67. He B, Chen X, Li J, Wu A. Effects of tea catechins on lipid regulation, lipid peroxidation and platelet aggregation in experimental hyperlipidemic animals. *Guangdong Yaowueyuan Xuebao* 1996;12(1):29-32. (He et al, 1996)
68. Loest HB, Noh SK, Koo SI. Green tea extract inhibits the lymphatic absorption of cholesterol and  $\alpha$ -tocopherol in ovariectomized rats. *J Nutr* 2002;132(6):1282-8.
69. Choo JJ. Green tea reduces body fat accretion caused by high-fat diet in rats through  $\beta$ -adrenoceptor activation of thermogenesis in brown adipose tissue. *J Nutr Biochem* 2003;14(11):671-6.
70. Yan Y, Zhao X, Zhang L, Liu F, Dai X, Yu H. Effect of complex tea on reducing blood lipid in rabbits. *Weisheng Yanjiu* 2001;30(1):52-4.
71. Kikuchi H, Matsui T, Nakamura M, et al. The effects of tea-leaf catechin on lipid metabolism. *Eiyo: Hyoka To Chiryō* 2001;18(4):537-9.
72. Otsuka K, Uchida H, Yuzawa M, et al. Effect of tea catechins on body fat metabolism in women. *Eiyo: Hyoka to Chiryō* 2002;19(3):365-76.
73. Xiao J, Shen X, Wu M, Lu R, Guo H. Epidemiologic study on relationship between tea consumption and fatty liver. *Zhongguo Gonggong Weisheng* 2002;18(4):385-7.
74. Nagao T, Meguro S, Soga S, et al. Tea catechins suppress accumulation of body fat in humans. *J Oleo Sci* 2001;50(9):717-28.
75. Back SN, Yang JL, Jin HH, Kim YH. Effects of green tea consumption on serum lipid profiles. *Hanguk Yongyang Hakhoechi* 2002;35(8):854-62.
76. Hakim IA, Alsaif MA, Aloud A, Alduwaihy M, Al-Rubeaan K, Rahman Al-Nuaim A, Al-Attas OS. Black tea consumption and serum lipid profiles in Saudi women: a cross-sectional study in Saudi Arabia. *Nutrition Research (New York, NY, United States)* 2003;23(11):1515-26.

77. Oki H, Itsumi S, Sano A, Kishimoto Y, Matsuda I. Remnant lipoprotein-lowering agents and functional foods containing them. Patent: Jpn Kokai Tokkyo Koho JP 2003 2,836, 2003:5pp.
78. Iwata K, Inayama T, Miwa S, Kawaguchi K, Koike G. Effect of oolong tea on plasma lipids and lipoprotein lipase activity in young women. *Nippon Eiyo, Shokuryo Gakkaishi* 1991;44(4):251-9.
79. Rumpler W, Seale J, Clevidence B, et al. Oolong tea increases metabolic rate and fat oxidation in men. *J Nutr* 2001;131(11):2848-52.
80. lihan N, Sondac U, Ozdemir Y, Isiksolugu M. Blood lipids and their relations to weight, age, sex, tea drinking, and smoking. *Doga: Turk Saglik Bilimleri Derg* 1992;16(7):468-78.
81. Aro A, Kostianen E, Huttunen JK, Seppala E, Vapaatalo H. Effects of coffee and tea on lipoproteins and prostanoids. *Atherosclerosis (Shannon, Irel)* 1985;57(1): 123-8.
82. Princen HMG, Van Duyvenvoorde W, Buytenhek R, et al. No effect of consumption of green and black tea on plasma lipid and antioxidant levels and on LDL oxidation in smokers. *Arterioscler Thromb Vasc Biol* 1998;18(5):833-41.
83. Bingham SA, Vorster H, Jerling JC, Magee E, Mulligan A, Runswick SA, Cummings JH. Effect of black tea drinking on blood lipids, blood pressure and aspects of bowel habit. *Brit J Nutr* 1997;78(1):41-55.
84. McAnlis GT, McEneny J, Pearce J, Young IS. Black tea consumption does not protect low density lipoprotein from oxidative modification. *Eur J Clin Nutr* 1998;52(3):202-6.
85. Ge H, Shang X, Zhang X, Huang X. Clinical observation on 30 patients with hyperlipemia treated with tea pigment. *Baiqiuen Yike Daxue Xuebao* 1998;24(4): 394-5.
86. Davies MJ, Judd JT, Baer DJ, et al. Black tea consumption reduces total and LDL cholesterol in mildly hypercholesterolemic adults. *J Nutr* 2003;133(10): 3298S-302S.
87. Kajimoto O, Kajimoto Y, Yabune M, Nozawa A, Nagata K, Kakuda T. Tea catechins reduce serum cholesterol levels in mild and borderline hypercholesterolemia patients. *J Clin Biochem Nutr* 2003;33(3):101-11.
88. Dulloo AG. Modulation of obesity of a green tea catechin. *Amer J Clin Nutr* 2000;72(5):1232-4.
89. Zhu DQ, Huang SY, Chen FJ, et al. Effect of tea extract on lowering blood lipid profiles. *Jiangsu Yiyao* 1998;24(10):737-8.

90. Zhao J, Zhou R, Chen H, Vaughn TM. Compositions of theaflavins for dietary supplement. Patent: U S Pat Appl Publ US 2004097430, 2004:17pp.
91. Ohnishi K. Lipid metabolism-promoting food containing carnitine peptides, *Bifidobacterium*, *Garcinia* extracts, etc. Patent: Jpn Kokai Tokkyo Koho JP 2000 228,967, 2000:3pp.
92. Omori M, Nakajima Y. Fermented tea products for the improvement of lipid metabolism. Patent: Jpn Kokai Tokkyo Koho JP 2003 113,102, 2003:4pp.
93. Chen H, Yu Y, Zeng Q. Development of lotus leaf health tea and research of its function. Shipin Gongye Keji 2002;23(1):53-4.



**เอกสารอ้างอิง เจริญกุลหลาน (ปัญญาจันทร์)**

1. Takemoto T, Arihara S, Nakajima T, Okuhira M. Studies on the constituents of *Gynostemma pentaphyllum*. 1. structures of gypenoside 1-14. Yakugaku Zasshi 1983;103(2):173-85.
2. He XL. Determination of total saponins in fiveleaf gynostemma (*Gynostemma pentaphyllum*). Chung Ts'ao Yao 1987;18(10):447-8.
3. Kuwahara M, Kawanishi F, Komiya T, Oshio H. Dammarane saponins of *Gynostemma pentaphyllum* Makino and isolation of malonylginsenosides-rb1, -rd, and malonylgypenoside V. Chem Pharm Bull 1989;37(1):135-9.
4. Takemoto T, Arihara S, Yoshikawa K. Studies on the constituents of cucurbitaceae plants. XIV. On the saponin constituents of *Gynostemma pentaphyllum* Makino. Yakugaku Zasshi 1986;106(8):664-70.
5. Ma YC, Zhu J, Benkrima L. A comparative evaluation of ginsenosides in commercial ginseng products and tissue culture samples using HPLC. J Herbs Spices Med Plants 1995;3(4):41-50.
6. Takemoto T, Arihara S, Yoshikawa K, Kawasaki J, Nakajima T, Okuhira M. Studies on the constituents of cucurbitaceae plants. XI. On the saponin constituents of *Gynostemma pentaphyllum* Makino (7). Yakugaku Zasshi 1984;104(10):1043-9.
7. Takemoto T, Arihara S, Yoshikawa K, Hino K, Nakajima T, Okuhira M. Studies on the constituents of cucurbitaceae plants. XII. On the saponin constituents of *Gynostemma pentaphyllum* Makino. Yakugaku Zasshi 1984;104(11):1155-62.
8. Takemoto T, Arihara S, Yoshikawa K, Nakajima T, Okuhira M. Studies on the constituents of cucurbitaceae plants. X. On the saponin constituents of *Gynostemma pentaphyllum* Makino (6). Yakugaku Zasshi 1984;104(9):939-45.
9. Yoshikawa K, Mitake M, Takemoto T, Arihara S. Studies on the constituents of cucurbitaceae plants. XVII. On the saponin constituents of *Gynostemma pentaphyllum* Makino. (12). Yakugaku Zasshi 1987;107(5):355-60.
10. Yoshikawa K, Takemoto T, Arihara S. Studies on the constituents of cucurbitaceae plants. XV. On the saponin constituents of *Gynostemma pentaphyllum* Makino. Yakugaku Zasshi 1986;106(9):758-63.
11. Yoshikawa K, Takemoto T, Arihara S. Studies on the constituents of cucurbitaceae plants. XVI. On the saponin constituents of *Gynostemma pentaphyllum* Makino. (11). Yakugaku Zasshi 1987;107(4):262-7.

12. Yoshikawa K, Arimitsu M, Kishi K, Takemoto T, Arihara S. Studies on the constituents of cucurbitaceae plants. XVIII. On the saponin constituents of *Gynostemma pentaphyllum* Makino. *Yakugaku Zasshi* 1987;107(5):361-6.
13. Takemoto T, Arihara S, Nakajima T, Okuhira M. Studies on the constituents of *Gynostemma pentaphyllum* Makino. II. Structures of gypenoside XV - XXI. *Yakugaku Zasshi* 1983;103(10):1015-23.
14. Takemoto T, Arihara S, Yoshikawa K, Nakajima T, Ohuhira M. Studies on the constituents of cucurbitaceae plants. VIII. On the saponin constituents of *Gynostemma pentaphyllum* Makino. (4). *Yakugaku Zasshi* 1984;104(4):332-9.
15. Takemoto T, Odashima T. Antitumor saponins from *Gynostemma pentaphyllum*. Patent-Japan Kokai Tokkyo Koho-58 59,921 1983;9pp.
16. Anon. Gypenosides. Patent-Japan Kokai Tokkyo Koho-58 208,300 1983;10pp.
17. Takemoto T, Arihara S, Yoshikawa K, Nakajima T, Okuhira M. Studies on the constituents of cucurbitaceae plants. IX. On the saponin constituents of *Gynostemma pentaphyllum* Makino. *Yakugaku zasshi* 1984;104(7):724-30.
18. Hu LH, Chen ZL, Xie YY. Dammarane-type glycosides from *Gynostemma pentaphyllum*. *Phytochemistry* 1997;44(4):667-70.
19. Zhou ZT, Zhang SL, Li WG, Jin ZG. Observation of the effectiveness of compound *Gynostemma pentaphyllum* Mak no golden hamster cheek pouch's premalignancy. *Shanghai Kou Qiang Yi Xue* 1996;5(2):74-6.
20. Zhou Z, Wang Y, Zhou Y. The effect of *Gynostemma pentaphyllum* Mak (GP) on carcinogenesis of the golden hamster cheek pouch induced by DMBA. *Zhonghua Kou Qiang Yi Xue Za Zhi* 1996;31(5):267-70.
21. Zhou ZT, Xu WN, Zhang SL, et al. The study of influencing cellular dynamics of *Gynostemma pentaphyllum* on golden hamster cheek pouch premalignancy. *Shanghai Kou Qiang Yi Xue* 1997;6(2):65-7.
22. Zhou Z, Wang Y, Zhou Y, Zhang S. Effect of *Gynostemma pentaphyllum* Mak on carcinomatous conversions of golden hamster cheek pouches induced by dimethylbenzanthracene: a histological study. *Chin Med J* 1998;111(9):847-50.
23. Zhou Z, Tang G, Zhong W. Experimental study on the influence of *Gynostemma pentaphyllum* Mak upon point mutation of Ha-ras oncogene in blocking leukoplakia from canceration. *Zhonghua Kou Qiang Yi Xue Za Zhi* 2000;35(2):91-4.

24. Chen Z-L, Guan Y-Q, Chen X, Chen X-L, Chen J-C. Effect of Chinese herebal medicine 1023 recipe in blocking cancer transformtion of experimental precancerous lesion and its mechanism. *Zhong Xi Yi Jie He Xue Bao* 2004;2(4):281-4.
25. Jiayao Z, Guangqun Y, Dajun M. Antitumor effect of selenium with gypenosides on liver cancer in mice. *Jinan Daxue Xuebao Ziran Kexue Yu Yixueban* 1995;16(2):38-40.
26. Chen JC, Chung JG, Chen LD. Gypenoside induces apoptosis in human Hep3B and HA22T tumour cells. *Cytobios* 1999;100(393):37-48.
27. Wang Q-F, Chen J-C, Hsieh S-J, Cheng C-C, Hsu S-L. Regulation of Bcl-2 family molecules and activation of caspase cascade involved in gypenosides-induced apoptosis in human hepatoma cells. *Cancer Letters* 2002;183:169-78.
28. Wang C, Wang X, Li Y, Deng S, Jiang Y, Yue L. A preliminary observation of preventive and blocking effect of *Gynostemma pentaphyllum* (Thunb) Makino on esophageal cancer in rats. *Hua Xi Yi Ke Da Xue Bao* 1995;26(4):430-2.
29. Chiu TH, Chen JC, Chung JG. N-acetyltransferase is involved in gypenosides-induced N-acetylation of 2-aminofluorene and DNA adduct formation in human cervix epidermoid carcinoma cells (Ca Ski). *In Vivo* 2003;17(3):281-8.
30. Han MQ, Liu JX, Gao H. Effects of 24 Chinese medicinal herbs on nucleic acid, protein and cell cycle of human lung adenocarcinoma cell. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 1995;15(3):147-9.
31. Dong B. An oral Chinese medicine for treating pulmonary carcinoma. *Faming Zhuanli Shenqing Gongkai Shomingshu CN 1562088;2005.*
32. Takemoto T, Odashima T. Antitumor saponins from *Gynostemma pentaphyllum*. *Jpn Kokai Tokkyo Koho JP 58059921 1983;9pp.*
33. Qian B, Zang X, Chen J, et al. Influence of gypenosides on immunological function in rodents. *Zhongguo Yaolixue Yu Dulixue Zazhi* 1986;1(1):53-6.
34. Sriwanthana B, Threesangsri W, Wanavichet W, Chavalittumrong P, Bansiddhi J, Techadamrongsin Y. Immunomodulatory effects of *Gynostemma pentaphyllum* Makino on human immune cells. *Acta Hort* 2005;680:165-9.
35. Wang J, Cao BZ, Ying XH, Zhou ZH. Immunologic effects of jiaogulan granule in 19 cancer patients. *Zhejiang-Zhongyi Zazhi* 1989;24(10):449.
36. Chen WC, Hau DM, Chen KT, Wang MI, Lin IH. Protective effects of *Gynostemma pentaphyllum* in  $\gamma$ -irradiated mice. *Amer J Chinese Med* 1996;24(1):83-92. (L07771)
37. Hau DM, Feng Y, Chen WC, et al. Effect of gypenosides on cellular immunity of  $\gamma$ -ray-irradiated mice. *Chin Med J* 1996;109(2):143-6.

38. Li L, Zhuang FE, Zhao GS. Antagonism of total flavones of *Gynostemma pentaphyllum* (Thunb) Mak to animal experimental arrhythmia. *J Xian Med Univ* 1999;11(2):125-8.
39. Xin DS, Li DH. Effects of gypenosides on myocardial ischemia. *Xi'an Yike Daxue Xuebao* 1991;12(2):129-32.
40. Circosta C, De Pasquale R, Occhiuto F. Cardiovascular effects of the aqueous extract of *Gynostemma pentaphyllum* Makino. *Phytomedicine* 2005;12:638-43.
41. La Cour B, Molgaard P, Yi Z. Traditional Chinese medicine in treatment of hyperlipidaemia. *J Ethnopharmacol* 1995;46:125-9.
42. Jang YJ, Kim JK, Lee MS, et al. Hypoglycemic and hypolipidemic effects of crude saponin fractions from *Panax ginseng* and *Gynostemma pentaphyllum*. *Yakhak Hoe Chi* 2001;45(5):545-56.
43. Megalli S, Aktan F, Davies NM, Roufogalis BD. Phytopreventative anti-hyperlipidemic effects of *Gynostemma pentaphyllum* in rats. 2005;8(3):507-15.
44. Wang JX, Lu ZG, Chi J, et al. Multicenter clinical trial of the serum lipid-lowering effects of a *Monascus purpureus* (red yeast) rice preparation from traditional Chinese medicine. *Curr Ther Res* 1997;58(12):964-78.
45. Wang Z, Qiu P. Protective effect of gypenosides on acute incomplete cerebral ischemia in rabbits. *Zhongguo Yaolixue Yu Dulixue Zazhi* 1992;6(3):204-6.
46. Circosta C, De Pasquale R, Palumbo DR, Occhiuto F. Bronchodilatory effects of the aqueous extract of *Gynostemma pentaphyllum* and gypenosides III and VIII in anaesthetized guinea-pigs. *J Pharm Pharmacol* 2005;57(8):1053-8.
47. Lin JM, Lin CC, Chiu HF, Yang JJ, Lee SG. Evaluation of the anti-inflammatory and liver-protective effects of *Anoectochilus formosanus*, *Ganoderma lucidum* and *Gynostemma pentaphyllum* in rats. *Am J Chin Med* 1993;21(1):59-69.
48. Norberg A, Hoas NK, Liepinsh E, et al. A novel insulin-releasing substance, phanoside, from the plant *Gynostemma pentaphyllum*. *J Biol Chem* 2004;279:41361-7.
49. Yu W. A Chinese medicinal composition for treating diabetes. *Faming Zhuanli Shenqing Gongkai Shuomingshu CN 1562176* 2005:10pp.
50. Lin CC, Huang PC, Lin JM. Antioxidant and hepatoprotective effects of *Anoectochilus formosanus* and *Gynostemma pentaphyllum*. *Am J Chin Med* 2000;28(1):87-96.

51. Chen JC, Tsai CC, Chen LD, Chen HH, Wang WC. Therapeutic effect of gypenoside on chronic liver injury and fibrosis induced by CCl<sub>4</sub> in rats. *Am J Chin Med* 2000;28(2):175-85.
52. Li L, Jiao L, Lau BH. Protective effect of gypenosides against oxidative stress in phagocytes, vascular endothelial cells and liver microsomes. *Cancer Biotherapy* 1993;8(3):263-72.
53. Rujjanawate C, Kanjanapothi D, Amornlerdpison D. The anti-gastric ulcer effect of *Gynostemma pentaphyllum* Makino. *Phytomedicine* 2004;11(5):431-5.
54. Zhang Q, Ma J, Cao Z, Lin Z. Therapeutic effect and its mechanism of gypenosides on delayed healing of experimental gastric ulcer induced by *Helicobacter pylori* NCTC11637 in rats. *Zhongguo Yaolixue Tongbao* 1999;15(3):225-8.
55. Arichi S, Takemoto T, Uchida Y. Prevention of glucocorticoid side effects by saponins of *Gynostemma pentaphyllum*. Patent:Japan Kokai Tokkyo Koho-60 105,625 1985:8pp.
56. Kuwahara Y, Oji Y, Ogawa T, Yamada S, Ishii I, Nakata S. Antiaging cosmetics containing marine collagens and plant cell extracts. Patent : Jpn Kokai Tokkyo Koho JP 2003171222;2003:6pp.
57. Huang C, Ouyang YD, Fang YW, Yu YP, Lin SH. Study on spectral properties of Chinese herbal medicines additives in cosmetic. *Guang Pu Xue Yu Guang Pu Fen Xi* 2004;24(12):1649-51.
58. Kadota A. Health foods containing *Gynostemma pentaphyllum* (related species) and *Cassia occidentalis* (related species). Patent: Jpn Kokai Tokkyo Koho JP 2005295943;2005:10pp.
59. Takemoto T. *Gynostemma pentaphyllum* extract for the control of gray hair. Patent: Jpn Kokai Tokkyo Koho JP 58099417 1983:5pp.
60. Attawish A, Chivapat S, Phadungpatt S, et al. Chronic toxicity of *Gynostemma pentaphyllum*. *Fitoterapia* 2004;75(6):539-41.
61. <http://www.dmsc.moph.go.th/webroot/secretary/Homepage/news47/January/7.html>.Ava