

เอกสารอ้างอิง ขมิ้นชันกับฤทธิ์รักษาข้ออักเสบ (23/4)

1. World Health Organization. Who Monographs on selected medicinal plants. Vol 1. Geneva, 1999.
2. Jayaprakasha GK, Jagan Mohan Rao L, Sakariah KK. Improved HPLC method for the determination of curcumin, demethoxycurcumin and bisdemethoxy-curcumin. J Agric Food Chem 2002;50:3668-72.
3. Thorne Research. Monograph (*Curcuma longa*). Alternative Med Rev 2001;6:S62-6.
4. Thai Ministry of Public health. Thai Herbal Pharmacopoeia. Vol.1. Bangkok: Prachachon,1995.
5. 2000 NDC. Khamin Chan. In national list of essential drug A.D. 1999 (List of herbal medicine Products). Bangkok: Co-op Printing,1999.
6. เสาวนิตย์ ดาวรัตน์ชัย. ขมิ้นชันกับการรักษาแผลในกระเพาะอาหาร. จุลสารข้อมูลสมุนไพร 2545;19(4):12-8.
7. Thamlikitkul V, Bunyapraphatsara N, Dechatiwongse T, et al. Randomized double blind study of *Curcuma domestica* Val. for dyspepsia. J Med Assoc Thai 1989;72:613-20.
8. ฉวีวรรณ พฤกษ์สุนันท์ บรรจบ อินทรสุขศรี มานิต ลีโทขวลิต นันทพร นิลวิเศษ อมรินทร์ ปรีชาวุฒิ สุวัฒน์ วิมลวัฒนาภรณ์. ผลของขมิ้นชันต่อการเปลี่ยนแปลงเยื่อผนังกระเพาะอาหารและลำไส้เล็กดูโอติซึม ในผู้ป่วยแผลเปื่อยเปปติค. รายงานเบื้องต้นในผู้ป่วย 10 ราย. วารสารเภสัชวิทยา 2529;8:139-51.
9. Prucksunand C, Indrasukhsri B, Leethochawalit M, Hungspreugs K. Phase II clinical trial on effect of the long turmeric (*Curcuma longa* Linn.) on healing of peptic ulcer. Southeast Asia J Trop Med Public Health 2001;32:208-15.
10. พร้อมจิต ศรีลัมพ์ วงศ์สถิตย์ ฉวีกุล สมภาพ ประชากรุรักษ์. สารานุกรมสมุนไพรเล่ม 1 : สมุนไพรสวนสิริรุกขชาติ. กรุงเทพมหานคร : อมรินทร์พริ้นติ้งกรุ๊ป, 2543.
11. Williamson E. Major herbs of Ayurveda. Curchill Livingstone Press, Inc.,2002.
12. Shishodia S, Sethi G, Aggarwal BB. Curcumin : getting back to the roots. Ann NY Academy Sci (Natural Products and Molecular Therapy) 2005;1056:206-17.
13. Reddy AC, Lokesh BR. Effect of dietary tumeric (*Curcuma longa*) on iron-induced lipid peroxidation in rat liver. Food Cem Toxiciol 1994;32:279-83.
14. Araujo CAC, Leon LL. Biological activity of *Curcuma longa* L. Mem Inst Oswaldo Cruz Rio de Janeiro 2001;96:723-8.

15. Rajakrishnan V, Viswanathan P, Rajasekharan KN, Menon VP. Neuroprotective role of curcumin from *Curcuma longa* on ethanol-induced brain damage. *Phytother Res* 1999;13:571-4.
16. Calixto J, Otuki M, Santos A. Anti-inflammatory compounds of plant origin. Part I. Action on arachidonic acid pathway, nitric oxide and nuclear factor κ B (NF- κ B). *Planta Med* 2003;69:973-83.
17. Calixto J, Campos M, Otuki M, Santos A. Anti-inflammatory compounds of plant origin. Part II. Modulation of pro-inflammatory cytokines, chemokines and adhesion molecules. *Planta Med* 2004;70:93-103.
18. Choy E, Panayi G. Cytokine pathways and joint inflammation in rheumatoid arthritis. *N Engl J Med* 2001;344:907-16.
19. Sekut L, Connolly K. Pathophysiology and regulation of TNF α in inflammation. *Drug News Perspect* 1996;9:261-9.
20. Sautebin L. Prostaglandins and nitric oxide as molecular targets for anti-inflammatory. *Fitoterapia* 2000;71:S48-57.
21. Chirangini P, Sharma GJ, Sinha SK. Sulfur free radical reactivity with curcumin as reference for evaluating antioxidant properties of Medicinal Zingiberales. *J Environ Patho Toxicol Oncol* 2004;23:227-36.
22. Sharma OP. Antioxidant activity of curcumin and related compounds. *Biochem Pharmacol* 1976;25:1181-2.
23. Salimath BP, Sundaresh CS, Srinivas. Dietary components inhibit lipid peroxidation in erythrocyte membranes. *Nutrition Res* 1986;6:1171-8.
24. Elizabeth K, Rao MNA. Oxygen radical scavenging activity of curcumin. *Int J Pharmacol* 1990;58:237-40.
25. Sugiyama Y, Kawakishi S, Osawa T, et al. Involvement of the β -diketone moiety in the antioxidative mechanism of tetrahydrocurcumin. *Biochem Pharmacol* 1996;52:519-25.
26. Whalstrom B, Blennow G. A study on the fate of curcumin in the rat. *Acta Pharmacol Toxicol* 1987;43:86-92.
27. Ravindranath V, Chandrasekhara N. Absorption and tissue distribution of curcumin in rats. *Toxicology* 1980;16:259-65.
28. Rilantono LI, Yuwono HS, Nugrahadi T. Dietary antioxidative potential in arteries. *Clin Hemorrh Microcirc* 2000;23:113-7.

29. วิภาวี รัชชธรรมมัน.ฤทธิ์แก้ปวดและต้านอักเสบของสารเคอร์คิวมินอยด์จากเหง้าขมิ้น. วิทยานิพนธ์ เภสัชศาสตร์มหาบัณฑิต มหาวิทยาลัยมหิดล, 2005:81 หน้า.
30. Surh Y-J, Chun K-S, Cha H-H, Han S, Keum Y-S, Park K-K, et al. Molecular mechanisms underlying chemopreventive activities of anti-inflammatory phytochemicals: down-regulation of COX-2 and iNOS through suppression on NF- κ B activation. *Mutat Res* 2001;480-481:243-68.
31. Huang M, Lysz T, Ferraro T, Abidi T, Laskin J, Conney A. Inhibitory effects of curcumin on *in vitro* lipoxygenase and cyclooxygenase activities in mouse epidermis. *Cancer Res* 1991;51:813-9.
32. Ramsewak R, DeWitt D, Nair M. Cytotoxicity, antioxidant and anti-inflammatory activities of curcumins I-III from *Curcuma longa*. *Phytomedicine* 2000;7:303-8.
33. Aggarwal BB, Shishodia S. Suppression of the nuclear factor- κ B activation pathway by spice-derived phytochemicals : reasoning for seasoning. *Ann NY Academy Sciences* 2004;1030:434-41.
34. Abe Y, Hashimoto S, Horie T. Curcumin inhibition of inflammatory cytokine production by human peripheral blood monocytes and alveolar macrophages. *Pharmacol Res* 1999;39:41-7.
35. Chan M. Inhibition of tumor necrosis factor by curcumin, a phytochemical. *Biochem Pharmacol* 1995;49:1551-6.
36. Chan M, Huang H, Fenton M, Dunne F. *In vivo* inhibition of nitric oxide synthase gene expression by curcumin, a cancer preventive natural product with antiinflammatory properties. *Biochem Pharmacol* 1998;55:1955-62.
37. Ammon H, Wahl M. Pharmacology of *Curcuma longa*. *Planta Med* 1991;57:1-7.
38. Hua Z, Fan WY, Xiong C, et al. Suppressive effects of JCICM-6, the extract of an antiarthritic herbal formula, on the experimental inflammatory and nociceptive models in rodents. *China Biolog Pharm Bull* 2006;29:253-60.
39. Funk JL, Oyarzo JN, Frye JB, et al. Turmeric extracts containing curcuminoids prevent experimental rheumatoid arthritis. *J Nat Prod* 2006;69(3):351-5.
40. Chainani N. Safety and anti-inflammatory activity of curcumin : a component of turmeric (*Curcuma longa*). *J Altern Compl Med* 2003;9:161-8.
41. Kulkari RR, Patki PS, Jog VP, Gandage SG, Patwardhan B. Treatment of osteoarthritis with a herbomineral formulation: a double-blind, placebo-controlled, cross-over study. *J Ethnopharmacol* 1991;33:91-5.

42. Kashinath JY, Nagar V. Preparation of synergistic pharmaceutical composition for the treatment of osteoarthritis. Indian 2000:8pp.
43. Chattopadhyay I, Biswas K, Bandyopadhyay U, Benerjee R. Tumeric and curcumin : biological actions and medicinal applications. Curr Sci 2004;87:44-53.

เอกสารอ้างอิง สมุนไพรป้องกันโรคตับ (23/4)

1. Hikino H. Antihepatotoxic activity of crude drugs. *Yakugaku Zasshi* 1985;105(2):109-18.
2. Lukita-atmadja W, Barlian A, Ito Y, Baker GL, Mc Cuskey RS. Curcuminoids minimize the hepatic microvascular and parenchymal inflammatory response. *Cells Hepat Sinus* 1999;7:241-2.
3. Kang TH, Kim DH, Ko YS, Kim EC, Kim YC. Protective effects of the water extracts of herbal medicine on BNL CL.2.cells. *Korean J Pharmacog* 1999;30(2):222-5.
4. Joyeux M, Mortier F, Fleurentin J. Screening of antiradical antilipoperoxidant and hepatoprotective effects of nine plant extracts used in Caribbean folk medicine. *Phytother Res* 1995;9(3):228-30.
5. Lin SC, Lin CC, Lin YH, Supriyatna S, Teng CW. Protective and therapeutic effects of *Curcuma xanthorrhiza* on hepatotoxin induced liver damage. *Amer J Chinese Med* 1995;23(3/4):243-54.
6. Ohta S, Sato N, Tu SH, Shinoda M. Protective effects of Taiwan crude drugs on experimental liver injuries. *Yakugaku Zasshi* 1992;113(12):870-80.
7. Soni KB, Rajan A, Kuttan R. Inhibition of aflatoxin-induced liver damage in ducklings by food additives. *Mycotoxin Res* 1993;9(1):22-7.
8. Kumazawa N, Ohto S, Ishizuka O, Sakurai N, Kamogawa A, Shinoda M. Protective effects of various methanol extracts of crude drugs on experimental hepatic injury induced by carbon tetrachloride in rats. *Yakugaku Zasshi* 1990;110(12):950-7.
9. Kiso Y, Suzuki Y, Watanabe N, Oshima Y, Hikino H. Antihepatotoxic principles of *Curcuma longa* rhizomes. *Planta Med* 1983;49(3):185-7.
10. Phatvej W, Thubthimthed S, Khayungarnawee A, Suntornantasat T. Choloretic and antihepatitis effects of *Curcuma longa* Linn. And *Ipomoea aquatica* Forsk. Crude extracts. *Thai J Pharm Sci* 2004;28 (Suppl.):26.
11. Somchit MN, Zuraini A, Bustamam AA, et al. Protective activity of turmeric (*Curcuma longa*) in paracetamol-induced hepatotoxicity in rats. *International Journal of Pharmacology* 2005;1(3):252-6.
12. Subramanian L, Selvam R. Prevention of CCl₄-induced hepatotoxicity by aqueous extract of turmeric. *Nutrition Research (New York)* 1999;19(3):429-41.

13. Deshpande UR, Gadre SG, Raste AS, Pillai D, Bhide SV, Samuel A. Protective effect of turmeric (*Curcuma longa* L.) extract on carbon tetrachloride-induced liver damage in rats. *Indian J Exp Biol* 1998;36(6):573-7.
14. Thapliyal R, Naresh KN, Rao KVK, Maru GB. Inhibition of nitrosodiethylamine-induced hepatocarcinogenesis by dietary turmeric in rats. *Toxicol Lett* 2003;139(1):45-54.
15. Yadav N, Khandelwal S. Ameliorative potential of turmeric (*Curcuma longa*) against cadmium induced hepatotoxicity in mice. *Toxicology International* 2002;12(2):119-24.
16. El-Ashmawy IM, Ashry KM, El-Nahas AF, Salama OM. Protection by turmeric and myrrh against liver oxidative damage and genotoxicity induced by lead acetate in mice. *Basic & Clinical Pharmacology & Toxicology* 2006;98(1):32-7.
17. Soni KB, Rajan A, Kuttan R. Reversal of aflatoxin induced liver damage by turmeric and curcumin. *Cancer Lett* 1992;66(2):115-21.
18. Song E-K, Cho H, Kim J-S, et al. Diarylheptanoids with free radical scavenging and hepatoprotective activity in vitro from *Curcuma longa*. *Planta Med* 2001;67(9):876-7.
19. Miyakoshi M, Yamaguchi Y, Takagaki R, et al. Hepatoprotective effect of sesquiterpenes in turmeric. *Bio factors* 2004;21(1-4):167-70.
20. Seung KR, Jung KH. Protective effect of curcumin and aqueous extract of onchengyeum on CCl₄-induced hepatotoxicity. *Journal of Applied Pharmacology* 2005;13(4):232-9.
21. Sreepriya M, Bali G. Chemopreventive effects of embelin and curcumin against N-nitrosodiethylamine/phenobarbital-induced hepatocarcinogenesis in wistar rats. *Fitoterapia* 2005;76(6):549-55.
22. Naik RS, Mujumdar AM, Ghaskadbi S. Protection of liver cells from ethanol cytotoxicity by curcumin in liver slice culture in vitro. *J Ethnopharmacol* 2004;95:31-7.
23. Okamoto M, Kitanaka S. Health foods containing plant extracts for liver function improvement. Patent: Jpn Kokai Tokkyo Koho JP 2003135023,2003:6pp.
24. Watson BF, Smith LO. Nutritional supplement for liver function improvement. Patent: US Pat Appl Publ US 2003044512,2003:4pp.
25. Hayami T, Kishida H, Saki T, Tsukagawa M. Glutathione and *Curcuma longa* extracts as hepatoprotectants and health foods for liver diseases. Patent: Jpn Kokai Tokkyo Koho JP 2005179213,2005:7pp.

26. Ding Z. A medicine for treating liver cirrhosis. Patent: Faming Zhuanli Shenqing Gongkai Shuomingshu CN 1569190;2005:6pp.
27. Nakamura K, Yamanaka H. Turmeric-containing composition. Patent: Pct Int Appl WO 2005027949;2005:16pp.
28. Lee HW. Functional food composition having effects of relieving alcohol-induced hangover symptoms and improving liver function. Patent: US Pat Appl Publ US 2006045929;2006.
29. Ueda R, Maena H. Alcoholic beverage supplemented with amino acids and pepper extracts to prevent hangover. Patent: Jpn Kokai Tokkyo Koho JP 02124084;1990:5pp.
30. Koul IB, Kapil A. Evaluation of the hepatoprotective potential of piperine, an active principle of black and long peppers. *Planta Med* 1993;59(5):413-7.
31. Watanabe M, Inatomi N. Pepper alkaloids for treatment of liver disorder. Patent: Jpn Kokai Tokkyo Koho JP 05,262,646 [93,262,646], 1993:5pp.
32. Morita T, Jinno K, Kawagishi H, Arimoto Y, Suganuma H, Inakuma T, Sugiyama K. Hepatoprotective effect of myristicin from nutmeg (*Myristica fragrans*) on lipopolysaccharide/D-galctosamine-induced liver injury. *J Agr Food Chem* 2003;51(6):1560-5.
33. Prasad KN, Prasad MS, Shivamurthy GR, Aradhya SM. Callus induction from *Ipomoea aquatica* Forsk. leaf and its antioxidant activity. *Indian Journal of Biotechnology* 2006;5(1):107-11.
34. Yamashita S. Method of preserving *Ipomea aquatica*, method of preserving vegetable and processed food. Patent: Pct Int Appl WO 2005072512,2005.
35. Prasad KN, Divakar S, Shivamurthy GR, Aradhya SM. Isolation of a free radical-scavenging antioxidant from water spinach (*Ipomoea aquatica* Forsk). *Journal of the Science of Food and Agriculture* 2005;85(9):1461-8.