

### เอกสารอ้างอิง (สมุนไพรป้องกันยุง)

1. Tyagi BK, Shahi AK, Kual BL. Evaluation of repellent activities of *Cymbopogon* essential oils against mosquito vectors of malaria, filariasis, and dengue fever in India. *Phytomedicine* 1998;5(4):324-9.
2. Liawruangrath S, Liawruangrath B. Isolation and characterization of essential oil from citronella grass (*Cymbopogon witerianus* Jowitt) and study mosquito repellence property. The 3<sup>rd</sup> World Congress on Medicinal Plant and Aromatic Plants for Human Welfare, Chiang Mai, Thailand, 3-7 Feb 2003:352.
3. ปราณี ชาญชนะนนิต พัสรี จิราตระกาล. การตั้งตำรับครีมสมุนไพรทาป้องกันยุง. โครงการพิเศษ คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล. 2527.
4. ศศิธร วสุวัต ทวีศักดิ์ สุนทรชนศาสตร์ ศิริเพ็ญ จริเกษม ณัฐมาศ พุฒศรี อัจฉราพร พันธุ์รักส์ วงศ์ ศิรินนท์ จันทร์ อินสน คล่องการงาน. ประสิทธิภาพป้องกันยุงกัดของครีมตะไคร้หอม วท. วิทยาศาสตร์และเทคโนโลยี 2533;5(2):62-7.
5. สมยศ จารุวิจิตรรัตนา ประวิข ตัญญุสทิธิสุนทร เพ็ญวดี ทิมพัฒน์พงศ์. ผลของการใช้ครีมตะไคร้หอมในการทาป้องกันยุงเปรียบเทียบกับครีมที่ไม่มีตัวยา. ราชบัณฑิตยสถาน 2531;11:94-7.
6. Kaewmanee S. Repellent effects of some selected medicinal plant extracts on mosquitoes. MS Thesis, Mahidol Univ, 1992.
7. วรณภา สุวรรณเกิด กิตติพันธ์ ต้นตระกูลรุ่งโรจน์. การศึกษาประสิทธิภาพของน้ำมันหอมระเหยจากสมุนไพรในการป้องกันยุงกัด. วารสารโรคติดต่อ 2537;20(1):4-11.
8. Oyedele AO, Gbolade AA, Sosan MB, Adewoyin FB, Soyelu OL, Orafidiya OO. Formulation of an effective mosquito-repellent topical product from lemongrass oil. *Phytomedicine* 2002;9:25-62.
9. Sugimoto M. Mosquito repellents of plant origin. Patent: Jpn Kokai Tokkyo Koho JP 2004210756, 2004:3pp.
10. Liu Z. Mosquito-repelling toilet soap containing neem, lemongrass and citronella oil. Patent: Faming Zhuanli Shenqing Gongkai Shuomingshu CN 1.343,769, 2002:5pp.
11. Chokechajaroenporn O, Bunyapraphatsara N, Kongchuensin S. Mosquito repellent activities of *Ocimum* volatile oils. *Phytomedicine* 1994;1:135-9.
12. สมเกียรติ บุญญะบัญชา กลสิน สุขปฐม เอี่ยมเดือน ศรีสุระพัตร. การทดสอบประสิทธิภาพในการป้องกันยุงลาย (*Aedes aegypti* L.) ด้วยน้ำมันหอมระเหย 6 ชนิด โดยใช้เครื่องทดสอบสารป้องกันยุงที่ประดิษฐ์ขึ้น. วารสารกรมวิทยาศาสตร์การแพทย์ 2540;39(1):61-6.

13. สุภารัตน์ เบ้าหล่อเพชร สุรศักดิ์ ไชยสงค์. การพัฒนาตำรับสารไล่แมลงจากธรรมชาติ. โครงการพิเศษ คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล, 2543.
14. สุภาณี พิมพ์สมาน สักวาฬ สมบูรณ์ วัชร คุณกิตติ และคณะ. การใช้เคมีธรรมชาติจากสมุนไพรไทยเพื่อการควบคุมแมลงศัตรูพืช. การสัมมนาแนวทางการพัฒนาสมุนไพรของประเทศไทย, กรุงเทพฯ, 13-14 ก.ย. 2543:185-99.
15. Khamsirtrakul O, Akkarasrimachai R, Primsamarn S, Komsri R, Khunkitti W. Development of mosquito repellent spray from *Ocimum americanum* using olfactometer. Thai J Pharm Sci 2000;24(Suppl):29.
16. นารีนุช เอี่ยมลิขิตเกื้อกุล นวัตกรรม ชีรวินวัฒน์วงศ์. ผลิตภัณฑ์ยาทากันยุงจากสมุนไพร. โครงการพิเศษ คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล, 2541.
17. Palakul K, Komalamisra N, Yannavecrakul B, Apiwathnasorn C, Kamung Y, Deesin V. *Artemisia* oil as a repellent against mosquito vectors in Thailand. Mahidol Univ Ann Res Abstr (Jan 1 - Dec 31, 2000);28:2001:277.
18. Oshaghi MA, Ghalandari R, Vatandoost H, et al. Repellent effect of extracts and essential oils of *Citrus limon* (Rutaceae) and *Melissa officinalis* (Labiatae) against main malaria vector, *Anopheles stephensi* (Diptera:Culicidae). Iranian Journal of Public Health 2003;32(4):47-52.
19. อังรา บุญหกล้า. ประสิทธิภาพน้ำมันหอมระเหยที่สกัดจากข่า และขมิ้นชัน ในการไล่และฆ่ายุงลาย. รายงานการวิจัย สำนักงานคณะกรรมการวิจัยแห่งชาติ, 2546.
20. เบลูจวรรณ ตี้อตัน.ฤทธิ์ไล่ยุงของสารสกัดจากเมล็ดขิ้นล้าย. รายงานการวิจัย สำนักงานคณะกรรมการวิจัยแห่งชาติ, 2546.
21. Mironov VS. *Acorus calamus* used as an insecticidal and repellent preparation. Rev Applied Entomol 1943;31B:127-8.
22. Shi S, Liu Z, Yang Y, Zhang J, Gong Z. Efficacy of multi-formula clove slow released repellent. Zhonghua Weisheng Shachong Yaoxie 2004;10(3):147-8.
23. Li J, Liu Y. Terpenoid-containing mosquito-repellent cream. Patent: Faming Zhuanli Shenqing Gongkai Shuomingshu CN 1,059,657, 1992:5pp.
24. Choi WS. Evading agents against mosquitoes in nature. Patent: Repub Korean Kongkae Tacho Kongbo KR 2001018588, 2001.

## เอกสารอ้างอิง (น้ำมันรำข้าว)

1. Evershed RP, Spooner N, Prescott MC, Goad LJ. Isolation and characterization of intact steryl ferulates from seeds. *J Chromatogr* 1988;440:23-5.
2. Xu Z, Godber JS. Purification and identification of components of  $\gamma$ -oryzanol in rice bran oil. *J Agri Food Chem* 1999;47:2724-8.
3. Diack M, Saska M. Separation of vitamin E and  $\gamma$ -oryzanols from rice bran by normal-phase chromatography. *J Am Oil Chem Soc* 1994;71:1211-7.
4. Rogers EJ, Rice SM, Nicolosi RJ, Carpenter DR, McClelland CA, Romanczyk LJ. Identification and quantification of  $\gamma$ -oryzanol components and simultaneous assessment of tocopherols in rice bran oil. *J Am Oil Chem Soc* 1993;70:301-7.
5. วิภา สุโรจนะเมธากุล. คุณค่าของรำข้าว. *อาหาร* 2547;34(1):16-9.
6. ข้าวจาก Nutrition Research Newsletter, Feb, 2005. Rice bran oil found to lower cholesterol. จาก website [http://www.findarticles.com/p/articles/mi\\_m0887/is\\_2\\_24/ai\\_n11833841](http://www.findarticles.com/p/articles/mi_m0887/is_2_24/ai_n11833841), Access data on Nov. 14, 2006.
7. Lakkakula NR, Lima M, Walker T. Rice bran stabilization and rice bran oil extraction using ohmic heating. *Bioresour Tecnol* 2004;92(2):157-61.
8. Ko S-N, Kim C-J, Kim C-T, et al. Changes of vitamin E content in rice bran with different heat treatment. *European Journal of Lipid Science and Technology* 2003;105(5):225-8.
9. Mezouari S, Eichner K, Kochhar SP, Bruehl L, Schwarz K. Effect of the full refining process on rice bran oil composition and its heat stability. *European Journal of Lipid Science and Technology* 2006;108(3):193-9.
10. Wikipedia, Free encyclopedia. Rice bran oil. จาก website [http://en.wikipedia.org/wiki/Rice\\_bran\\_oil](http://en.wikipedia.org/wiki/Rice_bran_oil), Access data on Nov. 14, 2006.
11. Wikipedia, Free encyclopedia. Smoke point. จาก website [http://en.wikipedia.org/wiki/Smoke\\_point](http://en.wikipedia.org/wiki/Smoke_point), Access data on Nov. 14, 2006.
12. Vergara P, Wally AP, Pestana VR, Bastos C, Zambiasi RC. Study of soybean and rice bran oil behavior reused in discontinuous potato frying. *Boletim do Centro de Pesquisa e Processamento de Alimentos* 2006;24(1):207-20.
13. Valsalan A, Siddhu A, Sundararaj P. Assessment of rice bran oil as a cooking medium. *Journal of Food Science and Technology* 2004;41(3):248-55.

14. Yu F, Kim SH, Kim N-S, Lee J-H, Bae D-H, Lee K-T. Composition of solvent-fractionated rice bran oil. *Journal of Food Lipids* 2006;13(3):286-97.
15. Ali MM, Hussain MG, Absar N, Shahjahan M. Investigation on rice bran. Composition of rice bran and its oil. *Bangladesh Journal of Scientific and Industrial Research* 1998;33(2):170-7.
16. Hwang Y-H, Jang Y-S, Kim M-K, Lee H-S. Fatty acid composition of rice bran oil and growth-promoting effect of rice bran extract and rice bran oil on *Bifidobacterium* and *Lactobacillus*. *Agric Chem Biotechnol* 2002;45(3):121-4.
17. Tsuji E, Takahashi M, Kinoshita S, Tanaka M, Tsuji K. Effects of different contents of  $\gamma$ -oryzanol in rice bran oil on serum cholesterol levels. XIII<sup>th</sup> International Symposium on Atherosclerosis, Sep 28 – Oct 2, 2003, Kyoto, Japan:278.
18. Rong N, Ausman LM, Nicolosi RJ. Oryzanol decreases cholesterol absorption and aortic fatty streaks in hamsters. *Lipids* 1997;32(3):303-9.
19. Scavariello EM, Arellano DB. Gamma-oryzanol: and important component in rice bran oil. *Archivos latinoamericanos de nutricion* 1998;48(1):7-12.
20. Jiang Y, Wang T. Phytosterols in cereal by-products. *Journal of the American Oil Chemists' Society* 2005;82(6):439-44.
21. Stoggl W, Huck C, Wongyai S, Scherz H, Bonn G. Simultaneous determination of carotenoids, tocopherols, and gamma-oryzanol in crude rice bran oil by liquid chromatography coupled to diode array and mass spectrometric detection employing silica C30 stationary phases. *Journal of Separation Science* 2005;28(14):1712-8.
22. Krishna AGG, Hemakumar KH, Khatoon S. Study on the composition of rice bran oil and its higher free fatty acids value. *Journal of the American Oil Chemists' Society* 2006;83(2):117-20.
23. Bucci R, Magri AD, Magri AL, Marini F. Comparison of three spectrophotometric methods for the determination of  $\gamma$ -oryzanol in rice bran oil. *Anal Bioanal Chem* 2003;375:1254-9.
24. Fang N, Yu S, Badger TM. Characterization of triterpene alcohol and sterol ferulates in rice bran using LC-MS/MS. *J Agric Food Chem* 2003;51:3260-7.
25. Akihisa T, Yasukawa K, Yamaura M, Ukiya M, Kimura Y, Shimizu N, Arai K. Triterpene alcohol and sterol ferulates from rice bran and their anti-inflammatory effects. *J Agri Food Chem* 2000;48:2313-9.

26. Yasukawa K, Akihisa T, Kimura Y, Tamura T, Takido M. Inhibitory effect of cycloartenol ferulate, a component of rice bran, on tumor promotion in two-stage carcinogenesis in mouse skin. *Biol Pharm Bull* 1998;21(10):1072-6.
27. Nanua JN, McGregor JU, Godber JS. Influence of high-oryzanol rice bran oil on the oxidative stability of whole milk powder. *J Dairy Sci* 2000;83(11):2426-31.
28. Kim J-S, Godber JS. Oxidative stability and vitamin E levels increased in restructured beef roasts with added rice bran oil. *Journal of Food Quality* 2001;24(1):17-26.
29. Kochhar SP. Stabilisation of frying oils with natural antioxidative components. *European Journal of Lipid Science and Technology* 2000;102(8-9):552-9.
30. Juliano C, Cossu M, Alamanni MC, Piu L. Antioxidant activity of gamma-oryzanol: mechanism of action and its effect on oxidative stability of pharmaceutical oils. *Int J Pharm* 2005;299(1-2):146-54.
31. Rana P, Vadhera S, Soni G. *In vivo* antioxidant potential of rice bran oil (RBO) in albino rats. *Indian J Physiol Pharmacol* 2004;48(4):428-36.
32. Hsieh R-H, Lien L-M, Lin S-H, Chen C-W, Cheng H-J, Cheng H-H. Alleviation of oxidative damage in multiple tissues in rats with streptozotocin-induced diabetes by rice bran oil supplementation. *Annals of New York Academy of Sciences* 2005;1042:365-71.
33. Minhajuddin M, Beg ZH, Iqbal J. Hypolipidemic and antioxidant properties of tocotrienol rich fraction isolated from rice bran oil in experimentally induced hyperlipidemic rats. *Food Chem Toxicol* 2005;43(5):747-53.
34. Ha T-Y, Ham S, Kim S-R, Kim I-H, Lee H-Y, Kim H-K. Bioactive components in rice bran oil improve lipid profiles in rats fed a high-cholesterol diet. *Nutrition Research (NY, United States)* 2005;25(6):597-606.
35. Purushothama S, Ramachandran HD, Narasimhamurthy K, Raina PL. Long-term feeding effects of heated and fried oils on hepatic antioxidant enzymes, absorption and excretion of fat in rats. *Mol Cell Biochem* 2003;247(1&2):95-9.
36. Purushothama S, Raina PL, Hariharan K. Effect of long term feeding of rice bran oil upon lipids and lipoproteins in rats. *Mol Cell Biochem* 1995;146(1):63-9.
37. Frank N, Andrews FM, Elliott SB, Lew J, Boston RC. Effects of rice bran oil on plasma lipid concentrations, lipoprotein composition, and glucose dynamics in mares. *J Anim Sci (Savoy, IL, United States)* 2005;83(11):2509-18.

38. Chikuno T, Minami H, Kato H, Tsujiwaki S, Kanetani Y. Feed containing tocotrienol for chickens resulting decrease in cholesterol content in eggs. Patent:Jpn Kokai Tokkyo Koho JP 2005348725, 2005:8pp.
39. Ausman LM, Rong N, Nicolosi RJ. Hypocholesterolemic effect of physically refined rice bran oil: studies of cholesterol metabolism and early atherosclerosis in hypercholesterolemic hamsters. *J Nutr Biochem* 2005;16(9):521-9.
40. Nagao K, Sato M, Takenaka M, Ando M, Iwamoto M, Imaizumi K. Feeding unsaponifiable compounds from rice bran oil does not alter hepatic mRNA abundance for cholesterol metabolism-related proteins in hypercholesterolemic rats. *Biosci Biotechnol Biochem* 2001;65(2):371-7.
41. Rukmini C, Raghuram TC. Nutritional and biochemical aspects of the hypolipidemic action of rice bran oil: a review. *J Am Coll Nutr* 1991;10(6):593-601.
42. Seetharamaiah GS, Chandrasekhara N. Studies on hyposterolemic activity of rice bran oil. *Atherosclerosis* 1989;78:219-24.
43. Kim S-H, Vu P-L, Lee K-T. Enzymatic synthesis of functional oil from rice bran oil and dietary effects on hepatic ACAT activities of high cholesterol and high-fat-fed mice. *Han'guk Sikk'um Yongyang Kwahak Hoechi* 2004;33(5):803-9.
44. Fan Q, Feng J, Wu S, Specht K, She S. Nutritional evaluation of rice bran oil and a blend with corn oil. *Nahrung* 1995;39(5/6):490-6.
45. Sunitha T, Manorama R, Rukmini C. Lipid profiles of rats fed blends of rice bran oil in combination with sunflower and safflower oil. *Plant Foods Hum Nutr* 1997;51(3):219-30.
46. Koba K, Liu J-W, Bobik E, Sugano M, Huang Y-S. Cholesterol supplementation attenuates the hypocholesterolemic effect of rice bran oil in rats. *J Nutr Sci Vitaminol (Tokyo)* 2000;46(2):58-64.
47. Chen C-W, Cheng H-H. A rice bran oil diet increases LDL-receptor and HMG-CoA reductase mRNA expressions and insulin sensitivity in rats with streptozotocin/nicotinamide-induced type 2 diabetes. *J Nutr* 2006;136(6):1472-6.
48. Nanua JN. The potential of high oryzanol rice bran oil as an antioxidant in whole milk powder. *Diss Abstr Int, B* 2000;61(2):607.
49. Radcliffe JD, Imrhan VA, Hsueh AM. Serum lipids in rats fed diets containing rice bran oil or high-linoleic acid safflower oil. *Biochemical Archives* 1997;13(2):87-95.
50. Wilson TA, Nicolosi RJ, Woolfrey B, Kritchevsky D. Rice bran oil and oryzanol reduce plasma lipid and lipoprotein cholesterol concentrations and aortic cholesterol

ester accumulation to a greater extent than ferulic acid in hypercholesterolemic hamsters. *J Nutr Biochem* 2006. (Epub ahead of print)

51. Sakamoto K, Tabata T, Shirasaki K, Inagaki T, Nakayama S. Effects of  $\gamma$ -oryzanol and cycloartenol ferulic acid ester on cholesterol diet induced hyperlipidemia in rats. *Jpn J Pharmacol* 1987;45(4):559-65.
52. Rajnarayana K, Prabhakar MC, Krishna DR. Influence of rice bran oil on serum lipid peroxides and lipids in human subjects. *Indian J Physiol Pharmacol* 2001;45(4):442-4.
53. Vissers MN, Zock PL, Meijer GW, Katan MB. Effect of plant sterols from rice bran oil and triterpene alcohols from sheanut oil on serum lipoprotein concentrations in humans. *Am J Clin Nutr* 2000;72(6):1510-5.
54. Most MM, Tulley R, Morales S, Lefevre M. Rice bran oil, not fiber, lowers cholesterol in humans. *Am J Clin Nutr* 2005;81(1):64-8.
55. Lichtenstein AH, Ausman LM, Carrasco W, et al. Rice bran oil consumption and plasma lipid levels in moderately hypercholesterolemic humans. *Atherosclerosis and Thrombosis* 1994;14(4):549-56.
56. Rebecca K, Gopinath N, Mario V, Kurpad Anura V. Use of rice bran oil in patients with hyperlipidaemia. *Natl Med J India* 2005;18(6):292-6.
57. Watkins TR, Geller M, Kooyenga DK, Bierenbaum ML. Hypocholesterolemic and antioxidant effect of rice bran oil non-saponifiables in hypercholesterolemic subjects. *Environmental and Nutritional Interactions* 1999;3(2):115-22.
58. Berger A, Rein D, Schaefer A, Monnard I, Gremaud G, Lambelet P, Bertoli C. Similar cholesterol-lowering properties of rice bran oil, with varied  $\gamma$ -oryzanol, in mildly hypercholesterolemic men. *Eur J Nutr* 2005;44(3):163-73.
59. Yoshitoshi Y, Oda T, Miyashita H, et al. Clinical evaluation of  $\gamma$ -oryzanol (Hi-Z®) in hyperlipidemia-a multicenter double-blind trial. *Rinsho Hyoka (Clinical Evaluation)* 1984;12(1):195-230.
60. Accinni R, Rosina M, Bamonti F, et al. Effects of combined dietary supplementation on oxidative and inflammatory status in dyslipidemic subjects. *Nutr Met Cardio Dis* 2006;16(2):121-7.
61. Mori H, Yoshimi N, Dobashi A, Okada T, Murai H. Rice bran oil for prevention of colon cancer, and foods, beverages, and pharmaceuticals containing the agents. Patent: *Jpn Kokai Tokkyo Koho JP 2002316940*, 2002:6pp.

62. Iqbal J, Minhajuddin M, Beg ZH. Suppression of diethylnitrosamine and 2-acetylaminofluorene-induced hepatocarcinogenesis in rats by tocotrienol-rich fraction isolated from rice bran oil. *Eur J Cancer Prev* 2004;13(6):515-20.
63. Iqbal J, Minhajuddin M, Beg ZH. Suppression of 7,12-dimethylbenz[alpha]anthracene-induced carcinogenesis and hypercholesterolaemia in rats by tocotrienol-rich fraction isolated from rice bran oil. *Eur J Cancer Prev* 2003;12(6):447-53.
64. Sierra S, Lara-Villoslada F, Olivares M, Jimenez J, Boza J, Xaus J. Increased immune response in mice consuming rice bran oil. *Eur J Nutr* 2005;44(8):509-16.
65. Zhang H, Deng W, Yang C, Zhang Y. Study on insecticidal efficacy of rice bran oil on maize weevil. *Zhongguo Liangyou Xuebao* 1997;12(4):28-31.



## เอกสารอ้างอิง (อะเซโรล่า เชอร์รี่ (Acerola Cherry))

1. Acerola Fruit Facts. Available from: <http://www.crfg.org/pubs/ff/acerola.html> (Accessed 2007 JAN 10)
2. Barbados Cherry. Available from: <http://edis.ifas.ufl.edu/MG041>. (Accessed 2007 JAN 10)
3. Acerola information from Drugs. com Available from: <http://www.drugs.com/npc/acerola.html> (Accessed 2007 JAN 10)
4. Carrington CMS, King RAG. Fruit development and ripening in Barbados cherry, *Malpighia emarginata* DC. *Scientia Horticulturae* 2002;92:1-7.
5. Asenjo CF. Acerola In: Nagy S, Shaw PE. (Eds). *Tropical and Sub-tropical Fruits: Composition, Properties and Uses*. AVI Publ. Inc., Westport, CN, 1980:341-74.
6. Assis SA, Lima DC, Faria Oliveira OMM. Activity of pectin methylesterase, pectin content and vitamin C in acerola fruit at various stages of fruit development. *Food Chemistry* 2001;74:133-7.
7. Free herb information Acerola Cherry. Available from: <http://www.herbare-special.com.au/free-herb-information-acerola-cherry.html> (accessed 2007 JAN 10)
8. Zimmerman, et al. June 2000. Method of increasing skin cell renewal rate using acerola cherry fermentate. U.S. Patent 6,074,647.
9. Dornoff, et al. May 1998. Skin whitener composition containing acerola fermentate. U.S. Patent 5,747,006.
10. Galley E. April 2001. Hair care composition PCT. WO 01/22924 A1.
11. Hwang J, Hodis HN, Sevanian A. Soy and alfalfa phytoestrogen extracts become potent low-density lipoprotein antioxidants in the presence of acerola cherry extract. *J Agric Food Chem* 2001;49:308-14.
12. Nagamine I, Akiyama T, Kainuma M, et al. Effect of acerola cherry extract on cell proliferation and activation of ras signal pathway at the promotion stage of lung tumorigenesis in mice. *J Nutr Sci Vitaminol (Tokyo)* 2002;48(1):69-72.
13. Motohashi N, Wakabayashi H, Kurihara T, et al. Biological activity of Barbados cherry (acerola fruits, fruit of *Malpighia emarginata* DC) extracts and fractions. *Phyther Res* 2004;18(3):212-23.