

เอกสารอ้างอิงเรื่อง คุณประโยชน์ราชินีผลไม้ : มังคุด

1. นันทวัน บุญยะประภัสร์. บรรณาธิการ. ก้าวไปกับสมุนไพร เล่ม 1 กรุงเทพฯ : ชรรคมลการพิมพ์, ไม่ระบุปีที่พิมพ์ หน้า 191-2.
2. ศิริพร เหลียงกอบกิจ. มังคุด Mangosteen จุลสารข้อมูลสมุนไพร 2544;ปีที่ 8 (ฉบับที่ 2):3-11.
3. Macleod AJ, Pieris NM. Volatile flavor components of mangosteen, *Garcinia mangostana*. *Phytochemistry* 1982;21:117-9.
4. ก่องกานดา ชยามฤต. สมุนไพรไทย ตอนที่ 6. กรุงเทพฯ 2540:65-6.
5. Steenis-Kruseman MJ van. Select Indonesian Medicinal Plants. Report of a Joint Review of Needs of the Pharmaceutical Industry of the Republic of Indonesia. USA Operation Mission to Indonesia 1961.
6. เสงี่ยม พงษ์บุญรอด. ไม้เทศเมืองไทย. สรรพคุณของยาเทศ และยาไทย กรุงเทพฯ;2522:443-4.
7. Nilar, Harrison LJ. Xanthenes from the heartwood of *Garcinia mangostana*. *Phytochemistry* 2002;60:541-8.
8. Bennett GJ, Lee HH. Xanthenes from Guttiferae. *Phytochemistry* 1989;28:967-98.
9. Govindachari TR, Kalyanaaman PS, Muthukumaraswamy N, Pai BR. Isolation of three new xanthenes from *Garcinia mangostana*. *Indian J Chem* 1971;9:505-6.
10. Govindachari TR, Kalyanarman PS, Muthukumaraswamy N, Pai BR. Xanthenes of *Garcinia mangostana*. *Tetrahedron* 1971;27:3919-26.
11. Suksamran S, Komutiban O, Ratananukul P, Chimnoi N, Lartpornmatulee N, Suksamran A. Cytotoxic prenylated xanthenes from the young fruit of *Garcinia mangostana*. *Chem Pharm Bull* 2006;54:301-5.
12. Nakatanik K, Atsumi M, Arakawa T, Oosawa K, Shimura S, Nakahata N, Ohizumi Y. Inhibitions of histamine release and prostaglandin E₂ Synthesis by mangosteen, a Thai medicinal plant. *Biol Pharm Bull* 2002 (a);25:1137-41.
13. Harborne JB, Baxter H. "Phytochemical Dictionary, A Handbook of Bioactive Compounds from Plants", Taylor and Francis, London, 1993.
14. Chairungsrilerd N, Furukawa K, Ohta T, Nozoe S, Ohizumi Y. Histaminergic and serotonergic receptor blocking substances from the medicinal plant *Garcinia mangostana*. *Plant Med* 1996 (a);1996:471-2.
15. Nakatani K, Nakahata N, Arakawa T, Yasuda H, Ohizumi Y, Inhibition of cyclooxygenase and prostaglandin E₂ synthesis by γ -mangostin, a xanthone derivative in mangosteen in C₆ rat glioma cells. *Biochem Pharmacol* 2002 (b);63:73-9.
16. Buenz EJ, Johnson HE, Beekman EM, Motley TJ, Bauer BA. Bioprospecting Rumphius's Ambonese herbal : Volume I. *J Ethnopharmacol* 2005;96:57-70.
17. Chairungsrilerd N, Takeuchi K, Ohizumi Y, Nozoe S, Ohta T. Mangostanol, a prenyl xanthone from *Garcinia mangostana*. *Phytochemistry* 1996 (b);43:1099-1102.
18. Chuaprapaisilp T, Wiriyachitra P, Ongsakul M, Wilairat P, Mahabusarakam W, Phongnaichit S, et al. Use of natural products in medicine. การประชุมวิชาการวิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย ครั้งที่ 19: 27-29 ตุลาคม 2536 ณ โรงแรมดุสิต เจ บี หาดใหญ่ จ.สงขลา.

19. Shankaranarayan D, Gopalakrishnam C, Kameswaran L. Pharmacological profile of mangostin and its derivatives. Arch Int Pharmacodyn Ther 1979;239:257-69.
20. Weecharangsan W, Opanasopit P, Sukma M, Ngawhirunpat T, Sotanaphun U, Siripon P. Antioxidative and neuroprotective activities of extracts from the fruit hull of mangosteen (*Garcinia mangostana* Linn.) Med Princ Pract 2006;15:281-7.
21. Yoshikawa M, Harada E, Miki A, Tsukamoto K, Liang S-Q, Yamahara J, Murakami N. Antioxidant constituents from the fruit hulls of mangosteen (*Garcinia mangostana*) originating in Vietnam. Yakugaku Zasshi 1994;114:129-33. (Japan).
22. Fan C-T, Su J-D. Antioxidative mechanism of isolated components from methanol extract of fruit hulls of *Garcinia mangostana* L. Zhongguo Nongye Huaxue Huizhi 1997;35:540-51. (Chinese)
23. จริยา สันเดิมสุข สมเกียรติ ตีกิจเสริมพงศ์.ฤทธิ์ในการต้านแบคทีเรียของสารสกัดจากเปลือกมังคุดต่อกลุ่มแบคทีเรียที่ก่อให้เกิดโรคท้องร่วงและกลุ่มแบคทีเรียประจำถิ่นในลำไส้. Bull Depart Med Serv 1989;14:421-6.
24. พเยาว์ เหมือนวงษ์ญาติ. คู่มือการใช้สมุนไพร. กรุงเทพฯ : สำนักพิมพ์เมดิคัลมีเดีย 2526.
25. Sen AK, Sanker KK, Majumadu PC, Benerji HA. Xanthone from *Garcinia mangostana*. Phytochemistry 1979;19:2223-5.
26. Mahabusarakam W, Wiriyachitra P, Phongpaichit S. Antimicrobial activities of chemical constituents from *Garcinia mangostana* Linn. J Sci Soc Thailand 1986;12:239-42.
27. Mahabusarakum W, Phongpaichit S, Jansakul C, Wiriyachitra P. Screening of antibacterial activity of chemical from *Garcinia mangostana*. Songklanakarin J Sci Tech 1983 (a);5:337-40.
28. Sundaram BM, Gopolakrishman C, Subrananian S, Sunkaranaryanan D, Komeswaran L. Antimicrobial activities of *Garcinia mangostana*. Plant Med 1983;48:59-60.
29. เสาวลักษณ์ พงษ์ไพจิตร เมตตา องค์สกุล นัดดา มิลรัตน์ ประสิทธิ์ ธราวิจิตรกุล ศิริพรรณ บุญชู รัชชชัย เชื้อประไพศิลป์ พิเชษฐ์ วิริยะจิตรา. ฤทธิ์ของสารสกัดมังคุดต่อ *Staphylococcus aureus* ที่ดื้อยา methicillin (MRSA) และ *Enterococcus* spp. Songklanakarin J Sci Technol 1994;16:399-512.
30. Voravuthikunchai SP, Kitpipit L. Activity of medicinal plant extracts against hospital isolates of methicillin-resistant *Staphylococcus aureus*. Clin Microbiol Infect 2005;11:510-2.
31. Iinuma M, Tosa H, Tanaka T, Asai F, Kobayashi Y, Shimano R, Miyauchi K. Antibacterial activity of xanthenes from guttiferaceous plants against methicillin resistant *Staphylococcus aureus*. J Pharm Pharmacol 1996;48:861-5.
32. Sakagami Y, Iinuma M, Piyasena KGNP, Dharmaratne HRW. Antibacterial activity of α -mangostin against vancomycin resistant Enterococci (VRE) and synergism with antibiotics. Phytomedicine 2005;12:203-8.
33. Chanarat P, Chanarat N, Fujihara M, Nagumo T. Immunopharmacological activity of polysaccharide from the pericarp of mangosteen garcinia : phagocytic intercellular killing activities. J Med Assoc Thai 1997;80 (Suppl 1):S149-54.

34. Hasegawa H, Sakai S, Ami N, Takayama H, Koyano T. *Helicobacter pylori* inhibitors containing xanthenes from *Garcinia mangostana*. Patent : Jpn Kokai Tokkyo Koho JP 08,231,396 (96,231,396) (Cl.A61K3L/35) 30 Sep 1996, Appl 95/40,596, 28 Feb 1995;5pp (Japan).
35. Chomanwang MT, Surassmo S, Nukoolkarn VS, Gritsanapan W. Antimicrobial effects of Thai medicinal plants. *J Ethnopharmacol* 2005;101:303-3.
36. Suksamran S, Suwannapoch N, Phakhodee W, Thanuhiranlert J, Ratananukul P, Chimnoi N, Suksamran A. Antimycobacterial activity of pyrenylated xanthenes from the fruits of *Garcinia mangostana*. *Chem Pharm Bull* 2003;51:857-9.
37. Mahabusarakam W, Phoripaichit S, Wiriyachitra P. Screening of antifungal activity of chemical from *Garcinia mangostana*. *Songkhlanakarin J Sci Tech* 1983 (b);5:341-2.
38. Gopalakrishnan G, Banumathi B, Suresh T. Evaluation of the antifungal activity of natural xanthenes from *Garcinia mangostana* and their synthetic derivatives. *J Nat Prod* 1997;60:519-24.
39. Cheng S-C, Wan M, Loh B-N. Active constituents against HIV-1 protease from *Garcinia mangostana*. *Planta Med* 1996;62:381-2.
40. Kusumoto IT, Kakiuchi N, Hattori M, Namba T, Sutardjo S, Shimotohno K. Screening of some Indonesian medicinal plants for inhibitory effects on HIV-1 protease. *Shoyakugaku Zasshi* 1992;46(2):190-3.
41. Kusumoto IT, Shimada I, Kakiuchi N, Hattori M, Namba T, Supriyatna S. Inhibitory effect of Indonesian plant extracts on reverse transcriptase of an RNA tumour virus (I). 1992;6(5):241-4.
42. Tosa H, Iinuma M, Tanaka T, Nozaki H, Ikeda S, Tsutsui K, Yamada M, Fujimori S. Inhibitory activity of xanthone derivatives isolated from some Guttiferaeaeous plants against DNA topoisomerase I and II. *Chem Pharm Bull* 1997;45:418-20.
43. Mahabusarakam W, Iriyachitra P, Taylor WC. Chemical constituents of *Garcinia mangostana*. *J Nat Prod* 1987;50:474-8.
44. Jung H-A, Su B-N, Keller WJ, Mehta RG, Kinghorn AD. Antioxidant xanthenes from the pericarp of *Garcinia mangostana* (Mangosteen). *J Agric Food Chem* 2006;54:2077-82.
45. Moongkarndi P, Kosem N, Kaslungka S, Luanratana O, Pongpan N, Neungton N. Antiproliferation, antioxidation and induction of apoptosis by *Garcinia mangostana* (mangosteen) on SKBR3 human breast cancer cell line. *J Ethnopharmacol* 2004(a);90:161-6.
46. Moongkarndi P, Kosem N, Luanratana O, Jongsomboonkusol S, Pongpan N. Antiproliferative activity of Thai medicinal plant extracts on human breast adenocarcinoma cell line. *Fitoterapia* 2004 (b);75:375-7.
47. Ho C-K, Huang Y-L, Chen C-C, Garcinone E, a xanthone derivative, has potent cytotoxic effect against hepatocellular carcinoma cell lines. *Planta Med* 2002;68:975-9.

48. Matsumoto K, Akao Y, Kobayashi E, Ohguchi K, Ito T, Tanaka T, et al. Induction of apoptosis by xanthenes from mangosteen in human leukemia cell lines. *J Nat Prod* 2003;66:1124-7.
49. Chiang L-C, Cheng H-Y, Liu M-C, Chiang W, Lin C-C. *In vitro* evaluation of antileukemic activity of 17 commonly used fruits and vegetables in Taiwan. *Lebensm-Wis u.-Technol* 2004;37:539-44.
50. Garrity AR, Morton JC, Morrison P, De La Huerga V. Nutraceutical mangosteen tea. *PCT Int Appl WO 2005048940, A2 20050602,2005;9pp.*

เอกสารอ้างอิงเรื่อง สมุนไพรหมาหวง....มีคุณอนันต์และโทษมหันต์

1. <http://www.acupuncturetoday.com/archives2003/jun/06gaedder.html>
2. http://shaman-australis.com.au/shop/index.php?cPath=21_34_73
3. Ulbricht CE, Bash EM (editors). Natural standard herb and supplement reference evidence-based clinical reviews. Missouri: Elsevier Mosby, 2005.
4. Peronnet M, Chatin J. The North African drug *Ephedra alata* var *alenda*. J Pharm Chim 1942; 2: 19-28.
5. Tocco L, Du Chaliot C. The utilization of the medicinal plants of Sicily and Sardinia.4. The method of extraction of the active principle of *Ephedra altissima*. Boll Soc Ital Biol Sper 1945; 20: 135-137.
6. Chavezt AS. Pharmacological study of *Ephedra andina* (Pinco-pinco). Bol Soc Quim Peru 1937; 3: 198-210.
7. Bisset NG (editor). Herbal Drugs and Phytopharmaceuticals. Stuttgart: Medpharm Scientific Publishers, 1994.
8. Christensen BV, Hiner LD. Cultivation of *Ephedra* in South Dakota. J Amer Pharm Ass 1936; 25: 969-973.
9. Kajimura K, Iwamoto Y, Yamasaki K, Sakagami Y, Yokoyama H, Yoneda K. Variation of growth and contents of ephedrine type alkaloids in *Ephedra distachya*. Nat Med 1994; 48(2): 122-125.
10. Feng CT. A method of preparing pure ephedrine hydrochloride from *Ephedra equisetina* BGE. Chin J Physiol 1972; 1(1): 63-68.
11. Barnard C, Finnemore H. Drug plant investigations. I. Progress report. Aust Counc Sci Ind Res J 1945; 18: 277-285.
12. Cui JF, Zhou TH, Zhang JS, Lou ZC. Analysis of alkaloids in Chinese *Ephedra* species by gas chromatographic methods. Phytochem Anal 1991; 2(3): 116-119.
13. Zhang JS, Tian Z, Lou ZC. Detection and identification of the alkaloids in herba *Ephedrae* (Ma-Huang) by chemical tests and HPTLC. Yaowu Fenxi zazhi 1992; 12(1): 38-41.
14. Terry RE. A study of *Ephedra nevadensis*. J Amer Pharm Ass 1927; 16: 399-407.
15. Gurni AA, Moreira JD. Chemotaxonomic study of *Ephedra* species from Argentine flora. I. *E. breana* and *E. ochreatea*. Darwiniana 1974; 18: 520.
16. Chopra RN, Ghosh S, Dutt AT. Ephedrine from the Indian varieties of *Ephedra*. Indian J Med Res 1928; 15: 889-894.
17. Zhgenti TN. Chemical composition of *Ephedra procera* growing in Georgian SSR. Soobshch Akad Nauk Gruz SSR 1966; 44: 631-636.
18. Konno C, Taguchi T, Tamada M, Hikino H. Studies on the constituents of *Ephedra*. Part III. Ephedroxane, anti-inflammatory principle of *Ephedra* herbs. Phytochemistry 1979; 18: 1-.
19. Chen KK, Schmidt CF. Ephedrine and related substances. Medicine 1930; 9: 116-119.
20. Nielsen C, McCausland H. The occurrence and alkaloidal content of various *Ephedra* species 2. J Amer Pharm Ass 1928; 17: 427-430.

21. Chou TQ, Read BE. Isolation and comparative action of ephedrine and pseudo-ephedrine from Ma-Hung (*Ephedra vulgaris var helvetica*. Proc Soc Exp Biol Med 1926; 23: 618.
22. วิชัย โชควิวัฒน์ ขวลิขิต สันติกิจรุ่งเรือง เย็นจิตร เตชะดำรงสิน (บรรณาธิการ). ตำรับยาจีนที่ใช้บ่อยในประเทศไทย เล่ม 1. กรุงเทพมหานคร: สำนักงานกิจการโรงพยาบาลองค์การทหารผ่านศึกในพระราชูปถัมภ์, 2549.
23. www.ephedrine-ephedra.com/pages/what_is_ephedrine_1234.html
24. <http://www.acupuncturetoday.com/archives2003/jun/06gaedder.html>
25. Barker, W. D.; Antia, U. Institute of Environmental Science and Research Ltd (ESR), Mt Albert Research Centre, Hampstead Road, Private Bag, Auckland, N. Z. Forensic Science International 2007; 166(2-3): 102-109.
26. Chen KK. The copper sulfate-sodium hydroxide test for ephedrine isomers and related compounds. J Amer Pharm Assoc 1929; 18: 110-116.
27. Sakai T; Ohno N. Spectrophotometric determination of stimulant drugs in urine by color reaction with tetrabromo-phenolphthalein ethyl ester. Anal Sci 1986; 2(3): 275-279.
28. The United States Pharmacopeia (USP) 29, the National Formulary (NF) 24, United States Pharmacopeia Convention, Inc., Rockville, M.D., 2006.
29. Makoto I, Manabu U, Kazuhiko I, Sumihiro S, Hiromichi M. HPLC determination of (+)-pseudoephedrine and (-)-ephedrine in Japanese herbal medicines containing *Ephedra* herb using solid-phase extraction. Chem Pharm Bull 2003; 51(6): 635-639.
30. Emilia M, Manuela P, Roberta P, Piergiorgio Z, Simona P. A rapid and simple procedure for the determination of ephedrine alkaloids in dietary supplements by gas chromatography-mass spectrometry. J Pharm Biomed Analysis 2006; 41(5): 1633-1641.
31. Brunton LL, Lazo JS, Parker KL (editors). Goodman and Gilman's The Pharmacological Basis of Therapeutics. 11th ed. New York: McGraw-Hill, 2006.
32. Burnham TH, Novak KK, Bell WI (editors). Ephedrine. In: Drug Facts and Comparisons, 57th edition. St. Louis: Facts and Comparisons, 2003.
33. Yates SQ. Paper chromatography of alkaloids of tall Fescue hay. J Chromatogr 1963; 12(3): 423-426).
34. Gomez-Serranillos M, Zqaragoza F. Phytochemical study of *Maytenus senegalensis* (Lamk) Exell. An Bromatol 1979; 31: 180-88.
35. Willaman JJ, Li HL. Alkaloid-bearing plants and their contained alkaloids, 1957-1968. Lloydia 1970; 33S(1): 1-286.
36. Chopra RN, De P. The action of a sympathomimetic alkaloid in *Sida cordifolia*. Indian J Med Res 1930; 18: 467-.
37. Begerhotta A, Bannerjee NR. Polarographic studies on active constituents of *Sida cordifolia*. Curr Sci 1985; 54(14): 690-692.
38. Prakash A, Varma RK, Ghosal S. Chemical constituents of the Malvaceae. Part III. Alkaloidal constituents of *Sida acuta*, *S. humilis*, *S. rhombifolia* and *S. spinosa*. Planta Med 1981; 43: 384-388.