

เอกสารอ้างอิง: อบเชยกับโรคเบาหวาน

1. Kim HS, Hyun SH, Choung SY. Anti-diabetic effect of cinnamon extract on blood glucose in db/db mice. *J Ethnopharmacol* 2006;104:119-23.
2. Ernst E. Plants with hypoglycemic activity in humans. *Phytomedicine* 1997;4:73-8.
3. Wang HX, Ng TB. Natural products with hypoglycemic, hypotensive, hypocholesterolemic, antiatherosclerotic and antithrombotic activities. *Life Sci* 1999;65:2663-77.
4. Sharma SB, Nasir A, Prabhu KM, Murphy PS, Dev G. Hypoglycaemic and hypolipidemic effect of ethnolic extract of seeds of *Eugenia jainbolana* in alloxan-induced diabetic rabbits. *J Ethnopharmacol* 2003;85:201-6.
5. Subash Babu P, Prabuseenivasan S, Ignacimuthu S. Cinnamaldehyde-a potential antidiabetic agent. *Phytomedicine* 2007;14:15-22.
6. Mang B, Wolters M, Schmitt B, Kelb K, Lichtinghagen R, Stichtenoth DO, Halm A. Effects of a cinnamon extract on plasma glucose, HbA1c, and serum lipids in diabetes mellitus type 2. *Eur J Clin Investig* 2006;36:340-4.
7. Willis JK. *A Dictionary of the Flowering Plants and Ferns*. 8th ed. Cambridge:Cambridge University Press. 1973.
8. Lee R, Balick MJ. Sweet wood-cinnamon and its importance as a spice and medicine. *Explore* 2005;1(1):61-4.
9. Moldenke H, Moldenke A. *Plants of the Bible*. New York: Ronald Press. 1952.
10. Khan AQ, Bryden NA, Polansky MM, Anderson RA. Insulin potentiating factor and chromium content of selected foods and spices. *Biol Trace Elem Res* 1990;24:183-8.
11. Ziegenfuss TN, Hofheins JE, Mendel RW, Landis J, Anderson RA. Effects of a water-soluble cinnamon extract on body composition and features of the metabolic syndrome in pre-diabetic men and women. *J Inter Soc Sports Nutr* 2006;3(2):45-53.
12. Broadhurst CL, Polansky MM, Anderson RA. Insulin-like biological activity of culinary and medicinal plant aqueous extracts in vitro. *J Agric Food Chem* 2000;48:849-52.
13. Imparl-Radosevich J, Deas S, Polansky MM, Baedke DA, Ingebritsen TS, Anderson RA, Graves DJ. Regulation of PTP-1 and insulin receptor kinase by fractions from cinnamon: implications for cinnamon regulation of insulin signaling. *Horm Res* 1998;50:177-82.

14. Jarvill-Taylor KJ, Anderson RA, Graves DJ. A hydroxyl chalcone derived from cinnamon functions as a mimetic for insulin in 3T3-L1 adipocytes. *J Am Coll Nutr* 2001;20:327-36.
15. Qin B, Nagasaki M, Ren M, Bajotto G, Oshida Y, Sato Y. Cinnamon extract prevents the insulin resistance induced by a high-fructose diet. *Horm Metab Res* 2004;36:119-25.
16. Verspohl EJ, Bauer K, Neddermann E. Antidiabetic effect of *Cinnamomum cassia* and *Cinnamomum zeylanicum* *in vivo* and *in vitro*. *Phytother Res* 2005;19:203-6.
17. McCarty MF. Nutraceutical resources for diabetes prevention-an update. *Medical Hypotheses* 2005;64:151-8.
18. Anderson RA, Broadhurst CL, Polansky MM, Schmidt WF, Khan A, Flanagan VB, Schoene NW, Graves DJ. Isolation and characterization of polyphenol type-A polymers from cinnamon with insulin-like biological activity. *J Agric Food Chem* 2004;52:65-70.
19. Talpur N, Echard B, Ingram C, Bagchi D, Preuss H. Effects of a novel formulation of essential oils on glucose-insulin metabolism in diabetic and hypertensive rats: a pilot study. *Diab Obes and Metab* 2005;7:193-9.
20. Davidson MB. Clinical implications of insulin resistance syndrome. *Am J Med* 1995;99:420-6.
21. Borgman M, McErlean E. What is the metabolic syndrome? Prediabetes and cardiovascular risk. *J Cardiovasc Nurs* 2006;21(4):285-90.
22. Expert Panel on Detection, Evaluation and Treatment of High Blood Cholesterol in Adults: Executive summary of the third report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III). *JAMA* 2001;285:2486-97.
23. Khan A, Safdar M, Khan MMA, Khattak KN, Anderson RA. Cinnamon improves glucose and lipids of people with type 2 diabetes. *Diabetes Care* 2003;26(12):3215-8.
24. Suppapitiporn S, Kanpaksi N, Suppapitiporn S. The effect of cinnamon cassia powder in type 2 diabetes mellitus. *J Med Assoc Thai* 2006;89 (Suppl 3):S200-5.
25. Vanschoonbeek K, Thomassen BJW, Senden JM, Wodzig WKWH, van Loon LJC. Cinnamon supplementation does not improve glycemic control in postmenopausal type 2 diabetes patients. *J Nutr* 2006;136:977-80.

26. Blevins SM, Leyva MJ, Brown J, Wright J, Scofield RH, Aston CE. Effect of cinnamon on glucose and lipid levels in non-insulin-dependent type 2 diabetes. *Diabetes Care* 2007; 30:2236-7.
27. Alschuler JA, Casella SJ, MacKenzie TA, Curtis KM. The effect of cinnamon on A1c among adolescents with type 1 diabetes. *Diabetes Care* 2007;30:813-6.

เอกสารอ้างอิงของว่านฮังฮ็อก

1. Dieu HK, Loc CB, Yamasaki S, Hirata Y. The ethnobotanical and botanical study on *Pseuderanthemum palatiferum* as a new medicinal plant in the Mekhong delta of Vietnam. JARQ 2005;39(3):191-6.
2. Giang PM. Study on anti-oxidative activities and preliminary investigation on antibacterial, antifungal of extracted fraction rich in flavonoids from leaves of *Pseuderanthemum palatiferum* (Nees) Radlk. Available from www.english.vista.gov.vn. Access on 20/2/2008.
3. Hung NV, Tuan LA, Chien NQ. Study on chemical constituents of *Pseuderanthemum palatiferum* (Nees) Radlk. Available from www.english.vista.gov.vn. Access on 20/2/2008.
4. Dieu HK, Loc CB, Yamasaki S, Hirata Y. The effects of *Pseuderanthemum palatiferum*, a new medicinal plant, on growth performances and diarrhea of piglets. JARQ 2006;40(1):85-91.
5. Dieu HK and Hoa TV. Efficacy of *Pseuderanthemum palatiferum* powder against diarrhea of piglets. Available from [www.ctu.edu.vn/institutes/mdi/jircas/JIRCAS/research/workshop/pro03/C12-Livestock%2012%20\(Ms.%20Dieu\).pdf](http://www.ctu.edu.vn/institutes/mdi/jircas/JIRCAS/research/workshop/pro03/C12-Livestock%2012%20(Ms.%20Dieu).pdf). Access on 20/2/2008.
6. Nam N-H, Kim H-M, Bae K-H, Ahn B-Z. Inhibitory effects of Vietnamese medicinal plants on tube-like formation of human umbilical venous cells. *Phytother Res* 2003;17:107-11.