

เอกสารอ้างอิง Alfalfa ๒๖(๒)

1. Barnes J, Anderson LA, Phillipson JA. Herbal Medicines. (Third edition). London : Pharmaceuticl Press 2007:710 pp.
2. Yanaura S, Sakamoyo M. Effect of alfalfa meal on experimental hyperlipidemia. Folia Pharmacologica Japonica 1975;71(5):387-93.
3. Malinow MR, McLaughlin P, Papworth L, Stafford C, Kohler GO, Livingstn AL, Cheeke PR. Effect of alfalfa saponins on intestinal cholesterol absorption in rats. The American Journal of Clinical Nutrition 1977;30(12):2061-7.
4. Malinow MR, McLaughlin P, Naito HK, Lewis LA, McNulty WP. Effect of alfalfa meal on shrinkage (regression) of atherosclerotic plaques during cholesterol feeding in monkeys. Atherosclerosis 1978;30(1):27-43.
5. Malinow MR, McLaughlin P, Stafford C, Livingston AL, Kohler GO, Cheeke PR. Comparative effects of alfalfa saponins and alfalfa fiber on cholesterol absorbtion in rats. The American Journal of Clinical Nutrition 1979;32(9):1810-2.
6. Malinow MR, McLaughlin P, Stafford C, Livingston AL, Kohler GO. Alfalfa saponins and alfalfa seeds. Dietary effects in cholesterol-fed rabbits. Atherosclerosis 1980;37(3):433-8.
7. Malinow MR, Connor WE, McLaughlin P, Stafford C, Livingston AL, Kohler GO, McNulty WP. Cholesterol and bile acid balance in *Macaca fascicularis*. Effects of alfalfa saponins. The Journal of Clinical Investigation 1981;67(1):156-62.
8. Dixit VP, Joshi SC. Antiatherosclerotic effects of alfalfa meal ingestion in chicks: a biochemical evaluation. Indian Journal of Physiology and Pharmacology 1985;29(1):47-50.
9. Guclu BK, Iscan KM, Uyanik F, mEren M, Agca AC. Effetc of alfalfa meal in diets of laying quails on performance, egg quality and some serum parameters. Archives of Animal Nutrition 2004;58(3):255-63.
10. Khaleel AE, Gad MZ, El-Maraghy SA, Hifinawy MS, Abdel-Sattar E. Study of hypocholesterolemic and antiatherosclerotic properties of *Medicago sativa* L. cultivated in Egypt. Yaowu Shipin Fenxi 2005;13(3):212-8.
11. Malinow MR, McLaughlin P, Stafford C. Alfalfa seeds: effects on cholesterol metabolism. Experientia 1980;36(5):562-4.
12. Molgaard J, von Schenck H, Olsson AG. Alfalfa seeds lower low density lipoprotein cholesterol and apolipoprotein B concentration in patients with type II hyperlipoproteinemia. Atherosclerosis 1987;65(1-2):173-9.

13. Xiong S. Medicinal-use extract of *Medicago sativa* root. Patent : Faming Zhuanli Shenqing Gongkai Shuomingshu CN 1413644, 2003:6pp.
14. Carney ST. Alfalfa sprout powder-based supplement. Patent : U S Pat Appl Publ US 20050202062, 2005:3pp.
15. Tang X, Tang J, Tang H. Manufacture of insoluble dietary fiber products. Patent : Faming Zhuanli Shenqing Gongkai Shuomnggu CN 1620921, 2005:15pp..
16. Song Y, Wei J. Health beverage containing *Medicago sativa*. Patent : Faming Zhuanli Shenqing Gongkai Shuomingshu CN 1961759, 2007:7pp.
17. Hettle JA, Kitts WD. Effects of phyto-estrogenic alfalfa consumption on plasma LH levels in cycling ewes. *Animal Reproduction Science* 1983;6(3):233-8.
18. Rolinski Z. Investigations of phytoestrogens of Polish varieties of red clover (*Trifolium pratense*) and of alfalfa (*Medicago sativum*). I. Estrogenic activity of *T. pratense* and *M. sativa*. II. Chromatographic and spectrophotometric analysis of estrogenic compounds of *T. pratense* and *M. sativa*. *Medicina Veterinaria* 1970;24:165-85.
19. Roshal AD, Tsinovyi VI. Phytoestrogens and phenols during alfalfa growth in connection with its use as forage. *Sel'skokhozyaistvennaya Biologiya* 1990;(4):132-7.
20. Saloniemi H, Kallela K, Saastamoinen I. Study of the phytoestrogen content of goat's rue (*Galega orientalis*), alfalfa (*Medicago sativa*) and white clover (*Trifolium repens*). *Agricultural Science in Finland* 1993;2(6):517-24.
21. Moravcova J, Kleinova T, Loucka R, et al. Coumestrol content of alfalfa following ensilage. *Animal Feed Science and Technology* 2004;115(1-2):159-67.
22. Seguin P, Zheng W, Souleimanov A. Alfalfa phytoestrogen content: impact of plant maturity and herbage components. *Journal of Agronomy and Crop Science* 2004;190(3): 211-7.
23. Seguin P, Zheng W. Phytoestrogen content of alfalfa cultivars grown in eastern Canada. *Journal of the Science of Food and Agriculture* 2006;86(5):765-71.
24. Martin LM, Castilho MC, Silveira MI, Abreu JM. Liquid chromatographic validation of a quantitation method for phytoestrogens, biochanin-A, coumestrol, daidzein, formononetin, and genistein, in Lucerne. *Journal of Liquid Chromatography & Related Technologies* 2006;29(19):2875-84.
25. Plaza L, de Ancos B, Cano MP. Nutritional and health-related compounds in sprouts and seeds of soybean (*Glycine max*), wheat (*Triticum aestivum* L.) and alfalfa (*Medicago sativa*)

treated by a new drying method. *European Food Research and Technology* 2003;216(2):138-44.

26. De Leo V, Lanzetta D, Cazzavacca R, Morgante G. Treatment of neurovegetative menopausal symptoms with a phytotherapeutic agent. *Minerva ginecologica* 1998;50(5):207-11.

27. Soares R, Ayoub ME. Hormonal protein nutraceutical composition. *Braz Pedido PI* 2003 ;5pp.

28. Swanston-Flatt SK, Day C, Bailey CJ, Flatt PR. Traditional plant treatments for diabetes. Studies in normal and streptozotocin diabetic mice. *Diabetologia* 1990;33(8):462-4.

29. Gray AM, Flatt PR. Pancreatic and extra-pancreatic effects of the traditional anti-diabetic plant, *Medicago sativa* (lucerne). *The British Journal of nutrition* 1997;78(2):325-34.

30. Al-Awadi FM, Anim JT, Srikumar TS, Al-Rustom M. Possible role of trace elements in the hypoglycemic effect of plants extract in diabetic rats. *Journal of Trace Elements in Experimental Medicine* 2004;17(1):31-44.

31. Malinow MR, Bardana Jr EJ, Pirofsky B, Craig S, McLaughlin P. Systemic lupus erythematosus-like syndrome in monkeys fed alfalfa sprouts: role of a nonprotein amino acid. *Science* 1982;216(4544):415-7.

32. Alcocer-Varela J, Iglesias A, Llorente L, Alarcon-Segovia D. Effects of L-canavanine on T cells may explain the induction of systemic lupus erythematosus by alfalfa. *Arthritis Rheum* 1985;28(1):52-7.

33. Montanaro A, Bardana Jr EJ. Dietary amino acid-induced systemic lupus erythematosus. *Rheum Dis Clin North Am* 1991;17(2):323-32.

34. Prete PE. Effects of L-canavanine on immune function in normal and autoimmune mice: disordered B-cell function by a dietary amino acid in the immunoregulation of autoimmune disease. *Can J Physiol Pharmacol* 1985;63(7):843-54.

เอกสารอ้างอิง ห่อนอกกะลา ๒๖(๒)

1. ทอดมันห่อนอกกะลา: เอกลักษณะอาหารมอญ, เว็บไซต์เพื่อการศึกษาภูมิปัญญามอญ.
<http://www.monstudies.com>
2. เต็ม สมิตินันท์. ชื่อพรรณไม้แห่งประเทศไทย. ฉบับแก้ไขเพิ่มเติม พ.ศ. 2544: 26.
3. Riwluang K., Kanpuy T., Sornprasert R. Morphology and Palynology of Kala (*Alpinia nigra*) in Kokret, Pakkret district, Nonthaburi province. Program of Biology, Faculty of Science and Technology. Chandakasem Rajabhat University, Bangkok 10900, Thailand.
4. พรรณไม้ในงานที่วังตะไคร้. <http://www.wangtakrai.com/panmai/>
5. Aunphak J, Sriubolmas N, De-Eknamkul W, Ruangrunsi N. Chemical composition and antimicrobial activity of essential oil from the young stem and rhizome of *Alpinia nigra* (Gaertn.) B.L. Burt H. Thai J. Pharm. 1998;22(3):S42.
6. Palittapongarnpim P, Kirdmanee C, Kittakoo P, Rukseree K. 1'-acetoxychavicol acetate tuberculosis treatment. Patent Application Publication, US 2002/0192262 A1.
7. สมาคมแพทย์แผนโบราณ วัดมหาธาตุฯ/ตำราเภสัชกรรมไทยแผนโบราณ. กรุงเทพฯ โรงพิมพ์พิทักษ์อักษร, 2523: หน้า 106
8. ลัดดาวัลย์ บุญรัตนกรกิจ ถนอมจิต สุภาวิตา. ชื่อพืชสมุนไพรและประโยชน์ คณะเภสัชศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย. กรุงเทพฯ, หน้า 8.
9. Purkayastha J, Nath SC, Islam M. Ethnobotany of medicinal plants from Dibru-Saikhowa Biosphere Reserve of Northeast India. Fitoterapia. 2005;76:121-127.
10. Cheotacha R., Kankamol C. Antioxidant activities of Noh Kala (*Alpinia nigra* B.L. Burt) Extracts. Department of Chemistry, Faculty of Science and Technology, Suan Sunandha Rajabhat University, Bangkok 10300, Thailand.
11. Wattanathorn J, Tong-un T, Brown K, Singhara S, Chaichun A, Kanla P, Puapairoj P, Pichansoonthon C, tiyaworanant S. Screening the Neuroprotective Effect of *Alpinia nigra* Extract Against Ethanol Neurotoxicity in rat. North-Eastern Thai Journal of Neuroscience. page 13-20.
12. Kankamol C, Promsiri R, Cheotacha R. Antibacterial activity of crude extracts from Noh Kala (*Alpinia nigra*(Gaertn.)B.L.Burt) Department of Chemistry, Department of Microbiology, Faculty of science and technology, Suan Sunandha Rajabhat University, Bangkok 10300, Thailand.
13. Roy B, Tandon V. Flukicidal activity of *Alpinia nigra* (Zingiberaceae) against *Fasciolopsis Buski*. Oral Sessions/Parasitology International. 1998;47(Suppl.):241.

14.มยุรา สุนย์วีระ นิตยา อัคร. แนวทางในการป้องกันกำจัดแมลงบ้านโดยใช้สารสกัดจากพืชสมุนไพรวงศ์ขิง. กรุงเทพฯ : คณะเทคโนโลยีการเกษตร สถาบันเทคโนโลยีพระจอมเกล้าเจ้าคุณทหารลาดกระบัง, 2547

15.นิตยา อัคร. การป้องกันกำจัดแมลงวันบ้าน(*Musca domestica* L.) แมลงวันหัวเขียว (*Calliphora* sp.) และแมลงวันหลังลาย (*Sarcophaga* sp.) โดยใช้สารสกัดจากพืชสมุนไพรวงศ์ขิง (*Zingiberaceae*). วิทยานิพนธ์ (วทม.) สถาบันเทคโนโลยีพระจอมเกล้าเจ้าคุณทหารลาดกระบัง, 2548

16.มยุรา สุนย์วีระ. การวิจัยและพัฒนาพืชสมุนไพรเพื่อใช้ในการป้องกันกำจัดเหา. 2547