

เอกสารอ้างอิงรวม ๒. 6 ( 4 )

1. Nadkarni AK. Indian Materia Medica. Bombay: Poluplar Prakashan, 1976:810-6.
2. Ramachandran C, Peter KV, Gopalakrishnan PK. Drumstick (*Moringa oleifera*): a multipurpose Indian vegetable. Econ Bot 1980;34:276-83.
3. Somali MA, Bajnedi MA, Al-Faimani SS. Chemical composition and characteristics of *Moringa peregrine* seeds and seed oil. J Am oil Chem Soc 1984;61:85-6.
4. Mughal MH, Ali G, Srivastava PS, Iqbal M. Improvement of drumstick (*Moringa pterygosperma* Gaertn.)-a unique source of food and medicine through tissue culture. Hamdard Med 1999;42:37-42.
5. Morton JF. The horadish tree, *Moringa pterigosperma* (Moringaceae). A boon to arid lands. Econ Bot 1991; 45:318-33.
6. Anwar F, Bhangar MI. Analytical characterization of *Moringa oleifera* seed oil grown in temperature regions of Pakistan. J Agric Food Chem 2003;51:6558-63.
7. Von Maydell HJ. Trees and shrubs of Sahel, their characterization and uses. Deutsche Gesellschaft fur Technische Zusammenarbeit, Germany:Eschborn 1986:334-7.
8. Qaiser M. Moringaceae. In Flora of West Pakistan, Nasir E, Ali SI, eds. No.38. Karachi:University of Karachi Press, 1973:1-4.
9. Anwar F, Ashraf M, Bhangar MI. Interprovenance variation in the composition of *Moringa oleifera* oilseeds from Pakistan. J Oil Chem 2005;82:45-51.
10. Council of Scientific and Industrial Research (CSIR). The wealth of India. A dictionary of Indian raw materials and industrial products. Raw materials 6:L-M, New Delhi, 1962.
11. Dogra PD, Singh BP, Tandon S. Vitamin content of *Moringa* pod vegetable. Curr Sci 1975;44:31.
12. D'souza J, Kulkarni AR. Comparative studies on nutritive values of tender foliage of seedlings and mature plants of *Moringa oleifera* Lam. J Econ Taxon Bot 1993;17:479-85.
13. Jahn SAA. Traditional Indonesian and Ethiopian recipes for true vegetables. Entwicklung und Landlicher Raum 1992;1:27-9.
14. Anwar F, Latif S, Ashraf M, Gilani AH. *Moringa oleifera*: A food plant with multiple medicinal uses. Phytother Res 2007; 21:17-25.
15. Jadhav SL, Sharma SR, Pal SC, Kasture SB, Kasture VS. Chemistry and pharmacology of *Moringa oleifera* Lam and *M. concanensis* Nimo. Ind Drugs 2000;37(3):139-44.

16. Dillard CJ, German JB. Phytochemicals: nutraceuticals and human health: A review. *J Sci Food Agric* 2000; 80:1744-56.
17. Siddhuraju P, Becker K. Antioxidant properties of various solvent extracts of total phenolic constituents from three different agro-climatic origins of drumstick tree (*Moringa oleifera* Lam.). *J Agri Food Chem* 2003;15:2144-55.
18. Makkar HPS, Becker K. Nutritional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves. *Animal Feed Sci Technol* 1996; 63(1-4): 211-28.
19. Faizi S, Siddiqui B, Saleem R, Siddiqui S, Aftab K. Isolation and structure elucidation of new nitrile and mustard oil glycosides from *Moringa oleifera* and their effect on blood pressure. *J Nat Prod* 1994a;57:1256-61.
20. Faizi S, Siddiqui B, Saleem R, Siddiqui S, Aftab K, Gilani A. Novel hypotensive agents, niazimin A, niazimin B, niazicin A and niazicin B from *Moringa oleifera*; isolation of first naturally occurring carbamates. *J Chem Soc Perkin Trans* 1994b I:3035-640.
21. Faizi S, Siddiqui BH, Saleem R, Siddiqui S, Aftab K, Gilani AH. Fully acetylated carbamate and hypotensive thiocarbamate glycosides from *Moringa oleifera*. *Phytochem* 1995;38(4): 957-63.
22. Faizi S, Siddiqui BS, Saleem R, Siddiqui S, Aftab K, Gilani AH. *J Chem Soc, Perkin, Trans* 1992; 1(23):3237-41.
23. Murakami A, Kitazono Y, Jiwajinda S, Koshimizu K, Ohigashi H. Niaziminin, a thiocarbamate from the leaves of *Moringa oleifera*, holds a strict structural requirement for inhibition of tumor-promoter-induced Epstein-Barr virus activation. *Planta Med* 1998;64(4):319-24.
24. Siddiqui S, Mohammad I. Pharmacological study of *Moringa pterygosperma*. *Pak J Sci Ind Res* 1968; 11(3):268-72.
25. Gilani AH, Aftab K, Suria A, Siddiqui S, Saleem R, Siddiqui BS, Faizi S. Pharmacological studies on hypotensive and spasmolytic activities of pure compounds from *Moringa oleifera*. *Phytother Res* 1994;8(2):87-91.
26. Aruna K, Sivaramakrishnan VM. Plant products as protective agents against cancer. *Ind J Exp Biol* 1990;28(11):1008-11.
27. Ghasi S, Nwobodo E, Ofili. Hypocholesterolemic effects of crude extract of leaf of *Moringa oleifera* Lam in high-fat diet fed Wistar rats. *J Ethnopharmacol* 2000; 69: 21-5.

28. Saluja MP, Kapil RS, Popli SP. Studies in medicinal plants: part VI. Chemical constituents of *Moringa oleifera* Lamk. (hybrid variety) and isolation of 4-hydroxymellein. *Ind J Chem* 1978; B 16B(11): 1044-5.
29. Kane JP, Malloy MJ. Treatment of phytoercholesterolemia. *Medical Clinics of North America* 1982; 66: 537-50.
30. Chumark P, Khunawat P, Sanvarinda Y, Phornchirasilp S, Morales NP, Phivthong-Ngam L, Ratachamnonng P, Srisawat S, Pongrapeeporn K. The invitro and ex vivo antioxidant properties, hypolipidaemic and antiatherosclerotic activities of water extract of *Moringa oleifera* Lam. *Leaves. J Ethnopharmacology* 2008;116(3):439-46.
31. Pal SK, Mukhergi PK, Saha BP. Studies on the antiulcer activity of *Moringa oleifera* leaf extract on gastric ulcer models in rats. *Phytother Res* 1995;9(6):463-5.
32. Debnath S, Guha D. Role of *Moringa oleifera* on enterochromaffin cell count and serotonin content of experimental ulcer model. *Ind J Exp Biol* 2007;45(8):726-31.
33. Fakurazi S, Hairuszah I, Nanthini U. *Moringa oleifera* Lam prevents acetaminophen induced liver injury through restoration of glutathione level. *Food Chem Toxicol* 2008;46(8):2611-5.
34. Pari L, Kumar NA. Hepatoprotective activity of *Moringa oleifera* on antitubercular drug-induced liver damage in rats. *J Med Food* 2002;5(3):171-7.
35. Hameed-Un-Nisa L, Shehnaz D, Faizi S, Measurement of the sympatholytic activity in *Moringa oleifera*. In: *New Trends in Natural Product Chemistry*. Atta-ur-Rahman, Choudhary MI (eds), 1998.
36. Lipipun V, Kurokawa M, Suttisri R, Taweechoatipatr P, Pramyothin P, Hattori M, Shiraki K. Efficacy of Thai medicinal plant extracts against herpes simplex virus type 1 infection in vitro and in vivo. *Antiviral res* 2003;60:175-80.
37. Caceres A, Cabreva O, Morales O, Mollinedo P, Mendia P. Pharmacological properties of *Moringa oleifera*. 1: Preliminary screening for antimicrobial activity. *J Ethnopharmacol* 1991; 33(3): 213-6.
38. Tahiliani P, Kar A. Role of *Moringa oleifera* leaf extract in the regulation of thyroid hormone status in adult male and female rats. *Pharmacol res* 2000;41:319-23.
39. Rao VA, Devi PU, Kamath R. In vivo radioprotective effect of *Moringa oleifera* leaves. *Ind J Exp Biol* 2001;39:858-63.

40. Ndong M, Uehara M, Katsumata S, Suzuki K. Effects of oral administration of *Moringa oleifera* Lam on glucose tolerance in Goto-Kakizaki and Wistar rats. *J Clin Biochem Nutr* 2007; 40: 229-33.
41. Pal SK, Mukherjee PK, Kalali S, Pal M, Saha BP, Saha K. *Phytother Res* 1996; 10(5): 402-5.
42. Nath D, Sethi N, Singh RK, Jain AK. Commonly used Indian abortifacient plants with special reference to their teratologic effects in rats. *J Ethnopharmacol* 1992; 36(2): 147-54.
43. Rathi BS, Bodhankar SL, Baheti AM. Evaluation of aqueous extract of *Moringa oleifera* Linn for wound healing in albino rats. *Ind J Exp Biol* 2006;44(11):898-901.
44. Pramanic A, Islam SS. *Ind J Chem Sect H, Org Chem, Incl Med Chem* 1998;37B(7):676-82.
45. Nair AGR, Sankaras S, Subramannian H. *Current Sci* 1962;31:155-6.
46. Ruckmani K, Kavimani S, Anandan R, Jaykar B. Effect of *Moringa oleifera* Lam on paracetamol-induced hepatotoxicity. *Ind J Pharm Sci* 1998; 60(1): 33-5.
47. Das BR, Kurup PA, Rao PL, Narasimha Rao PL. Antibiotic principle from *Moringa pterygosperma*. VII. Antibiotic activity and chemical structure of compounds related to pterygospermin. *Indian J Med Res* 1957;45:191-6.
48. Akhtar AH, Ahmad KO. Anti-ulcerogenic evaluation of the methanolic extracts of some indigenous medicinal plants of Pakistan in aspirin-ulcerated rats. *J Ethnopharmacol* 1995; 46(1):1-6.
49. Faizi S, Siddiqui BS, Saleem R, Aftab K, Shaheen F, Gilani AH. Hypotensive constituents from the pods of *Moringa oleifera*. *Planta Med* 1998; 64(3): 225-8.
50. Nagar PK, Iyer RI, Sircar PK. Cytokinins in developing fruits of *Moringa pterygosperma* Gaertn. *Physiol Plant* 1982;55:45-50.
51. Shanker K, Gupta MM, Srivastava SK, Bawankule DU, Pal A, Khanuja SPS. Determination of bioactive nitrile glycoside(s) in drumstick (*Moringa oleifera*) by reverse phase HPLC. *Food Chem* 2007;105(1):376-82.
52. Faiizi S, Siddiqui BS, Saleem R, Noor R, Noor R, Husnain FSCHEJ. *J Nat Prod* 1997; 60(12):1317-21.
53. Jansakul C, Wun-Noi A, Croft K, Byrne L. Pharmacological studies of thiocarbamate glycosides isolated from *Moringa oleifera*. *J Sci Soc Thai* 1997;23(4):335-46.
54. Mehta LK, Balaraman R, Amin AH, Bafna PA, Gulati OD. Effect of fruits of *Moringa oleifera* on the lipid profile of normal and hypercholesterolemic rabbits. *J Ethnopharmacol* 2003;86:191-5.

55. Bharali R, Tabassaum J, Azad MRH. Chemomodulatory effect of *Moringa oleifera*, Lam, on hepatic carcinogen metabolizing enzymes, anti-oxidant parameters and skin papillomagenesis in mice. *Asia Pacific J Cancer Prev* 2003;4:131-9.
56. Guevara AP, Vargas C, Sakurai H, Fujiwara Y, Hashimoto K, Maoka T, Kozuka M, Ito Y, Tokuda H, Nishino H. An antitumor promoter from *Moringa oleifera* Lam. *Mutat Res* 1999; 440: 181-8.
57. Tsaknis J, Lalas S, Gergis V, Dourtoglou V, Spiliotis V. Characterization of *Moringa oleifera* variety Mbololo seed oil of Kenya. *J Agri Food Chem* 1999; 47:4495-9.
58. Rossell JB. Vegetable oil and fats. In *Analysis of oil seeds, Fats and Fatty Foods*, Rossell JB, Pritchard JLR (eds). Elsevier Applied Science: New York. 1991, 261-319.
59. Ndabigengesere A, Narasiah KS, Talbot BG. Active agents and mechanism of coagulation of turbid waters using *Moringa oleifera*. *Water Res* 1995;29:703-10.
60. Ndabigengesere A, Narasiah KS. Quality of water treated by coagulation using *Moringa oleifera* seeds. *Water Res* 1998;32:781-91.
61. Kalogo Y, Rosillon F, Hammes F, Verstraete W. Effect of a water extract of *Moringa oleifera* seeds on the hydrolytic microbial species diversity of a UASB reactor treating domestic wastewater. *Lett Appl Microbiol* 2000; 31:259-64.
62. Crapper DR, Krishnan SS, Dalton AJ. Brain aluminum distribution in Alzheimer's disease and experimental neurofibrillary degeneration. *Science* 1973; 180:511-3.
63. Miller RG, Kopfler FC, Kely KC, Stober JA, Ulmer NS. The occurrence of aluminum in drinking water. *J Am Water Works Assoc* 1984;76:84-91.
64. Martyn CN, Barker DJP, Osmond C, Harris EC, Edwardson JA, Lacey RF. Geographical relation between Alzheimer's disease and aluminum in drinking water. *Lancet* 1989;1:59-62.
65. Muyibi SA. The potential of Zogale (*Moringa oleifera*) seeds as a water treatment chemical. *Niger Soc Engineers* 1994;29:27-33.
66. Muyibi SA, Evison LM. Optimizing parameters affecting coagulation of turbid water with *Moringa oleifera* seeds. *Water Res* 1995;29:2689-95.
67. Obioma UN, Adikwu MU. Investigation of some physiochemical antioxidant and toxicological properties of *Moringa oleifera* seed oil. *Acta Pharm* 1997;47:287-90.
68. Santos AFS, Argolo ACC, Coelho LCBB, Paiva PMG. Detection of water soluble lectin and antioxidant component from *Moringa oleifera* seeds. *Water Res* 2005;39(6):975-80.

69. Silvestro L, Weiser JN, Axelsen PH. Antibacterial and antimembrane activities of cecropin A in *Escherichia coli*. *Antimicrob Agents Chemother* 2000;44:602-7.
70. Suarez M, Entenza JM, Doerries C, Meyer E, Bourquin L, Sutherland J, Marison I, Moreillon P, Mermoud N. Expression of a plant-derived peptide harboring water-cleaning and antimicrobial activities. *Biotech Bioeng* 2003;81(1):13-20.
71. Sharma P, Kumari P, Srivastava MM, Srivastava S. Removal of cadmium from aqueous system by shelled *Moringa oleifera* Lam. Seed powder. *Bioresour Technol* 2006;97:299-305.
72. Caceres A, Saravia A, Rizzo S, Zabala L, De Leon E, Nave F. Pharmacologic properties of *Moringa oleifera* 2: Screening for antispasmodic, anti-inflammatory and diuretic activity. *J Ethnopharmacol* 1992; 36(3): 233-7.
73. Guevara AP, Vargas C, Milagros UY. *Philipp J Sci* 1996; 125(3): 175-84.
74. Udupa SL, Udupa AL, Kulkarni DR. *Fitoterapia* 1994;65(2):119-23.
75. Mahajan SG, Mehta AA. Effect of *Moringa oleifera* Lam. Seed extract on ovalbumin-induced airway inflammation in guinea pigs. *Inhalation Toxicology* 2008; 20(10):897-909.
76. Gupta R, Dubey DK, Kannan GM, Flora SJS. Concomitant administration of *Moringa oleifera* seed powder in the remediation of arsenic-induced oxidative stress in mouse. *Cell Biol Inter* 2007; 31: 44-56.
77. Dahut MU, Memon R. *Pak J Pharmacol* 1997; 14(2): 15-21.
78. Eilert U, Wolters B, Nadrstedt A. The antibiotic principle of seeds of *Moringa oleifera* and *Moringa stenopetala*. *Planta Med* 1981;42:55-61.
79. Caceres A, Lopez S. Pharmacological properties of *Moringa oleifera*: 3: Effect of seed extracts in the treatment of experimental Pyoderma. *Fitoterapia* 1991; 62(5): 449-50.
80. Madan S, Gupta O. *Ind J Pharm Sci* 1992; 11(2): 58-60.
81. Chuang PH, Lee CW, Chou JY, Murugan M, Shieh BJ, Chen HM. Anti-fungal activity of crude extracts and essential oil of *Moringa oleifera* Lam. *Biores Tech* 2007; 98: 232-6.
82. Nwosu MO, Okafor JI. Preliminary studies of the antifungal activities of some medicinal plants against *Basidiobolus* and some other pathogenic fungi. *Mycoses* 1995; 38(5-6): 191-5.
83. Villaseñor IM, Finch P, Lim-Sylianco CY, Dayrit F. Structure of a mutagen from roasted seeds of *Moringa oleifera*. *Carcinogenesis* 1989; 10(6):1085-7.
84. Mahajan SG, Mali RG, Mehta AA. Protective effect of ethanolic extract of seeds of *Moringa oleifera* Lam. Against inflammation associated with development of arthritis in rats. *J Immunotoxicol* 2007; 4(1):39-47.

85. Mahajan SG, Mehta AA. Inhibitory action of ethanolic extract of seeds of *Moringa oleifera* Lam. On systemic and local anaphylaxis. *J Immunotoxicol* 2007; 4(4):287-94.
86. Anderson DMW, Howlett JF, McNab CGA. *Phytochemistry* 1987; 26(1):309-11.
87. Khare GC, Singh V, Gupta PC. *J Ind Chem Soc* 1997; 74(3):247-8.
88. Kerharo PJ. Un remede populaire Sengalais: Le 'Nebreday' (*Moringa oleifera* Lam) employs therapeutiques en milieu African chimie et pharmacologie. *Plantes Med Phytother* 1969;3:214-9.
89. Kar A, Choudhary BK, Bandyopadhyay NG. Preliminary studies on the inorganic constituents of some indigenous hypoglycemic herbs on oral glucose tolerance test. *J Ethnopharmacol* 1999; 64: 179-84.
90. Kar A, Choudhary BK, Bandyopadhyay NG. Comparative evaluation of hypoglycemic activity of some Indian medicinal plants in alloxan diabetic rats. *J Ethnopharmacol* 2003; 84: 105-8.
91. Limaye DA, Nimbkar AY, Jain R, Mansoor A. *Phytother Res* 1995; 9(1): 37-40.
92. Bhatnagar SS< Santapau H, Desai JDH, Yellore S, Rao TNS. Biological activity of Indian medicinal plants. Part 1. Antibacterial, antitubercular and antifungal action. *Indian J Med Res* 1961;49:799-805.
93. Bhattacharya SB, Das AK, Banerji N. Chemical investigations on the gum exudates from sajna (*Moringa oleifera*). *Carbohydr Res* 1982;102:253-62.
94. Yammuenart D, Chavasiri, W, Pongrapeeporn K. Chemical constituents and their biological activities of *Moringa oleifera* Lam. 33rd Congress on Science and Technology of Thailand: 1-2.
95. Nikkon F, Saud ZA, Rehman MH, Haque ME. In vitro antimicrobial activity of the compound isolated from chloroform extract of *Moringa oleifera* Lam. *Pak J Biol Sci* 2003;22:1888-90.
96. Sengupta A, Gupta MP. Studies on seed fat composition of Moringaceae family. *Fette, Seifen, Anstrichm* 1970;72:6-10.
97. Prakash AO, Tewari RK, Shukla S, Mathur R, Tewari KK. *Indian Drugs* 1987; 25(2): 40-4.
98. Shukla S, Mathur R, Prakash AO. Antifertility profile of the aqueous extract of *Moringa oleifera* roots. *J Ethnopharmacol* 1988; 22(1): 51-62.
99. Shukla S, Mathur R, Prakash AO. Histoarchitecture of the genital tract of ovariectomized rats treated with an aqueous extract of *Moringa oleifera* roots. *J Ethnopharmacol* 1989;25(3):249-61.
100. Prakash AO. *Fitoterapia* 1988; 59(2):89-96.
101. Shukla S, Mathur R, Prakash AO. *Ind J Pharm Sci* 1987; 49(6): 218-9.

102. Costa-Lotufo LV, Khan MTH, Ather A, Wilke DV, Jimenez PC, Pessoa C, de Moraes MEA, de Moraes MO. Studies of the anticancer potential of plants used in Bangladeshi folk medicine. *J Ethnompharmacol* 2005; 99: 21-30.
103. Lampronti I, Khan MTH, Borgatti M, Bianchi N, Gambari R. Inhibitory effects of Bangladeshi medicinal plant extracts on interactions between transcription factors and target DNA sequences. *Evid Based Complement Alternat Med* 2008; 5(3): 303-12.
104. Rao KS, Mishra SH. *Ind J Parm Sci* 1998; 60(1): 12-6.
105. Ray K, Hazra R, Guha D. Central inhibitory effect of *Moringa oleifera* root extract: possible role of neurotransmitters. *Ind J Exp Biol* 2003;41(11):1279-84.
106. Mossa JS. *Int J Crude Drug Res* 1985; 23(3): 137-45.
107. Pillai NR. *Seminar Res Ayur Siddha, C.C.R.A.S. New Delhi* 1995; 64: 20-2.
108. Oliveira JTA, Silveira SB, Vasconcelos IM, Cavada BS, Moreira RA. Compositional and nutritional attributes of seeds from the multiple purpose tree *Moringa oleifera* Lamarck. *J Sci Food Agric* 1999;79(6):815-20.
109. มงคล โมกษะสมิต กมล สวัสดิ์มงคล ประยุทธ์ สาตราวาหะ.การศึกษาพิษของสมุนไพรไทย.วารสารของกรมวิทยาศาสตร์การแพทย์ 1971;13(1):36-66.
110. Roy VD. *Probe* 1989; 28(3): 200-2.