

เอกสารอ้างอิง (สระแหน่ฝรั่ง)

1. Basch EM and Ulbricht CE, Chief Editor. Natural standard herb & supplement handbook the clinical bottom line. St. Louis: Elsevier Mosby. 2005: 963 pp.
2. นันทวัน บุญยะประภัตรม อรุณช โชคชัยเจริญพร, บรรณาธิการ. สมุนไพรไม้พุ่มบ้าน เล่ม 4. กรุงเทพฯ: บริษัทประชาชน. 2543: 740 หน้า.
3. สมาคมสมุนไพรแห่งประเทศไทย. งานนิทรรศการสมุนไพรครั้งที่ 1. กรุงเทพฯ: โรงพิมพ์จุฬาลงกรณ์มหาวิทยาลัย. 2518: 129 หน้า.
4. Cosmetic Ingredient Review Expert Panel. Final report on the safety assessment of *Mentha piperita* (peppermint) oil, *Mentha piperita* (peppermint) leaf extract, *Mentha piperita* (peppermint) leaf, and *Mentha piperita* (peppermint) leaf water. Int J Toxicol 2001; 20 (Suppl 3): 61 – 73.
5. Yadegarinia D, Gachkar L, Rezaei MB, Taghizadeh M, Astaneh SA, Rasooli I. Biochemical activities of Iranian *Mentha piperita* L. and *Myrtus communis* L. essential oils. Phytochemistry 2006; 67: 1249 - 55.
6. Inoue T, Sugimoto Y, Masuda H, Kamei C. Effects of peppermint (*Mentha piperita* L.) Extracts on experimental allergic rhinitis in rats. Biol Pharm Bull 2001; 24(1): 92 – 5.
7. Takahashi A, Nakata K. Anti-inflammatory effects of peppermint. Aromatopia 1995;13: 42 – 5.
8. Inoue T, Sugimoto Y, Masuda H, Kamei C. Antiallergic effect of flavonoid glycosides obtained from *Mentha piperita* L. Biol Pharm Bull 2002; 25(2): 256 – 9.
9. Suh BF, An SS, Lee JH, Moon SJ, Jang IS. Cosmetics containing extracts of *Mentha piperita* for inhibiting skin irritation and inflammation caused by retinoids. Patent: Repub Korean Kongkae Taeho Kongbo Kr 2007069625, 2007.
10. Taniguchi Y, Deguchi Y, Saita M, Noda K. Antinociceptive effects of counterirritants. Nippon Yakurigaku Zasshi 1994; 104(6): 433 – 46.
11. Atta AH, Alkofahi A. Anti-nociceptive and anti-inflammatory effects of some Jordanian medicinal plant. J Ethnopharmacol 1998; 60: 117 – 24.
12. Kavaliers M, Innes DGL. Population differences in benzodiazepine-sensitive male scent-induced analgesia in the deer mouse, *Peromyscus maniculatus*. Pharmacol, Biochem Behav 1989; 32(3): 613 – 9.
13. Hills JM, Aaronson PI, Smith. The mechanism of action of peppermint oil on gastrointestinal smooth muscle. An analysis using patch clamp electrophysiology

- and isolated tissue pharmacology in rabbit and guinea pig. *Gastroenterology* 1991; 101(1): 55 – 65.
14. Hawthorn M, Ferrante J, Luchowski E, Rutledge A, Wei XY, Triggle DJ. The actions of peppermint oil and menthol on calcium channel dependent processes in intestinal, neuronal and cardiac preparation. *Aliment Pharmacol Ther* 1988; 2(2): 101 – 18.
 15. Briggs C. Peppermint: medicinal herb and flavouring agent. *Can Pharm J* 1993; 126(2): 89 – 92.
 16. Gobel H, Schmidt G, Dworschak M, Stolze H, Heuss D. Essential plant oils and headache mechanisms. *Phytomedicine* 1995; 2(2): 93 – 102a.
 17. Gobel H, Heinze A, Dworschak M, Lurch A, Fresenius J. Oleum Menthae piperitae significantly reduced the symptoms of tension-type headache and its efficacy does not differ from that of acetaminophen. *Headache Treatment: Trial Methodology And New Drugs* 1997; 6: 169 – 74.
 18. Gobel H, Schmidt G, Soyka D. Effect of peppermint and eucalyptus oil preparations on neurophysiological and experimental algometric headache parameters. *Cephalalgia* 1994; 14(3): 228 – 34.
 19. Vittone WJ. Antiinflammatory composition. Patent: U S 3,644,620,1972: 1pp.
 20. Quezada RS. Therapeutic oil composition. Patent: U S Pat Appl Publ Us 2002136788, 2002: 5pp.
 21. Goebel H, Schmidt G, Soyka D. Effects of peppermint and eucalyptus oil preparations on neurophysiological and experimental algometric headache parameters. *Front Headache Res* 1995; 5: 331 – 6b.
 22. Gobel H, Fresenius J, Heinze A, Dworschak M, Soyka D. Effectiveness of Oleum Menthae piperitae and paracetamol in therapy of headache of the tension type. *Nervenarzt* 1996; 67(8): 672 – 81.
 23. Weise R. Pain relief composition and method of relieving pain. Patent: Pct Int Appl Wo 2001001782, 2001.
 24. Freise J, Kohler S. Peppermint oil/caraway oil-fixed combination in non-ulcer dyspepsia equivalent efficacy of the drug combination in an enteric coated or enteric soluble formulation. *Pharmazie* 1999; 54(3): 210 – 5.
 25. Westphal J, Horning M, Leohardt K. Phytotherapy in functional upper abdominal complaints. results of a clinical study with a preparation of several plants. *Phytomedicine* 1996; 2(4): 285 – 91.

26. Hamm LR, Sorrells SC, Harding JP, et al. Additional investigation fail to alter the diagnosis of irritable bowel syndrome in subjects fulfilling the Rome criteria. *Am J Gastroenterol* 1999; 94: 1279 – 82.
27. Pittler MH, Ernst E. Peppermint oil for irritable bowel syndrome: a critical review and metaanalysis. *Am J Gastroenterol* 1998; 93(7): 1131 – 5.
28. Spanier JA, Howden CW, Jones MP. A systematic review of alternative therapies in the irritable bowel syndrome. *Arch Intern Med* 2003; 163: 265 – 74.
29. Kligler B, Chaudhary S. Peppermint oil. *Am Fam Physician* 2007;75:1027 - 30.
30. Koch TR. Peppermint oil and irritable bowel syndrome. *Amer J Gastroenterol* 1998; 93(11): 2304 – 5.
31. Carling L, Svedberg LE, Hulten S. Short term treatment of the irritable bowel syndrome: a placebo-controlled trial of peppermint oil against hyoscyamine. *Opusc Med* 1989; 34(3): 55 – 9.
32. Lech Y, Olesen KM, Key H, Rask-Pedersen E, Vilien M, Ostergaard O. Treat of irritable bowel syndrome with peppermint oil. A double-blind investigation with a placebo. *Ugeskr Laeger* 1988; 150: 2388 – 9.
33. Kline RM, Kline JJ, Palma JD, Barbero GJ. Enteric-coated, pH-dependent peppermint oil capsules for the treatment of irritable bowel syndrome in children. *J Pediatr* 2001; 138: 125 – 8.
34. Liu JH, Chen GH, Yeh HZ, Huang CK, Poon SK. Enteric-coated peppermint-oil capsules in the treatment of irritable bowel syndrome: A prospective, randomized trial. *J Gatoenterol* 1997; 3(6): 765 – 8.
35. Lawson MJ, Knight RE, Tran K, Walker G, Robert-Thomson A. Failure of enteric-coated peppermint oil in the irritable bowel syndrome: A randomized, double-blind crossover study. *Journal of Gastroenterology and Hepatology* 1988; 3(3): 235 – 8.
36. Spark MJ, O'Sullivan P, Herrington AA, Morcos SK. Dose peppermint oil relieve spasm during barium enema? *Br J Radiol* 1995; 68(812): 841 – 3.
37. Asao T, Kuwano H, Ide M, et al. Spasmolytic effect of peppermint oil in barium during double-contrast barium enema compared with buscopan. *Clinical Radiology* 2003; 58: 301 – 5.
38. Melzer J, Rosch W, Reichling J, Brignolis R, Saller R. Meta-analysis: phytotherapy of functional dyspepsia with the herbal drug prepration STE 5 (Iberogast). *Aliment Pharmacol Ther* 2004; 20: 1279 – 87.

39. Madisch A, Melderis H, Mayr G, Sassin I, Hotz J. A plant extract and its modified preparation in functional dyspepsia. Results of a double-blind placebo controlled comparative study. *Z Gastroenterol* 2001; 39(7): 511 – 7.
40. Madisch A, Holtmann G, Mayr G, Vinson B, Hotz J. Treatment of functional dyspepsia with a herbal preparation. A double-blind, randomized, placebo-controlled, multicenter trial. *Digestion* 2004; 69(1): 45 – 52.
41. Holtmann G, Haag S, Adam B, Funk P, Wieland V, Heydenreich C-J. Effects of a fixed combination of peppermint oil and caraway oil on symptoms and quality of life in patients suffering from functional dyspepsia. *Phytomedicine* 2003; 10: 56 – 7.
42. May B, Kuntz HD, Kieser M, Kohler S. Efficacy of a fixed peppermint oil/caraway oil combination in non-ulcer dyspepsia. *Arzneim-Forsch* 1996; 46(12): 1149 – 53.
43. Iwakura T. Antiallergy patches containing skin-irritating substances. Patent: Jpn Kokai Tokkyo Koho Jp 07 02,659 [95 02,659], 1995: 8pp.
44. Mahmoud I, Alkofahi A, Abdelaziz A. Mutagenic and toxic activities of several spices and some Jordanian medicinal plants. *Int J Pharmacog* 1992; 30(2): 81 – 5.
45. Kaileh M, Berghe WV, Boone E, Essawi T, Haegeman G. Screening of indigenous Palestinian medicinal plants for potential anti-inflammatory and cytotoxic activity. *J Ethnopharmacol* 2007; 113(3): 510 – 6.
46. Lazutka JR, Mierauskiene J, Slapsyte G, Dedonyte V. Genotoxicity of dill (*Anethum graveolens* L.), peppermint (*Mentha piperita* L.) And pine (*Pinus sylvestris* L.) Essential oils in human lymphocytes and drosophila melanogaster. *Food Chem Toxicol* 2001; 39(5): 485 – 92.
47. Akdogan M, Kilinc I, Oncu M, Karaoz E, Delibas N. Investigation of biochemical and histopathological effects of *Mentha piperita* L. and *Mentha spicata* L. on kidney tissue in rats. *Hum Exp Toxicol* 2003; 22(4): 213 – 9.
48. Dinckler K. Biological action of different pure substances on the essential oil of *Mentha* species. *Pharm Zentralhalle* 1936; 77: 281 – 90.
49. Olsen P, Thorup I. Neurotoxicity in rats dosed with peppermint oil and pulegone. *Arch Toxicol, Suppl* 1984; 7: 408 – 9.
50. Morton CA, Garioch J, Todd P, Lamey PJ, Forysth A. Contact sensitivity to menthol and peppermint in patients with intra-oral symptoms. *Contact Dermatitis* 1995; 32(5): 281 – 4.
51. Fleming CJ, Forsyth A. D5 patch test reactions to menthol and peppermint. *Contact Dermatitis* 1998; 38(6): 337.

52. Wilkinson SM, Beck MH. Allergic contact dermatitis from menthol in peppermint. *Contact Dermatitis* 1994; 30(1): 42 – 3.
53. Saito F, Oka K. Allergic contact dermatitis due to peppermint oil. *Skin Res* 1990; S2(9): 161 – 7.
54. Tamir S, Davidovich Z, Attal P, Eliashar R. Peppermint oil chemical burn. *Otolaryngology–Head and Neck Surgery* 2005; 133: 801 – 2.
55. Anon. Baby dies after peppermint water prescription for colic. *Pharm J* 1998; 260(6996): 768.
56. Dresser GK, Wachter V, Wong S, Wong HT, Bailey DG. Evaluation of peppermint oil and ascorbyl palmitate as inhibitors of cytochrome P4503A4 activity in vitro and in vivo. *Clin Pharmacol Ther* 2002; 72(3): 247 – 55.

เอกสารอ้างอิง *สมุนไพรพื้นบ้าน*

1. www.th.wikipedia.org/wiki/เบาหวาน. Access on 29 August 2009.
2. ww.thaiclinic.com/medbible/ dm2.html. Access on 29 August 2009.
3. นันทวัน บุญยะประภัศร อรุณช โสคชัยเจริญพร, บรรณาธิการ. สมุนไพรไม้พื้นบ้าน เล่ม 4. กรุงเทพฯ: บริษัท ประชาชน จำกัด, 2543: 740 หน้า.
4. Fleming T, ed. PDR for herbal medicines 2nd edition. New Jersey: Medical Economics Company, 2000:858 pp.
5. นิจศิริ เรืองรังษี. เครื่องเทศ. กรุงเทพฯ: โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย, 2542:206 หน้า.
6. Arseculeratne SN, Gunatilaka AAL, Panabokke RG. Studies on medicinal plants of Sri Lanka. Part 14: toxicity of some traditional medicinal herbs. J Ethnopharmacol 1985;13(3): 323-35.
7. Opdyke DLJ. Monographs on fragrance raw materials. Fenugreek absolute. Food Cosmet Toxicol 1978;16:755-6.
8. Rajurkar NS, Pardeshi BM. Analysis of some herbal plants from India used in the control of diabetes mellitus by NAA and AAS techniques. Appl Radiat Isot 1997;48(8):1059-62.
9. Watt JM, Breyer-Brandwijk MG. The medicinal and poisonous plants of southern and eastern Africa. 2nd Ed, E.+S. London: Livingstone Ltd., 1962.
10. Cameron AT, Carmichael J. A note on the effect of fenugreek on the rate of growth of the white rat. Trans Roy Soc Canada Sect 5 1941;35:17-24.
11. Kamboj VP. A review of Indian medicinal plants with interceptive activity. Indian J Med Res 1988; 4:336-55.
12. Swanston-Flatt SK, Day C, Flatt PR, Gould BJ, Bailey CJ. Glycaemic effects of traditional European plant treatments for diabetes studies in normal and streptozotocin diabetic mice. Diabetes Res 1989; 10(2):69-73.
13. Bruckner C. The use of plant galactagogues in middle Europe. Gleditschia 1989;17(2): 189-201.
14. Shani J, Goldschmied A, Joseph B, Ahronson Z, Sulman FG. Hypoglycemic effect of *Trigonella foenum-graecum* and *Lupinus termis* (leguminosae) seeds and their major alkaloids in alloxan-diabetic and normal rats. Arch Int Pharmacodyn Ther 1974;210:27-37.
15. Mohamed MA. Differences in growth, seed yield and chemical constituents of fenugreek plants. Egypt J Agron 1990;15(1/2):117-23.
16. Jain SC, Agrawal M, Vijayvergia R. Regulation of pharmaceutically active flavonoids in *Trigonella foenum-graceum* by alkylating agents. Fitoterapia 1992;63(6):539-41.

17. Marker RE, Wagner RB, Uishafer PR, Wittbecker EL, Goldsmith DPJ, Ruof CH. New sources for saponins. *J Amer Chem Soc* 1947;69:2242.
18. Taylor WG, Zaman MS, Mir Z, et al. Analysis of steroidal saponins from amber fenugreek (*Trigonella foenum-graecum*) by capillary gas chromatography and combined gas chromatography/mass spectrometry. *J Agric Food Chem* 1997;45(3):753-9.
19. Varshney IP, Jain DC. Study of glycosides from *Trigonella foenum graecum* Linn. leaves. *Natl Acad Sci Lett (India)* 1979;2:331-2.
20. Petit PR, Sauvaire YD, Hillaire-Buys DM, et al. Steroid saponins from fenugreek seeds: extraction, purification, and pharmacological investigation on feeding behavior and plasma cholesterol. *Steroids* 1995;60(10): 674-80.
21. Gupta RK, Jain DC, Thakur RS. Furostanol glycosides from *Trigonella foenum-graecum* seeds. *Phytochemistry* 1985;24(10):2399-2401.
22. Gupta RK, Jain DC, Thakur RS. Two furostanol saponins from *Trigonella foenum-graecum*. *Phytochemistry* 1986;25(9):2205-7.
23. Gupta RK, Jain DC, Thakur RS. Furostanol glycosides from *Trigonella foenum-graecum* seeds. *Phytochemistry* 1984;23(11):2605-7.
24. Bogacheva NG, Ulezlo IV, Kogan LM. Steroid genins of *Trigonella foenum-graecum* seeds. *Khim Farm Zh* 1976;10:70.
25. Brenac P, Sauvaire Y. Chemotaxonomic value of sterols and steroidal saponins in the genus *Trigonella*. *Biochem Syst Ecol* 1996;24(2):157-64.
26. Varshney IP, Vyas P, Beg MFA. Fatty acid composition of five saponins-containing seed oils. *J Oil Technol Ass India* 1980;12:20-1.
27. Bishay DW, Gomaa CS. Comparative chromatographic studies of oils of some medicinal seeds. *Egypt J Pharm Sci* 1976;17:249.
28. Karawya M, Wassel G, Baghdadi H, Ammar N. Mucilagenous contents of certain Egyptian plants. *Planta Med* 1980;38:73-8.
29. Abdel-Barry JA, Abdel-Hassan IA, Al-Hakiem MHH. Hypoglycaemic and antihyperglycaemic effects of *Trigonella foenum-graecum* leaf in normal and alloxan induced diabetic rats. *J Ethnopharmacol* 1997;58:149-55.
30. Ajabnoor MA, Tilmisany AK. Effect of *Trigonella foenum graecum* on blood glucose levels in normal and alloxan-diabetic mice. *J Ethnopharmacol* 1988;22(1):45-9.
31. Kar A, Choudhary BK, Bandyopadhyay NG. Comparative evaluation of hypoglycaemic activity of some Indian medicinal plants in alloxan diabetic rats. *J Ethnopharmacol* 2003;84: 105-8.

32. Vats V, Grover JK, Rathi SS. Evaluation of anti-hyperglycemic and hypoglycemic effect of *Trigonella foenum-graecum* Linn, *Ocimum sanctum* Linn and *Pterocarpus marsupium* Linn in normal and alloxanized diabetic rats. *J Ethnopharmacol* 2002;79:95-100.
33. Eidi A, Eidi M, Sokhteh M. Effect of fenugreek (*Trigonella foenum-graecum* L.) seeds on serum parameters in normal and streptozotocin-induced diabetic rats. *Nutr Res* 2007;27:728-33.
34. Xue W-L, Li X-S, Zhang J, et al. Effect of *Trigonella foenum-graecum* (fenugreek) extract on blood glucose, blood lipid and hemorheological properties in streptozotocin-induced diabetic rats. *Asia Pacific J Clin Nutr* 2007;16(suppl. 1):422-6.
35. Madar Z. Fenugreek (*Trigonella foenum-graecum*) as a means of reducing postprandial glucose level in diabetic rats. *Nutr Rep Int* 1984;29(6):1267-73.
36. Khosla P, Gupta DD, Nagpal RK. Effect of *Trigonella foenum graecum* (fenugreek) on blood glucose in normal and diabetic rats. *Indian J Physiol Pharmacol* 1995;39(2):173-4.
37. Ahmad M, Ismail N, Ismail Z. Pharmacognostic profile of *Trigonella* seed and its hypoglycaemic activity. *Nat Prod Sci* 1995;1(1):25-30.
38. Vats V, Yadav SP, Grover JK. Effect of *T. foenum graecum* on glycogen content of tissues and the key enzymes of carbohydrate metabolism. *J Ethnopharmacol* 2003;85:237-42.
39. Amin R, Abdul-Ghani AS, Suleiman MS. Effect of fenugreek and lupine seeds on the development of experimental diabetes in rats. *Planta Med* 1988;54(4):286-90.
40. Srichamroen A, Field CJ, Thomson ABR, Basu TK. The modifying effects of galactomannan from Canadian-grown fenugreek (*Trigonella foenum-graecum* L.) on the glycemic and lipidemic status in rats. *J Clin Biochem Nutr* 2008;43:167-74.
41. Tahiliani P, Kar A. Mitigation of thyroxine-induced hyperglycaemia by two plant extracts. *Phytother Res* 2003;17:294-6.
42. Joshi R, Rajni M. Lipid profile of rats fed on domestically processed fenugreek. *J Food Sci Technol* 2007;44(5):542-4.
43. Ali L, Khan AKA, Hassan Z, et al. Characterization of the hypoglycemic effects of *Trigonella foenum graecum* seed. *Planta Med* 1995;61(4):358-60.
44. Menczel E. Hypoglycemic substances. *Bull Res Counc Israel* 1963;102:235-6.
45. Alarcon-Aguilara FJ, Roman-Ramos R, Perez-Gutierrez S, et al. Study of the anti-hyperglycemic effect of plants used as antidiabetics. *J Ethnopharmacol* 1998;61(2):101-10.
46. Venkanna Babu B, Moorti R, Pugazhenth S, Prabhu KM, Suryanarayana Murthy P. Alloxan recovered rabbits as animal model for screening for hypoglycaemic activity of compounds. *Indian J Biochem Biophys* 1988;25(6):714-8.

47. Valette G, Sauvaire Y, Baccou JC, Ribes G. Hypocholesterolemic effect of fenugreek seeds in dogs. *Atherosclerosis* 1984;50(1):105-11.
48. Satyanarayana S, Kumar KE, Rajasekhar J, et al. Influence of aqueous extract of fenugreek-seed powder on the pharmacodynamics and pharmacokinetics of gliclazide in rats/rabbits. *Therapy* 2007;4(4):457-63.
49. Waqar MA, Shaukat S, Sohail T. Study of glibenclamide with some traditional herbs used for the treatment of diabetes in Pakistan. *J Chem Soc Pakistan* 2008;30(1):147-54.
50. Madar Z, Abel R, Samish S, Arad J. Glucose-lowering effect of fenugreek in non-insulin dependent diabetics. *Eur J Clin Nutr* 1988;42(1):51-4.
51. Sharma RD, Raghuram TC. Hypoglycemic effect of fenugreek seeds in non-insulin dependent diabetic subjects. *Nutr Res* 1990;10(7):731-9.
52. Raghuram TC, Sharm RD, Sivakumar B. Effect of fenugreek seeds on intravenous glucose disposition in non-insulin dependent diabetic patients. *Phytother Res* 1994;8(2):83-6.
53. Sharma RD, Sarkar A, Hazra DK, et al. Use of fenugreek seed powder in the management of non-insulin dependent diabetes mellitus. *Nutr Res* 1996;16(8): 1331-9.
54. Bordia A, Verma SK, Srivastava KC. Effect of ginger (*Zingiber officinale* Rosc.) and fenugreek (*Trigonella foenumgraecum* L.) on blood lipids, blood sugar and platelet aggregation in patients with coronary artery disease. *Prostaglandins Leukotrienes Essent Fatty Acids* 1997;56(5):379-84.
55. Neeraja A, Rajyalakshmi P. Hypoglycemic effect of processed fenugreek seeds in humans. *J Food Sci Technol* 1996;33(5):427-30.
56. Sadhukhan B, Roychowdhury U, Banerjee P, Sen S. Clinical evaluation of a herbal antidiabetic product. *J Indian Med Ass* 1994;92(4):115-7.
57. Gupta A, Gupta R, Lal B. Effect of *Trigonella foenum-graecum* (fenugreek) seeds on glycemic control and insulin resistance in type 2 diabetes mellitus: a double blind placebo controlled study. *J Ass Phys India* 2001;49:1057-61.
58. Lu F, Shen L, Qin Y, et al. Clinical observation on *Trigonella foenum-graecum* L. Total saponins in combination with sulfonylureas in the treatment of type 2 diabetes mellitus. *Chin J Integr Med* 2008;14(1):56-60.
59. Sharma RD, Raghuram TC, Rao NS. Effect of fenugreek seeds on blood glucose and serum lipids in type 1 diabetes. *Eur J Clin Nutr* 1990;44:301-6.
60. Pavithran K. Fenugreek in diabetes mellitus. *J Ass Phys India* 1994;42(7):584.
61. Sharma RD. Effect of fenugreek seeds and leaves on blood glucose and serum insulin responses in human subjects. *Nutr Res* 1986;6(12):1353-64.

62. Sharma RD. Effect of extracted fenugreek on postprandial glucose levels in human diabetic subjects. *Nutr Res* 1989;9(6):693.
63. Abdel-Berry JA, Abdel-Hassan IA, Jawad AM, Al-Hakim MHH. Hypoglycemic effect of aqueous extract of the leaves of *Trigonella foenum-graecum* in healthy volunteers. *Eastern Mediterranean Health Journal* 2000;6(1):83-8.
64. Javan M, Ahmadiani A, Semnani S, Karjalinejad M. Antinociceptive effects of *Trigonella foenum-graecum* leaves extract. *J Ethnopharmacol* 1997;58(2):125-9.
65. Dhawan BN, Patnaik GK, Rastogi RP, Singh KK, Tandon JS. Screening of Indian plants for biological activity. VI. *Indian J Exp Biol* 1977;15:208-19.
66. Rao PU, Sesikeran B, Rao PS, Naidu AN, Rao VV, Ramachandran EP. Short term nutritional and safety evaluation of fenugreek. *Nutr Res* 1996;16(9):1495-505.
67. Muralidhara, Narasimhamurthy K, Viswanatha S, et al. Acute and subchronic toxicity assessment of debitterized fenugreek powder in the mouse and rat. *Food Chem Toxicol* 1999;37(8):831-8.
68. Abdel-Barry JA, Al-Hakim MHH. Acute intraperitoneal and oral toxicity of the leaf glycosidic extract of *Trigonella foenum-graecum* in mice. *J Ethnopharmacol* 2000;70:65-8.
69. El-Shabrawy OA, Nada SA. Biological evaluation of multicomponent tea used as hypoglycemic in rats. *Fitoterapia* 1996;67(2):99-102.
70. Shah AH, Qureshi S, Ageel AM. Toxicity studies on *Commiphora molmol*, *Teucrium polium* and *Trigonella foenum-graecum*. International congress and 49th annual meeting of the society for medicinal plant research, Sep 2-6, 2001, Erlangen, Germany, 2001:116-7.
71. Al-Habori M, Raman A. Antidiabetic and hypocholesterolaemic effects of fenugreek. *Phytother Res* 1998;12(4):233-42.
72. Sharma RD, Sarkar A, Hazra DK, Misra B, Singh JB, Maheshwari BB. Toxicological evaluation of fenugreek seeds: a long term feeding experiment in diabetic patients. *Phytother Res* 1996;10(6):519-20.
73. Khader M, Eckl PM, Bresgen N. Effects of aqueous extracts of medicinal plants on MNNG-treated rat hepatocytes in primary cultures. *J Ethnopharmacol* 2007;112(1):199-202.
74. Sethi N, Nath D, Singh RK, Srivastava RK. Antifertility and teratogenic activity of some indigenous medicinal plants in rats. *Fitoterapia* 1990;61(1):64-7.
75. Ohnuma N, Yamaguchi E, Kawakami Y. Anaphylaxis to curry powder. *Allergy* 1998;53:452-4.
76. Patil SP, Niphadakar PV, Bapat MM. Allergy to fenugreek (*Trigonella foenum graecum*). *Annals of allergy, asthma & immunology* 1997;78(3):297-300.

77. Kruse Faeste C, Namork E, Lindvik H. Allergenicity and antigenicity of fenugreek (*Trigonella foenum-graecum*) proteins in foods. *J Allergy Clin Immunol* 2009;123(1):187-94.
78. Lambert J-P, Cormier J. Potential interaction between warfarin and boldo-fenugreek. *Pharmacotherapy* 2001;21(4):509-12.
79. Abdo MS, Al-Kafawi AA. Experimental studies on the effect of *Trigonella foenum-graecum*. *Planta Med* 1969;17:14.
80. Sharaf A. Food plants as a possible factor in fertility control. *Qual Plant Mater Veg* 1969; 17:153.