

เอกสารอ้างอิง herb-drug interaction ฉบับ 29(2)

1. Thaidfa.com [homepage on the internet]. Bangkok: ประกาศคณะกรรมการพัฒนาระบบยาแห่งชาติ เรื่อง บัญชียาหลักแห่งชาติ (ฉบับที่ 4) พ.ศ.2554 [updated 2011 June 28; cited 2011 Aug 20]. Available from: <http://www.thaidfa.com/editor/data/files/ed/docs/heb%204-54.PDF>
2. Chavez ML, Jordan MA, Chavez PI. Evidence-based drug-herbal interactions. *Life Sci* 2006; 78(18):2146-57.
3. จุฑาภรณ์ สุทธิสีสังข์ รัชณี เมฆมณี บรรณาธิการ. หนังสือเภสัชวิทยา เล่ม 1. กรุงเทพฯ: ภาควิชาเภสัชวิทยา คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล; 2546.
4. Kennedy DO, Jackson PA, Haskell CF, et al. Modulation of cognitive performance following single doses of 120 mg *Ginkgo biloba* extract administered to healthy young volunteers. *Hum Psychopharmacol* 2007;22(8):559-66.
5. Wu Y, Li S, Cui W, et al. *Ginkgo biloba* extract improves coronary blood flow in healthy elderly adults: role of endothelium-dependent vasodilation. *Phytomedicine* 2008;15:164-9.
6. Matthews MK Jr. Association of *Ginkgo biloba* with intracerebral hemorrhage. *Neurology* 1998;50(6):1933-4.
7. Rowan J, Lewis SJ. Spontaneous bilateral subdural hematomas associated with chronic *Ginkgo biloba* ingestion. *Neurology* 1996;46:1775-6.
8. Gilbert GJ. *Ginkgo biloba*. *Neurology* 1997;48:1137.
9. Benjamin J, Muir T, Briggs K, Pentland B. A case of cerebral haemorrhage-can *Ginkgo biloba* be implicated?. *Postgrad Med J* 2001;77(904):112-3.
10. Pedroso JL, Henriques Aquino CC, Escórcio Bezerra ML, et al. *Ginkgo biloba* and cerebral bleeding: a case report and critical review. *Neurologist* 2011;17(2):89-90.
11. Bent S, Goldberg H, Padula A, Avins AL. Spontaneous bleeding associated with *Ginkgo biloba* a case report and systematic review of the literature. *J Gen Intern Med* 2005;20(7):657-61.
12. Engelsen J, Nielsen JD, Hansen KF. Effect of coenzyme Q10 and *Ginkgo biloba* on warfarin dosage in patients on long-term warfarin treatment. A randomized, double-blind, placebo-controlled crossover trial. *Thromb Haemost* 2002;87:1075-6.
13. Halil M, Cankurtaran M, Yavuz BB, et al. No alteration in the PFA-100 *in vitro* bleeding time induced by the *Ginkgo biloba* special extract, EGb 761, in elderly patients with mild cognitive impairment. *Blood Coagul Fibrinolysis* 2005;16(5),349-53.
14. Köhler S, Funk P, Kieser M. Influence of a 7-day treatment with *Ginkgo biloba* special extract EGb 761 on bleeding time and coagulation: a randomized, placebo-controlled, double-blind study in healthy volunteers. *Blood Coagul Fibrinolysis* 2004;15(4):303-9.
15. Rosenblatt M, Mindel J. Spontaneous hyphema associated with ingestion of *Ginkgo biloba* extract. *N Engl J Med* 1997;336(15):1108.
16. Wolf HR. Does *Ginkgo biloba* special extract EGb 761 provide additional effects on coagulation and bleeding when added to acetylsalicylic acid 500 mg daily?. *Drugs R D* 2006;7(3):163-72.

17. Meisel C, Johne A, Roots I. Fatal intracerebral mass bleeding associated with *Ginkgo biloba* and ibuprofen. *Atherosclerosis* 2003;167(2):367.
18. Markowitz JS, Donovan JL, Lindsay DeVane C, Sipkes L, Chavin KD. Multiple-dose administration of *Ginkgo biloba* did not affect cytochrome P-450 2D6 or 3A4 activity in normal volunteers. *J Clin Psychopharmacol* 2003;23(6):576-81.
19. Uchida S, Yamada H, Li XD, et al. Effects of *Ginkgo biloba* extract on pharmacokinetics and pharmacodynamics of tolbutamide and midazolam in healthy volunteers. *J Clin Pharmacol* 2006;46(11):1290-8.
20. Galluzzi S, Zanetti O, Binetti G, Trabucchi M, Frisoni GB. Coma in a patient with Alzheimer's disease taking low dose trazodone and *Ginkgo biloba*. *J Neurol Neurosurg Psychiatry* 2000;68(5):679-80.
21. Kupiec T, Raj V. Fatal seizures due to potential herb-drug interactions with *Ginkgo biloba*. *J Anal Toxicol* 2005;29(7):755-8.
22. Yin OQ, Tomlinson B, Chow MS. Prediction and mechanism of herb-drug interaction: Effect of *Ginkgo biloba* on omeprazole in Chinese subjects. *Clin Pharmacol Ther* 2003;73:P94.
23. Spinella M, Eaton LA. Hypomania induced by herbal and pharmaceutical psychotropic medicines following mild traumatic brain injury. *Brain Inj* 2002;16(4):359-67.
24. Zhang XY, Zhou DF, Zhang PY, Wu GY, Su JM, Cao LY. A double-blind, placebo-controlled trial of extract of *Ginkgo biloba* added to haloperidol in treatment-resistant patients with schizophrenia. *J Clin Psychiatry* 2001;62(11):878-83.
25. Mauro VF, Mauro LS, Kleshinski JF, Khuder SA, Wang Y, Erhardt PW. Impact of *Ginkgo biloba* on the pharmacokinetics of digoxin. *Am J Ther* 2003;10(4):247-51.
26. Henderson GL, Harkey MR, Gershwin ME, Hackman RM, Stern JS, Stresser DM. Effects of ginseng components on c-DNA-expressed cytochrome P450 enzyme catalytic activity. *Life Sci* 1999;65(15):PL209-14.
27. Janetzky K, Morreale AP. Probable interaction between warfarin and ginseng. *Am J Health Syst Pharm* 1997;54(6):692-3.
28. Rosado MF. Thrombosis of a prosthetic aortic valve disclosing a hazardous interaction between warfarin and a commercial ginseng product. *Cardiology* 2003;99(2):111.
29. Jiang X, Williams KM, Liauw WS, et al. Effect of St. John's wort and ginseng on the pharmacokinetics and pharmacodynamics of warfarin in healthy subjects. *Br J Clin Pharmacol* 2004;57(5):592-9.
30. Anderson GD, Rosito G, Mohustsy MA, et al. Drug interaction potential of soy extract and *Panax ginseng*. *J Clin Pharmacol* 2003;43(6):643-8.
31. DerMarderosian A, Beutjer JA, editors. *The Review of Natural Products*. 5th ed. Missouri: Wolters Kluwer Health; 2008
32. Shader RI, Greenblatt DJ. Phenezine and the dream machine-ramblings and reflections. *J Clin Psychopharmacol* 1985;5(2):65.
33. Jones BD, Runikis AM. Interaction of ginseng with phenezine. *J Clin Psychopharmacol* 1987;7(3):201-2.

34. Smith M, Lin KM, Zheng YP. An open trial of nifedipine-herb interactions: nifedipine with St. John's wort, ginseng or *Ginkgo biloba*. Clin Pharmacol Ther 2001;69(2):P86.
35. Bilgi N, Bell K, Ananthakrishnan AN, Atallah E. Imatinib and *Panax ginseng*: a potential interaction resulting in liver toxicity. Ann Pharmacother 2010;44(5):926-8.
36. Scaglione F, Cattaneo G, Alessandria M, Cogo R. Efficacy and safety of the standardised ginseng extract G115 for potentiating vaccination against the influenza syndrome and protection against the common cold. Drugs Exp Clin Res 1996;22(2):65-72.
37. Lee FC, Ko JH, Park JK, Lee JS. Effects of *Panax ginseng* on blood alcohol clearance in man. Clin Exp Pharmacol Physiol 1987;14(6):543-6.
38. Lee YJ, Pantuck CB, Pantuck EJ. Effect of ginseng on plasma levels of ethanol in the rat. Planta Med 1993;59:17-9.
39. Koo MW. Effects of ginseng on ethanol induced sedation in mice. Life Sci 1999;64:153-60.
40. Abebe W. Herbal medication: potential for adverse interactions with analgesic drugs. J Clin Pharm Ther 2002;27:391-401.
41. Hu Z, Yang X, Ho PC, et al. Herb-drug interactions: a literature review. Drugs 2005;65(9):1239-82.
42. Singh VK, Singh DK. Pharmacological effects of garlic (*Allium sativum* L.). Annu Rev Biomed Sci 2008;10:6-26.
43. Markowitz JS, Devane CL, Chavin KD, Taylor RM, Ruan Y, Donovan JL. Effects of garlic (*Allium sativum* L.) supplementation on cytochrome P450 2D6 and 3A4 activity in healthy volunteers. Clin Pharmacol Ther 2003;74(2):170-7.
44. Cox MC, Low J, James L, et al. Influence of garlic (*Allium sativum*) on the pharmacokinetics of Docetaxel. Clin Cancer Res 2006;12:4636-40.
45. Gwilt PR, Lear CL, Tempero MA, et al. The effect of garlic extract on human metabolism of acetaminophen. Cancer Epidemiol Biomarkers Prev 1994;3(2):155-60.
46. Piscitelli SC, Burstein AH, Welden N, Gallicano KD, Falloon J. The effect of garlic supplements on the pharmacokinetics of saquinavir. Clin Infect Dis 2002;34(2):234-8.
47. วิจิตรา ทศนียกุล วีรยา ดำรงค์สกุลชัย วงศ์วิวัฒน์ ทศนียกุล. อันตรกิริยาระหว่างสมุนไพรและยาแผนปัจจุบัน = Herb and Drug Interaction. ศรีนครินทร์เวชสาร 2008;23(2):223-30.
48. Gallicano K, Foster B, Choudhri S. Effect of short-term administration of garlic supplements on single-dose ritonavir pharmacokinetics in healthy volunteers. Br J Clin Pharmacol 2003;55(2):199-202.
49. Shakeel M, Trinidad A, McCluney N, Brewis Clive. Complementary and alternative medicine in epistaxis: a point worth considering during the patient's history. Eur J Emerg Med 2010;17:17-9.
50. Kent UM, Aviram M, Rosenblat M, Hollenberg PF. The licorice root derived isoflavan glabridin inhibits the activities of human cytochrome P450S 3A4, 2B6, and 2C9. Drug Metab Dispos 2002;30(6):709-15.
51. Tu JH, He YJ, Chen Y, et al. Effect of glycyrrhizin on the activity of CYP3A enzyme in humans. Eur J Clin Pharmacol 2010;66(8):805-10.

52. Shon JH, Park JY, Kim MS, Cha IJ, Chun BH, Shin JG. Effect of licorice (*Radix glycyrrhizae*) on the pharmacokinetics and pharmacodynamics of midazolam in healthy subjects. *Clin Pharmacol Ther* 2001;69:P78.
53. Budzinski JW, Foster BC, Vandenhoeck S, Arnason JT. An *in vitro* evaluation of human cytochrome P450 3A4 inhibition by selected commercial herbal extracts and tinctures. *Phytomedicine* 2000;7(4):273-82.
54. Chen MF, Shimada F, Kato H, Yano S, Kanaoka M. Effect of oral administration of glycyrrhizin on the pharmacokinetics of prednisolone. *Endocrinol Jpn* 1991;38(2):167-74.
55. Homma M, Oka K, Ikeshima K, et al. Different effects of traditional Chinese medicines containing similar herbal constituents on prednisolone pharmacokinetics. *J Pharm Pharmacol* 1995;47:687-92.
56. Lin SH, Yang SS, Chau T, Halperin ML. An unusual cause of hypokalemic paralysis: chronic licorice ingestion. *Am J Med Sci* 2003;325(3):153-6.
57. Elinav E, Chajek-Shaul T. Licorice consumption causing severe hypokalemic paralysis. *Mayo Clin Proc* 2003;78(6):767-8.
58. Hamidon BB, Jeyabalan V. Exogenously-induced apparent hypermineralocorticoidism associated with ingestion of "asam boi". *Singapore Med J* 2006;47(2):156-8.
59. Farese RV Jr, Biglieri EG, Shackleton CH, Irony I, Gomez-Fontes R. Licorice-induced hypermineralocorticoidism. *N Engl J Med* 1991;325(17):1223-7.
60. Cumming AM, Boddy K, Brown JJ, Fraser R, Lever AF, Padfield PL, Robertson JI. Severe hypokalaemia with paralysis induced by small doses of liquorice. *Postgrad Med J* 1980;56(657):526-9.
61. de Klerk GJ, Nieuwenhuis G, Beutler JJ. Hypokalemia and hypertension associated with use of liquorice flavoured chewing gum. *BMJ* 1997;314:731-2.
62. Homma M, Ishihara M, Qian W, Kohda Y. Effects of long term administration of Shakyaku-kanzo-To and Shosaiko -To on serum potassium levels. *Yakugaku Zasshi* 2006;126:973-8.
63. Bernardi M, D'Intino PE, Trevisani F, Cantelli-Forti G, Raggi MA, Turchetto E, Gasbarrini G. Effects of prolonged ingestion of graded doses of licorice by healthy volunteers. *Life Sci* 1994;55(11):863-72.
64. วิสสุดา สุวิทย์วัฒน์, บรรณาธิการ. ยาจากสมุนไพรในบัญชียาหลักแห่งชาติ: ข้อมูลบนหลักฐานทางวิชาการ. กรุงเทพฯ. สำนักงานข้อมูลสมุนไพร คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล; 2552.
65. Krüth P, Brosi E, Fux R, Mörike K, Gleiter HC. Ginger-associated over anticoagulation by phenprocoumon. *Ann Pharmacother* 2004;38:257-60.
66. Lesho EP, Saullo L, Udvari-Nagy S. A 76-year-old woman with erratic anticoagulation. *Cleve Clin J Med* 2004;71(8):651-6.
67. Jiang X, Williams KM, Liauw WS, et al. Effect of ginkgo and ginger on the pharmacokinetics and pharmacodynamics of warfarin in healthy subjects. *Br J Clin Pharmacol* 2005;59(4):425-32.
68. Young HY, Liao JC, Chang YS, Luo YL, Lu MC, Peng WH. Synergistic effect of ginger and nifedipine on human platelet aggregation: a study in hypertensive patients and normal volunteers. *Am J Chin Med* 2006;34(4):545-51.
69. Saw JT, Bahari MB, Ang HH, Lim YH. Potential drug-herb interaction with antiplatelet/ anticoagulant drugs. *Complement Ther Clin Pract* 2006;12: 236-41.

70. Lambert JP, Cormier J. Potential interaction between warfarin and boldo-fenugreek. *Pharmacotherapy* 2001;21(4):509-12.
71. Lu FR, Shen L, Qin Y, Gao L, Li H, Dai Y. Clinical observation on *Trigonella foenum-graecum* L. total saponins in combination with sulfonylureas in the treatment of type 2 diabetes mellitus. *Chin J Integr Med* 2008;14(1):56-60.
72. Satyanarayana S, Kumar KE, Rajasekhar J, et al. Influence of aqueous extract of fenugreek-seed powder on the pharmacodynamics and pharmacokinetics of gliclazide in rats/rabbits. *Therapy* 2007;4(4):457-63.
73. Yadav M, Tomar R, Prasad G, Jain S, Yadav H. Complementary hypoglycemic and antihyperglycemic activity of various extracts of fenugreek seeds in rats. *Asian J Biochem* 2008;3:182-7.
74. Waqar MA, Shaukat S, Sohail T. Study of glibenclamide with some traditional herbs used for the treatment of diabetes in Pakistan. *J Chem Soc Pakistan* 2008;30(1):147-54.
75. Yang CS, Landau JM. Effects of tea consumption on nutrition and health. *J Nutr* 2000;130:2409-12.
76. Zhen YS, editor. *Tea: Bioactivity and therapeutic potential*. New York: Taylor & Francis Inc; 2002.
77. Taylor JR, Wilt VM. Probable antagonism of warfarin by green tea. *Ann Pharmacother* 1999;33(4):426-8.
78. Donovan JL, Chavin KD, Devane CL, Taylor RM, Wang JS, Ruan Y, Markowitz JS. Green tea (*Camellia sinensis*) extract does not alter cytochrome P450 3A4 or 2D6 activity in healthy volunteers. *Drug Metab Dispos* 2004;32(9):906-8.
79. Chow HH, Hakim IA, Vining DR, et al. Effects of repeated green tea catechin administration on human cytochrome P450 activity. *Cancer Epidemiol Biomarkers Prev* 2006;15:2473-6.
80. Nishikawa M, Ariyoshi N, Kotani A, et al. Effects of continuous ingestion of green tea or grape seed extracts on the pharmacokinetics of midazolam. *Drug Metab Pharmacokinet* 2004;19(4):280-9.
81. Jang EH, Choi JY, Park CS, et al. Effects of green tea extract administration on the pharmacokinetics of clozapine in rats. *J Pharm Pharmacol* 2005;57(3):311-6.
82. Dumrongsakunchai W, Attakornvattana V, Somanabandhu A, Vannapraseht S, Tassaneeyakul W, Tassaneeyakul W. Inhibitory effect and mechanism-based inhibition of Thai herbal plants on CYP3A4 and CYP2D6 activities. *Thai J Pharmacol* 2007;29(1):35-9.
83. Chamomile Segal R, Pilote L. Warfarin interaction with *Matricaria chamomilla*. *CMAJ* 2006;174(9):1281-2.
84. Mahmoud BM, Ali HM, Homeida MM, Bennett JL. Significant reduction in chloroquine bioavailability following coadministration with the Sudanese beverages Aradaib, Karkadi and Lemon. *J Antimicrob Chemother* 1994;33(5):1005-9.
85. Fakeye TO, Adegoke AO, Omoyeni OC, Famakinde AA. Effects of water extract of *Hibiscus sabdariffa*, Linn (Malvaceae) 'Roselle' on excretion of a diclofenac formulation. *Phytother Res* 2007;21(1):96-8.
86. Yue QY, Jansson K. Herbal drug curbicin and anticoagulant effect with and without warfarin: possibly related to the vitamin E component. *J Am Geriatr Soc* 2001;49:838.
87. Richter WO, Jacob BG, Schwandt P. Interaction between fibre and lovastatin. *Lancet* 1991;338:706.

88. Page RL, Lawrence JD. Potentiation of warfarin by dong quai. *Pharmacotherapy* 1999;19:870-6.
89. Cambria-Kiely JA. Effect of soy milk on warfarin efficacy. *Ann Pharmacother* 2002;36(12):1893-6.
90. Bano G, Raina RK, Zutshi U, et al. Effect of piperine on bioavailability and pharmacokinetics of propranolol and theophylline in healthy volunteers. *Eur J Clin Pharmacol* 1991;(6):615-7.
91. Bailey DG, Dresser GK, Bend JR. Bergamottin, lime juice, and red wine as inhibitors of cytochrome P450 3A4 activity: comparison with grapefruit juice. *Clin Pharmacol Ther* 2003;73(6):529-37.
92. Aslam M, Stockley IH. Interaction between curry ingredient (karela) and drug (chlorpropamide). *Lancet* 1979;313(8116):607.
93. Lee A, Chui PT, Aun CS, Gin T, Lau AS. Possible interaction between sevoflurane and *Aloe vera*. *Ann Pharmacother* 2004;38(10):1651-4.
94. McRae S. Elevated serum digoxin levels in a patient taking digoxin and Siberian ginseng. *CMAJ* 1996;155(3):293-5.
95. Yuan CS, Wei G, Dey L, et al. Brief communication: American ginseng reduces warfarin's effect in healthy patients: a randomized, controlled trial. *Ann Intern Med* 2004;141(1):23-7.
96. Deahl M. Betel nut-induced extrapyramidal syndrome: an unusual drug interaction. *Mov Disord* 1989;4(4):330-2.