

## เอกสารอ้างอิงโถงน้ำเต้า

- 1 ชัยนัตต์ พิเชียรสุนทร วิเชียร จีรวงศ์. คู่มือเภสัชกรรม แผนไทย เล่ม ๕ คณาเภสัช. กรุงเทพมหานคร: สำนักพิมพ์ อมรินทร์, 2547.
- 2 China Pharmacopoeia Commission. Pharmacopoeia of The People's Republic of China. Vol. 1. Beijing: People's Republic of China, 2005.
- 3 The Ministry of Health and Welfare Pharmacopoeia of Japan. 14th ed. (English version). Tokyo: The Ministry of Health and Welfare, 2001.
- 4 Bisset NG. Herbal Drugs and Phytopharmaceuticals. London: CRC Press, 1994.
- 5 The Forest Herbarium, Royal Forest Department. Thai Plant Names Tem Smitinand. Revised ed. Bangkok: Prachachon Co., 2001.
- 6 Rotblatt M, Ziment I. Evidence-Based Herbal Medicine. Philadelphia: Hanley & Belfus Inc., 2002.
- 7 Komatsu K, Nagayama Y, Tanaka K, Ling Y, Basnet P, Meselhy M. Development of a high performance liquid chromatographic method for systematic quantitative analysis of chemical constituents in Rhubarb. Chem Pharm Bull 2006; 54(7): 941-7.
- 8 Lee HZ. Effects and mechanisms of emodin on cell death in human lung squamous cell carcinoma. Br J Pharmacol 2001; 134(1): 11-20.
- 9 Chen YC, Shen SC, Lee WR, Hsu FL, Lin HY, Ko CH, Tseng SW. Emodin induces apoptosis in human promyeloleukemic HL-60 cells accompanied by activation of caspase 3 cascade but independent of reactive oxygen species production. Biochem Pharmacol 2002; 64(12): 1713-24.
- 10 Wang CC, Huang YJ, Chen LG, Lee LT, Yang LL. Inducible nitric oxide synthase inhibitors of Chinese herbs III. Rheum palmatum. Planta Med 2002; 68(10): 869-74
- 11 Shi YQ, Fukai T, Sakagami H, Kuroda J, Miyaoka R, Tamura M, Yoshida N, Nomura T. Cytotoxic and DNA damage-inducing activities of low molecular weight phenols from rhubarb. Anticancer Res 2001; 21(4A): 2847-53.
- 12 Ye M, Han J, Chen H, Zheng J, Guo D. Analysis of phenolic compounds in rhubarbs using liquid chromatography coupled with electrospray ionization mass spectrometry. J Am Soc Mass Spectrum 2007; 18(1): 82-91.
- 13 Abe I, Seki T, Noguchi H, Kashiwada Y. Galloyl esters from rhubarb are potent inhibitors of squalene epoxidase, a key enzyme in cholesterol biosynthesis. Planta Med 2000; 66(8): 753-6.
- 14 Zhang SJ, Zhang SY, Wang L, Zhu B. Studies on polysaccharide of *Rheum palmatum* L.. Zhongguo Zhong Yao Za Zhi 1993; 18(11): 679-81.
- 15 Zhang B, Chen H, Xu A, Chen J, Sheng S. Effects of volatile oil from *Rheum palmatum* on immunologic function in mice. Zhong Yao Cai 1997; 20(2): 85-8.

- 16 Zhang B, Chen J, Li H, Xu X. Study on the Rheum palmatum volatile oil against HBV in cell culture *in vitro*. *Zhong Yao Cai* 1998; 21(10): 524-6.
- 17 Tseng SH, Lee HH, Chen LG, Wu CH, Wang CC. Effects of three purgative decoctions on inflammatory mediators. *J Ethnopharmacol* 2006; 105(1-2): 118-24.
- 18 Tsai JC, Tsai S, Chang WC. Effect of ethanol extracts of three Chinese medicinal plants with laxative properties on ion transport of the rat intestinal epithelia. *Biol Pharm Bull* 2004; 27(2): 162-5.
- 19 Campbell MJ, Hamilton B, Shoemaker M, Tagliaferri M, Cohen I, Tripathy D. Antiproliferative activity of Chinese medicinal herbs on breast cancer cells *in vitro*. *Anticancer Res* 2002; 22 (6C): 3843-52.
- 20 Lee HZ, Hsu SL, Liu MC, Wu CH. Effects and mechanisms of aloe-emodin on cell death in human lung squamous cell carcinoma. *Eur J Pharmacol* 2001; 431(3): 287-95.
- 21 Yeh FT, Wu CH, Lee HZ. Signaling pathway for aloe-emodin-induced apoptosis in human H460 lung nonsmall carcinoma cell. *Int J Cancer* 2003; 106(1): 26-33.
- 22 Lee HZ, Wu CH, Chang SP. Release of nucleophosmin from the nucleus: Involvement in aloe-emodin-induced human lung non small carcinoma cell apoptosis. *Int J Cancer* 2005; 113(6): 971-6.
- 23 Muto A, Hori M, Sasaki Y, Saitoh A, Yasuda I, Maekawa T, Uchida T, Asakura K, Nakazato T, Kaneda T, Kizaki M, Ikeda Y, Yoshida T. Emodin has a cytotoxic activity against human multiple myeloma as a Janus-activated kinase 2 inhibitor. *Mol Cancer Ther* 2007; 6(3): 987-94.
- 24 Guo J, Xiao B, Zhang S, Liu D, Liao Y, Sun Q. Growth inhibitory effects of gastric cancer cells with an increase in S phase and alkaline phosphatase activity repression by aloe-emodin. *Cancer Biol Ther* 2007; 6(1): 85-8.
- 25 Xiao B, Guo J, Liu D, Zhang S. Aloe-emodin induces *in vitro* G2/M arrest and alkaline phosphatase activation in human oral cancer KB cells. *Oral Oncol* 2007; 43(9): 905-10.
- 26 Huang Q, Shen HM, Ong CN. Inhibitory effect of emodin on tumor invasion through suppression of activator protein-1 and nuclear factor-kappaB. *Biochem Pharmacol* 2004; 68(2): 361-71.
- 27 Lee J, Jung E, Lee J, Huh S, Hwang CH, Lee HY, Kim EJ, Cheon JM, Hyun CG, Kim YS, Park D. Emodin inhibits TNF alpha-induced MMP-1 expression through suppression of activator protein-1 (AP-1). *Life Sci* 2006; 79(26): 2480-5.
- 28 Huang Q, Shen HM, Ong CN. Emodin inhibits tumor cell migration through suppression of the phosphatidylinositol 3-kinase-Cdc42/Rac1 pathway. *Cell Mol Life Sci* 2005; 62(10): 1167-75.
- 29 Huang Q, Lu G, Shen HM, Chung MC, Ong CN. Anti-cancer properties of anthraquinones from rhubarb. *Med Res Rev* 2006; 27(5): 609-30.

- 30 Huang Q, Shen HM, Shui G, Wenk MR, Ong CN. Emodin inhibits tumor cell adhesion through disruption of the membrane lipid Raft-associated integrin signaling pathway. *Cancer Res* 2006; 66(11): 5807-15.
- 31 Kwak HJ, Park MJ, Park CM, Moon SI, Yoo DH, Lee HC, Lee SH, Kim MS, Lee HW, Shin WS, Park IC, Rhee CH, Hong SI. Emodin inhibits vascular endothelial growth factor-A-induced angiogenesis by blocking receptor-2 (KDR/Fik-1) phosphorylation. *Int J Cancer* 2006; 118(11): 2711-20.
- 32 Kim TG, Kang SY, Jung KK, Kang JH, Lee E, Han HM, Kim SH. Antiviral activities of extracts isolated from *Terminalis chebula* Retz., *Sanguisorba officinalis* L., *Rubus coreanus* Miq. and *Rheum palmatum* L. against hepatitis B virus. *Phytother Res* 2001; 15(8): 718-20.
- 33 Yang ZC, Wang BC, Yang XS, Wang Q, Ran L. The synergistic activity of antibiotics combined with eight traditional Chinese medicines against two different strains of *Staphylococcus aureus*. *Colloids Surf B Biointerfaces* 2005; 41(2-3): 79-81.
- 34 Zhang Q, Zhang C, Wang J, Guan L, Yu H. Effect of *Rheum palmatum* decoction on increasing intelligence. *Zhong Yao Cai* 2001; 24(10): 728-30.
- 35 Ngai HH, Sit WH, Wan JM. The nephroprotective effects of the herbal medicine preparation, WH30+, on the chemical-induced acute and chronic renal failure in rats. *Am J Chin Med* 2005; 33(3): 491-500.
- 36 Yan M, Zhang LY, Sun LX, Jiang ZZ, Xiao XH. Nephrotoxicity study of total rhubarb anthraquinones on Sprague Dawley rats using DNA micro-arrays. *J Ethnopharmacol* 2006; 107(2): 308-11.
- 37 Tang JC, Zhang JN, Wu YT, Li ZX. Effect of the water extract and ethanol extract from traditional Chinese medicines *Angelica sinensis* (Oliv.) Diels, *Ligusticum chuanxiong* Hort. and *Rheum palmatum* L. on rat liver cytochrome P450 activity. *Phytother Res* 2006; 20(12): 1046-51.
- 38 Yuen MF, Tam S, Fung J, Wong DK, Wong BC, Lai CL. Traditional Chinese medicine causing hepatotoxicity in patients with chronic hepatitis B infection: a 1-year prospective study. *Aliment Pharmacol Ther* 2006; 24(8): 1179-86.
- 39 Song H, Wang Z, Zhang F. Investigation of urinary interleukin-6 level in chronic renal failure patients and the influence of *Rheum palmatum* in treating it. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 2000; 20(2): 107-9.
- 40 Dai CF, Zhang ZZ, Qi XL, Zhang MX, Li YP. Clinical and experimental study of treatment of nanmiqing capsule for chronic prostatitis. *Zhonghua Nan Ke Xue* 2002; 8(5): 379-82.