

เอกสารอ้างอิง ลำไย

1. กรมวิชาการเกษตร. ระบบข้อมูลทางวิชาการ: ลำไย [อินเทอร์เน็ต]. 2555 [เข้าถึงเมื่อ 11 ก.ย. 2555]. เข้าถึงได้จาก: <http://it.doa.go.th/vichakan/news.php?newsid=4>.
2. Santisuk T, Larsen K. Flora of Thailand, Vol. 7, Part 1. Bangkok: Diamond printing Co. Ltd., 1999.
3. กองโภชนาการ กรมอนามัย กระทรวงสาธารณสุข. ตารางแสดงคุณค่าทางโภชนาการของอาหารไทย. กรุงเทพฯ: โรงพิมพ์องค์การอาหารและยา, 2535:หน้า 41.
4. Wang HQ, Ke LJ, Xiang LW, Gao GZ, Rao PF, Zhou JW. Analysis of amino acids in arillus longan during heating process. *Amino Acids & Biotic Resources* 2009;31(2):14-16.
5. Li JR, Miao SX, Jiang YM. Changes in quality attributes of longan juice during storage in relation to effects of thermal processing. *Journal of Food Quality* 2009;32:48-57.
6. ไชโย ชัยชาญทิพบุตร และคณะ. สมุนไพร อันดับที่ 02. กรุงเทพฯ: บริษัทสารมวลชนจำกัด, 2527:236 หน้า.
7. เซาว์ กสิพันธุ์. ตำราเภสัชศึกษา. กรุงเทพฯ: สมาคมแพทย์เภสัชกรรมไทยโบราณ. 2522:408 หน้า.
8. วิทยา บุญวรพัฒน์. สารานุกรมสมุนไพรไทย-จีนที่ใช้อยู่ในประเทศไทย. กรุงเทพฯ: โรงพิมพ์ ส.พิจิตร การพิมพ์ จำกัด, 2554:หน้า 492.
9. Okuyama E, Ebihara H, Takeuchi H, Yamazaki M. Adenosine, the anxiolytic-like principle of the arillus of *Euphoria longana*. *Planta Med* 1999;65(2):115-9.
10. Ryu J, Kim JS, Kang SS. Cerebrosides from longan arillus. *Arch Pharm Res* 2003;26(2): 138-42.
11. Sun J, Shi J, Jiang Y, et al. Identification of two polyphenolic compounds with antioxidant activities in longan pericarp tissues. *J Agric Food Chem* 2007;55(14):5864-8.
12. Hsu FL, Chyn L. Studies on the tannins from *Euphoria longana* Lam. *Proc Natl Sci Council Repub China Part A. Phys Sci Eng* 1991;15(6):541-6.
13. Sudjaroen Y, Hull WE, Erben G, Wurtele G, Changbumrung S, Ulrich CM, Owen RW. Isolation and characterization of ellagitannins as the major polyphenolic components of Longan (*Dimocarpus longan* Lour) seeds. *Phytochemistry* 2012;77:226-37.
14. Chen JT, Hsu FL, Chang HC. The effect of hydrolyzable tannins on cardiac adrenoceptors. *Int J Orient Med* 1991;16(4):216-23.
15. Hsu FL, Lu FH, Chang JT. Influence of acetonylgeraniin, a hydrolyzable tannin from *Euphoria longana*, on orthostatic hypotension in a rat model. *Planta Med* 1994;60(3): 297-300.
16. Grondin I, Smadja J, Farines M, Soulier J. Studies on the triterpenic fraction of *Litchi sinensis* Sonn. and *Euphoria longana* Lam. seed oils. *Ol Corps Gras Lipides* 1995;2(3): 229-35.
17. Lin JH, Tasi CC. Phenolic constituents from the flowers of *Euphoria longana* Lam. *Zhonghua Yaoxue Zazhi* 1995;47(2):113-21.
18. Hsu HL, Lee LT. Studies on the chemical constituents of *Euphorbia longana*. *Hua Hsueh Hsueh Pao* 1977;4:103-5.

19. Ho SC, Hwang LS, Shen YJ, Lin CC. Suppressive effect of a proanthocyanidin-rich extract from longan (*Dimocarpus longan* Lour.) flowers on nitric oxide production in LPS-stimulated macrophage cells. *J Agric Food Chem* 2007;55:10664-70.
20. Saleh NAM, El Sherbeiny AEA, El Sissi HI. Local plants as potential sources of tannins in Egypt. Part IV. (Aceraceae to Flacourtiaceae). *Qual Plant Mater Veg* 1969;17(4):384-94.
21. Chandler RF, Hooper SN. Friedelin and associated triterpenoids. *Phytochemistry* 1979; 18:711-24.
22. Wang BS, Tang CH, Chiu CK, Huang MH. Inhibitory effects of water extract from longan twigs on mutation and nitric oxide production. *Food Chemistry* 2012;135:440-5.
23. อุษณีย์ วณิชเขตคำนวณ และคณะ. การพัฒนาสารสกัดมาตรฐานที่มีฤทธิ์ต้านมะเร็งจากลำไยแห้ง. รายงานวิจัยฉบับสมบูรณ์ สำนักงานกองทุนสนับสนุนการวิจัย (สกว.), 2008.
24. Vinitketkumnuen U, Ongchai S, Kongtawelert P, et al. Medicinal value of dried longan (*Euphoria longana*) extracts: anti-tumor and chondroprotective activities. International Conference "Thai Fruits-Functional Fruits" Thaifex-World of Food Asia, Bangkok, 1-2 July 2010:58-9.
25. Rangkadilok N, Sitthimonchai S, Worasuttayangkurn L, et al. Evaluation of free radical scavenging and antityrosinase activities of standardized longan fruit extract. *Food Chem Toxicol* 2007;45(2):328-36.
26. Guo C, Yang J, Jingyu W, et al. Antioxidant activities of peel, pulp and seed fractions of common fruits as determined by FRAP assay. *Nutrition Research* 2003;23(12):1719-26.
27. Sangsrichan S, Pawirat A. Antioxidant properties, tyrosinase inhibition, and major components of fresh and roasted longan seed extracts by using high performance liquid chromatography. 35th Congress on Science and Technology of Thailand, Chonburi, 15-17 October 2009.
28. Khaomek P, Boottayotee K. Antioxidant activity of Thai fruits and nourishing cream product from rambutan peel. 37th Congress on Science and Technology of Thailand, Bangkok, 10-12 October 2011.
29. Li X, Wu N, Li F, Huang Y, Long S. Anti-oxidation effects of longan seeds ethyl acetate fraction. *Shizhen Guoyi Guoyao* 2008;19(8):1969-71.
30. Sai-Ut S, Rawdkuen S, Jongjareonrak A. Antioxidant activities and properties of gelatin-based film incorporated with longan seed extract. 37th Congress on Science and Technology of Thailand, Bangkok, 10-12 October 2011.
31. Prasad KN, Yang E, Yi C, Zhao M, Jiang Y. Effects of high pressure extraction on the extraction yield, total phenolic content and antioxidant activity of longan fruit pericarp. *Innovative Food Science and Emerging Technologies* 2009;10:155-9.
32. Prasad KN, Yang B, Shi J, Yua C, Zhao M, Xue S, Jiang Y. Enhanced antioxidant and antityrosinase activities of longan fruit pericarp by ultra-high-pressure-assisted extraction. *J Pharm Biomed Anal* 2010;51:471-7.

33. Jiang G, Jiang Y, Yang B, Yu C, Tsao R, Zhang H, Chen F. Structural characteristics and antioxidant activities of oligosaccharides from longan fruit pericarp. *J Agric Food Chem* 2009;57:9293-8.
34. Yang B, Zhao M, Shi J, Yang N, Jiang Y. Effect of ultrasonic treatment on the recovery and DPPH radical scavenging activity of polysaccharides from longan fruit pericarp. *Food Chemistry* 2008;106:685-90.
35. Yang B, Zhao M, Prasad KN, Jiang G, Jiang Y. Effect of methylation on the structure and radical scavenging activity of polysaccharides from longan (*Dimocarpus longan* Lour.) fruit pericarp. *Food Chemistry* 2010;118:364-8.
36. Li X, Long S, Xie Y, Wei W. Extraction of polysaccharides from *Euphoria longan* (Lour.) Steud and *Litchi chinensis* Sonn and their effects on scavenging oxygen radical. *Guangxi Yike Daxue Xuebao* 2004;21(3):342-4.
37. Dai Y, Gao CM, Tian QL, Yin Y. Effect of extracts of some medicinal plants on superoxide dismutase activity in mice. *Planta Med* 1987;53(3):309-10.
38. Pan Y, Wang K, Huang S, et al. Antioxidant activity of microwave -assisted extract of longan (*Dimocarpus longan* Lour.) peel. *Food Chemistry* 2007;106(3):1264-70.
39. Jino J, Baramée A, Liawruangrath S, Meepowpan P. Isolation and bioactivities of longan (*Euphoria longana* Lam.) leaves. 34th Congress on Science and Technology of Thailand, Bangkok, Dec 31-Nov 2 2008.
40. Ripa FA, Haque M, Bulbul IJ. In vitro antibacterial, cytotoxic and antioxidant activities of plant *Nephelium longan*. *Pak J Biolo Sci* 2010;13(1):22-7.
41. Chung YC, Lin CC, Chou CC, Hsu CP. The effect of Longan seed polyphenols on colorectal carcinoma cells. *Eur J Clin Invest* 2010;40(8):713-21.
42. Mazzi EA, Soliman KFA. In vitro screening of tumoricidal properties of international medicinal herbs: part II. *Phytother Res* 2010;24:1813-24.
43. Yang B, Zhao M, Jiang Y. Optimization of tyrosinase inhibition activity of ultrasonic-extracted polysaccharides from longan fruit pericarp. *Food Chemistry* 2008;110:294-300.
44. Yoshihiro N, Shuichi S. Manufacture of soya-cerebroside I derivative which has the tyrosinase inhibitory action. Patent: Jpn Kokai Tokkyo Koho, 2009:11 pp.
45. Park SJ, Park DH, Kim DH, et al. The memory-enhancing effects of *Euphoria longan* fruit extract in mice. *J Ethnopharmacol* 2010;128:160-5.
46. Losuwannarak N, Pasadhika C, Tantisira M, Tantisira B. Effects of longan seed extract on scopolamine-induced learning and memory deficit in mice. *Thai J Pharm Sci* 2009; 33:31-8.
47. Park SG. Composition for increasing memory and preventing and treating dementia containing *Euphoria longana*, *Zizyphus jujuba* Miller, *Polygalae radix*, *Poria cocos* and ginkgo leaf. Patent: Repub. Korean Kongkae Taeho Kongbo, 2004.
48. Kazuhiro H, Rie N, Takako Y. Chinese medicines for the improvement of Alzheimer-type memory disorders. Patent: Jpn Kokai Tokkyo Koho, 2007:6 pp.

49. Kraipinit Y, Chaisawadi S. Preliminary of antimicrobial activities on longan and rambutan seeds. 35th Congress on Science and Technology of Thailand, Chonburi, 15-17 October 2009.
50. Thongmuang P, Sudjaroen Y, Owen R. Antimicrobial activities of Longan (*Euphoria longan* L.) skin and seeds. *Planta Med* 2010;76:P463.
51. Rangkadilok N, Tongchusak S, Boonhok R, et al. In vitro antifungal activities of longan (*Dimocarpus longan* Lour.) seed extract. *Fitoterapia* 2012;83:545-53.
52. Liu Y, Jing R. Sustained-release suppositories containing powder of *Euphoria* seeds for treating hemorrhoid. Patent: Faming Zhuanli Shenqing Gongkai Shuomingshu, 2007:5 pp.
53. Kim YS, Park KH. Effects of traditional drugs on CCl₄-induced cytotoxicity in primary cultured rat hepatocytes. *Korean J Pharmacog* 1994;25(4):388-94.
54. Wijaya E, Wu ZM, Ng F. Effect of "Slimax", a chinese herbal mixture, on obesity. *Int J Pharmacog* 1995;33(1):41-6.
55. Dhar ML, Dhar MN, Dhawan BN, Mehrotra BN, Srimal RC, Tandon JS. Screening of Indian plants for biological activity. Part IV. *Indian J Exp Biol* 1973;11:43-54.
56. Woo WS, Lee EB, Han BH. Biological evaluation of Korean medicinal plants. III. *Arch Pharm Res* 1979;2:127-31.