

เอกสารอ้างอิงเครื่องเห่า

1. วงศ์สถิตย ฉั่วกุล รุ่งระวี เต็มศิริฤกษ์กุล พร้อมจิต ศรีลัมพ์ วิชิต เปานิล บรรณาธิการ. สยามเภัชชยพฤษ: ภูมิปัญญาของชาติ. พิมพ์ครั้งที่ 1 ปี 2538. กรุงเทพฯ. อมรินทร์ พริ้นติ้ง แอนด์ พับลิชชิ่ง จำกัด มหาชน. หน้า 226.
2. สถาบันวิจัยวิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย. พืชกินได้ในป่าสะแกราช. หน้า 87-88.
3. Orwa JA, Jondiko I JO, Minja R JA, Bekunda M. The use of *Toddalia asiatica* (L) Lam. (Rutaceae) in traditional medicine practice in East Africa. J Ethnopharmacol 2008;115(2):257-62.
4. Vera R, Smadja J, Conan JY. Preliminary assay of some plants with alkaloids from Reunion island. Plant Med Phytother 1990;24:50-65.
5. Chen KF. Screening results of eleven items of drugs used in Yunnan for bronchitis. Chung Ts'ao Yao 1981;12:44-5.
6. Zhang Y. Application of Radix *Toddalia asiatica* for treating hemorrhoid. Faming Zhuanli Shenqing 2006, CN 1733118 A 20060215.
7. Oketch-Rabah HA, Mwangi JW, Lisgarten J, Mberu EK. A new antiplasmodial coumarin from *Toddalia asiatica* roots. Fitoterapia 2000;7:636-40.
8. Duraipandiyam V, Ignacimuthu S. Antibacterial and antifungal activity of flindersine isolated from the traditional medicinal plant, *Toddalia asiatica* (L.) Lam.. J Ethnopharmacol 2009;123(3):494-8.
9. Ishii H, Kobayashi J, Ishikawa T. Studies on the chemical constituents of Rutaceous plants. LIII. Toddalenone: a new coumarin from *Toddalia asiatica* (*T. aculeata*). Structural establishment based on the chemical conversion of limettin into toddalenone. Chem Pharm Bull 1983;31(9):3330-3.
10. Ishii H, [Kobayashi J](#), [Ishikawa M](#), [Haginiwa J](#), [Ishikawa T](#). Studies on the chemical constituents of Rutaceae++ plants. LXVI. The chemical constituents of *Toddalia asiatica* (L.) Lam. (*T. aculeate* Pers.) (1). Chemical constituents of the root bark. Yakugaku Zasshi 1991;111(7):365-75.
11. Ishii H, Kobayashi J I, Seki H, Ishikawa T. Toddacoumaquinone, a unique coumarin-naphthoquinone dimer, from *Toddalia asiatica* (L.) Lam. (*T. aculeate* Pers.). Chem Pharm Bull 1992;40(5):1358-9.
12. Ishii H, Kobayashi J, Yamaguchi K, Ishikawa T. Toddalosin, a new biscoumarin, from *Toddalia asiatica* (L.) Lam. (*T. aculeate* Pers.). Chem Pharm Bull 1993; 41(9):1655-6.
13. Huang P, Karaglanis G, Wei S, Waterman P. Triterpene acids from *Toddalia asiatica*. Nat Prod Res Devel 2005;17(4):404-8.
14. Jain SC, Pandey MK, Upadhyay RK, Kumar R, Hundal G, Hundal MS. Alkaloids from *Toddalia asiatica*. Phytochemistry 2006;67(10):1005-10.
15. Tsai I-L, Chang R-G, Fang S-C, Ishikawa T, Chen I-S. Chemical constituents from the root bark of Formosan *Toddalia asiatica*. Chin Pharm J (Taipei) 1996;48(1):63-75.
16. Tsai IL, Fang SC, Ishikawa T, Chang CT, Chen IS. N-cyclohexyl amides and a dimeric coumarin from Formosan *Toddalia asiatica*. Phytochemistry 1997;44(7):1383-6.

17. Wang F, Xu Y, Liu JK. New geranyloxycoumarins from *Toddalia asiatica*. J Asian Nat Prod Res 2009;11(8):752–6.
18. Sharma PN, Shoeb A, Kapil RS, Popli SP. Chemical constituents of *Toddalia asiatica*. Ind J Chem Sect B 1981;20B(10):936-7.
19. Sharma PN, Shoeb A, Kapil RS, Popli SP. Toddalidimerine, a dimeric benzophenanthridine alkaloid from *Toddalia asiatica*. Phytochemistry 1981;20(12):2781-3.
20. Sharma PN, Shoeb A, Kapil RS, Popli SP. 8-Hydroxydihydrochelerythrine and arnottianamide from roots of *Toddalia asiatica*. Phytochemistry 1982;21(1):252-3.
21. Qiu H, Xiao X, Li G. Separation and purification of furanocoumarins from *Toddalia asiatica* (L.) Lam. using microwave-assisted extraction coupled with high-speed counter-current chromatography. J Sep Sci 2012;35(7):901-6.
22. Kariuki HN, Mwonjoria JK. Ethnomedicinal, phytochemical and pharmacological profile of genus *Toddalia*. Phytopharmacology 2013;4(2):259-68.
23. Iwasaki H, Oku H, Takara R, Miyahira H, Hanashiro K, Yoshida Y, Kamada Y, Toyokawa T, Takara K, Inafuku M. The tumor specific cytotoxicity of dihydronitidine from *Toddalia asiatica* Lam. Cancer Chemother Pharmacol 2006;58(4):451-9.
24. Iwasaki H, Okabe T, Takara K, Toda T, Shimatani M, Oku H. Tumor-selective cytotoxicity of benzo[c]phenanthridine derivatives from *Toddalia asiatica* Lam. Cancer Chemother Pharmacol 2010;65(4):719-26.
25. Harrowven DC, Nunn MIT, Blumire NJ, Fenwick DR. The first total synthesis of toddaquinoline, an alkaloid from *Toddalia asiatica*. Tetrahedron 2001;57:4447-54.
26. Liu Z, Li Y, Zhu F, He Y, Yuan M, Xu M. Study on chemical composition of the essential oil from *Toddalia asiatica* Lam. by gas chromatography/mass spectrum. Liaoning Zhongyiyao Daxue Xuebao 2011;13(11):150-1.
27. Nyahanga T, Jondika JI, Manguro LOA, Orwa JA. Chemical composition, antiplasmodial, larvicidal and antimicrobial activities of essential oils of *Toddalia asiatica* leaves and fruits. Int J Essen Oil Ther 2010;4(1-2):54-8.
28. Saxena VK, Sharma RN. Antimicrobial activity of the essential oil of *Toddalia asiatica*. Fitoterapia 1999;70(1):64-6.
29. Orwa JA, Ngeny L, Mwikwabe NM, Ondicho J, Jondiko IJO. Antimalarial and safety evaluation of extracts from *Toddalia asiatica* (L) Lam. (Rutaceae). J Ethnopharmacol 2013;145(2):587-90.
30. Gakunju DMN, Mberu EK, Dossaji SF, Gray AI, Waigh RD, Waterman PG, Watkins WM. Potent antimalarial activity of the alkaloid nitidine, isolated from a Kenyan herbal remedy. Antimicrob. Agents Chemother 1995;39(12):2606–9.
31. Suresh B, Dhanasekaran S, Elango K, Sethuraman M, Rajan S. Antipyretic effects of some plants in female albino rats; a preliminary report, Anc. Science Life 1995;14:253-7.

32. Karunai RM, Balachandran C, Duraipandiyan V, Agastian P, Ignacimuthu S. Antimicrobial activity of ulopterol isolated from *Toddalia asiatica* (L.) Lam.: A traditional medicinal plant. *J Ethnopharmacol* 2012;140(1):161–5.
33. Lu SY, Qiao YJ, Xiao PG, Tan XH. Identification of antiviral activity of *Toddalia asiatica* against influenza type A virus. *Zhongguo Zhong Yao Za Zhi = Zhongguo zhongyao zazhi = China journal of Chinese materia medica* 2005;30(13):998-1001.
34. Rashid MA, Gustafson KR, Kashman Y, Cardellina JH, Macmahon JB, Boyd M. Anti-HIV alkaloid from *Toddalia asiatica*. *Natural product letters* 1995;6:153-6.
35. Rukunga GM, Kofi-Tsepko M. W, Kurokawa M, Kageyama S, Mungai GM, Muli JM. Evaluation of the HIV-1 transcriptase inhibitory properties of extracts from some medicinal plants in Kenya. *African Journal of Health Sciences* 2002;9:81-90.
36. Irudayaraj SS, Sunil C, Duraipandiyan V, Ignacimuthu S. Antidiabetic and antioxidant activities of *Toddalia asiatica* (L.) Lam. leaves in Streptozotocin induced diabetic rats. *J Ethnopharmacol* 2012;143(2):515-3.
37. Ren X, Ye K, Xiong A, Yang Y. Effects of the aqueous extract of *Toddalia asiatica* on cardiac function and hemodynamics in normal cats. *Jinan Daxue Xuebao, Ziran Kexue Yu Yixueban*. 2000;21(2):1-4.
38. Tsai IL, Wun MF, Teng CM, Ishikawa T, Chen IS. Anti-platelet aggregation constituents from Formosan *Toddalia asiatica*. *Phytochemistry* 1998;48 (8):1377-82.
39. Guo S; Li S; Peng Z; Ren X. Isolation and identification of active constituent of *Toddalia asiatica* in cardiovascular system. *J Chin Med Mat*. 1998;21(10):515-6.
40. Kavimani S, Van TV, Ilango R, Jaykar B. Antiinflammatory activity of the volatile oil of *Toddalia asiatica*. *Indian Journal of Pharmaceutical Sciences* 1996;58(2):67-70.
41. Yang K, Tong L, Chen C, Zhang P, Pi H, Ruan H, Wu J. Therapeutic effects of extracts from Radix *Toddalia asiatica* on collagen-induced arthritis in Balb/c mice. *J Ethnopharmacol* 2013;146(1):355-62.
42. Hao XY, Peng L, Yeo L, Huang NH, Shen YM. A study on anti-inflammatory and analgesic effects of alkaloids from *Toddalia asiatica*. *J Chin integr Med*. 2004;6:450-2.
43. Kariuki HN, Kanui TI, Yesesew A, Patel NB, Mbugua PM.. Antinociceptive activity of *Toddalia asiatica* (L) Lam. in animal models of central and peripheral pain. *Phytopharmacology* 2012;3:122-9.
44. Lakshmi V, Kapoor S, Pandey K, Patnaik G K. Spasmolytic activity of *Toddalia asiatica* Var. floribunda. *Phytotherapy research: PTR* 2002;16(3): 281-2.
45. Sirisarn P, Jarikasem S. Antioxidant activity and phenolic content of *Acanthopanax trifoliatum* and *Toddalia asiatica*. *Kasetsart Journal: Natural Science* 2010;44(2):234-42.
46. Tian C, Jiang F, Wen C. Free radical scavenging efficiency of *Toddalia asiatica* polysaccharides. *Shipin Gongye* 2011;32(11):106-8.
47. Vázquez R, Riveiro ME, Vermeulen M, Mondillo C, Coombes PH, Crouch NR, Ismail F, Mulholland DA, Baldi A, Shayo C, Davio C. Toddaculin, a natural coumarin from *Toddalia asiatica*, induces differentiation and apoptosis in U-937 leukemic cells. *Phytomedicine* 2012;19(8-9):737-46.