

เอกสารอ้างอิง ฤทธิ์ลดน้ำตาลในเลือดของผักเชียงดาและ *Gymnema sylvestre*

1. มูลนิธิโครงการหลวง. องค์ความรู้เรื่องพืชป่าที่ใช้ประโยชน์ทางภาคเหนือของประเทศไทย เล่ม 2. เชียงใหม่: มูลนิธิโครงการหลวง, 2552: 752 หน้า.
2. กรมอุทยานแห่งชาติ สัตว์ป่าและพันธุ์พืช สำนักงานหอพรรณไม้. ชื่อพรรณไม้แห่งประเทศไทย เต็ม สมิตินันท์ ฉบับแก้ไขเพิ่มเติม พ.ศ. 2557. กรุงเทพฯ: สำนักงานหอพรรณไม้ กรมอุทยานแห่งชาติ สัตว์ป่าและพันธุ์พืช, 2557. 806 หน้า
3. กรมส่งเสริมการเกษตร. “ผักเชียงดา”ข่าวประชาสัมพันธ์ปีที่ 4 ฉบับที่ 7 ประจำเดือน กรกฎาคม พ.ศ.2555 [ออนไลน์] เข้าถึงได้จาก: <http://www.aopdh07.doae.go.th/download/๒๕๕๕.pdf> (เข้าถึง 1 มิถุนายน 2560)
4. .H.M.J. Lemmens and N. Bunyaphatsara. PROSEA 12 (3) Plant resources of South-East Asia. vol. 12 (1).Medicinal and poisonous plants. Leiden: PROSEA, 2002.
5. Ryoko O, Atsushi D. Diet food or beverage containing extract of *Gymnema inodorum* for preventing obesity.Jpn. Kokai Tokkyo Koho (1993), JP 05252897 A 19931005.
6. Kazuo I, Chiaki Y, Shahram M, Yoshio I. Diet composition comprising *Gymnema inodrum* and a method for suppressing the absorption of saccharides. U.S. (1996), US 5484593 A 19960116.
7. Mikito A, Yuri H, Yoshio I. Isolation of 28 - trihydroxyolean-12 - ene-3 - yl- β -D-glucopyranuronic acids from *Gymnema inodorum* leaves as glucose absorption inhibiting agents. U.S. (1998), US 5843909 A 19981201.
8. Mikito A, Yuri H, Yoshio I. Roasted tea of *Gymnema* as health food. Jpn. Kokai Tokkyo Koho (1997), JP 09070278 A 19970318.
9. Mikito A, Yuri H, Yoshio I. Glucose absorption-inhibiting (3 β , 4 α , 16 β)-16, 23, 28-trihydroxyolean-12-en-3-yl- β -D-glucopyranuronic acid derivatives and their extraction from *Gymnema inodorum*. Jpn. Kokai Tokkyo Koho (1996), JP 08208689 A 19960813.
10. Mikito A, Chiaki Y, Yoshio I. Triterpenoid saponin from *Gymnema inodorum* as a diabetes mellitus drug. Eur. Pat. Appl. (1995), EP 636633 A1 19950201.
11. Ryoko O, Atsushi D. Low-calorie beverage containing inhibitors of sugar absorption from *Gymnema inodorum*. Jpn. Kokai Tokkyo Koho (1994), JP 06189710 A 19940712.
12. Mikito A, Katsumi H, Chiaki Y, Yoshio I. Antidiabetics containing triterpene glycoside from *Gymnema inodorum*. Jpn. Kokai Tokkyo Koho (1994), JP 06128161 A 19940510.

13. Mikito A, Katsumi H, Chiaki Y, Yoshiol. Antidiabetic triterpene glycoside and its manufacture from *Gymnema inodorum*. Jpn. Kokai Tokyo Koho (1993), JP 05247086 A 19930924.
14. Stoecklin W. Chemistry and physiological properties of gymnemic acid, the antisaccharine principle of the leaves of *Gymnema sylvestre*. J Agric Food Chem 1969;17(4):704-8.
15. Meiselman HL, Halpern BP. Effects of *Gymnema sylvestre* on complex tastes elicited by amino acids and sucrose. Physiol Behav 1970;5(12):1379-84
16. Risky DR, Desor JA, Velluccl D. Effects of gymnemic acid concentration and time since exposure on intensity of simple tastes: a test of the biphasic model for the action of gymnemic acid. Chem Sens 1982;7(2):143-52
17. Imoto T, Miyasaka A, Ishima R, et al. A novel peptide isolated from the leaves of *Gymnema sylvestre* I. Characterization and its suppressive effect on the neural responses to sweet taste stimuli in the rat. Comp Biochem Physiol, A: Comp Physiol 1991
18. Keisuke S, Noriatsu S, Masafumi J, Seiji N, Toshiaki I, Yuzo N. Binding site for gymnemic acid at the sweet receptor hT1R2/hT1R3. Nippon Aji to Nioi Gakkaishi 2009;16(3):287-90.
19. Hong L, Toshiaki I, Yasutake H. Effects of acarbose combined with gymnemic acid on maltose digestion and absorption. Shoka to Kyushu 1998;21(2):126-9.
20. Shin-ichi Y, Toshiaki I, Michio M, Takeshi K, Ryuzo K, Yasutake H. Anti-diabetic effects of the extracts from the leaves of *Gymnema sylvestre*. Inhibitory effect of gymnemic acids on glucose absorption in the small intestine. Wakan Iyaku-gaku Zasshi (1996);13(4):300-3.
21. Takaaki A. Effects of gymnemic acid, an inhibitory substance for intestinal glucose absorption, on blood glucose and serum insulin concentrations. Yonago Igaku Zasshi (1993), 44(2), 198-209.
22. Tohru F, Ayako K, Toshiaki I, Kazuo I, Etsuro S. An extract of *Gymnema sylvestre* leaves and purified gymnemic acid inhibits glucose-stimulated gastric inhibitory peptide secretion in rats. J Nutrition 1992;122(12):2367-73.

23. Wang Y, Dawid C, Kottra G, Daniel H, Hofmann T. Gymnemic acids inhibit sodium-dependent glucose transporter 1. *J Agric Food Chem* 2014;62(25):5925-31.
24. Shanmugasundaram ER, Rajeswari G, Baskaran K, Rajesh Kumar BR, Radha Shanmugasundaram K, Kizar Ahmath B. Use of *Gymnema sylvestre* leaf extract in the control of blood glucose in insulin-dependent diabetes mellitus. *J Ethnopharmacol.* 1990;30(3):281-94.
25. Bakrudeen Ali Ahmed A, Rao MV, Rao AS, Rosna Mat T. Optimization of gymnemic acid production with anti-diabetic studies and regeneration of Langerhans cells from *Gymnema sylvestre*. *International Proceedings of Chemical, Biological & Environmental Engineering* 2014;75(Biotechnology and Environment Management):77-82.
26. Liu B, Asare-Anane H, Al-Romaiyan A, et al. Characterisation of the insulinotropic activity of an aqueous extract of *Gymnema Sylvestre* in Mouse β -Cells and human Islets of Langerhans. *Cellular Physiol Biochem* 2009;23(1-3):125-132.
27. Al-Romaiyan A, Liu B, Docherty R, Huang G-C, Amiel S, Persaud S J, Jones PM. Investigation of intracellular signalling cascades mediating stimulatory effect of a *Gymnema sylvestre* extract on insulin secretion from isolated mouse and human islets of Langerhans. *Diabetes obesity metabolism* 2012;14(12):1104-13.
28. Mhaskar KS, Caius JF. A Study of Indian Medicinal Plants. II. *Gymnema Sylvestre*, Bn. *Indian J Medical Res* 1930;17(16):1-50
29. Shimizu K, Ozeki M, Tanaka K, Itoh K, Nakajyo S, Urakawa N, Atsuchi M. Suppression of glucose absorption by extracts from the leaves of *Gymnema inodorum*. *The Journal of veterinary medical science* (1997), 59(9), 753-7.
30. Shimizu K, Ozeki M, Iino A, Shinjiro N, Norimoto U, Mikito A. Structure-activity relationships of triterpenoid derivatives extracted from *Gymnema inodorum* leaves on glucose absorption. *Japanese J Pharmacol* 2001;86(2):223-9.
31. Chiabchalard A, Tencomnao T, Santiyanont R. Effect of *Gymnema inodorum* on postprandial peak plasma glucose levels in healthy human. *African J Biotech* 2010;9(7):1079-85.
32. Bospinyowong R, Pongthananikorn S, Chiabchalard A. Efficacy and safety of *Gymnema inodorum* tea consumption in type 2 diabetic patients. *Chula Med J* 2013;57(5).

33. Moram GSE, Magda SH. Antioxidant and antiglycation properties of *Gymnema sylvestre* in streptozotocin-induced diabetic rats. *World J Pharm Res* 2015;4(12):2161-82.
34. Al-Romaiyan A, King AJ, Persaud SJ, Jones PM. A novel extract of *Gymnema sylvestre* improves glucose tolerance in vivo and stimulates insulin secretion and synthesis *in vitro*. *Phytother Res* 2013;27(7):1006-11.
35. Verma N, Shakya VK, Saxena RC. Antidiabetic Activity of Glycoside Isolated from *Gymnema sylvestre* in streptozotocin induced diabetic rats. *Asian J Chem* 2008;20(7):5033-6.
36. Kang MH, Lee MS, Choi MK, Min KS, Shibamoto T. Hypoglycemic activity of *Gymnema sylvestre* extracts on oxidative stress and antioxidant status in diabetic rats. *J Agric Food Chem* 2012;60(10):2517-24.
37. Singh S, Bigoniya P, Shrivastava B. Comparative hypoglycemic activity of glycyrrhizic acid and gymnemic acid on non-insulin dependent rodent diabetic model. *Int J Pharm Bio Sci* 2015; 6(1): 365-79
38. Dholi SK, Raparla R. *In Vivo* antidiabetic evaluation of *Gymnema sylvestre* extract in streptozotocin induced diabetic rats. *Int. J Pharm Sci Rev Res* 2013;23(2):142-6.
39. Bhansali S, Shafiq N, Pandhi P, Singh AP, Singh I, Singh PK, Sharma S, Malhotra S. Effect of a deacyl gymnemic acid on glucose homeostasis & metabolic parameters in a rat model of metabolic syndrome. *Indian J Med Res* 2013;137(6):1174-9.
40. Gholap S, Kar A. Gymnemic acids from *Gymnema sylvestre* potentially regulates dexamethasone-induced hyperglycemia in mice, *Pharm Biol* 2005;43:2:192-5
41. Sugihara Y, Nojima H, Matsuda H, Murakami T, Yoshikawa M, Kimura I. Antihyperglycemic effects of gymnemic acid IV, a compound derived from *Gymnema sylvestre* leaves in streptozotocin-diabetic mice. *J Asian Nat Prod Res* 2000;2(4):321-7.
42. Ahmed ABA, Rao AS and Rao MV, Role of *in vivo* leaf and *in vitro* callus of *Gymnema sylvestre* in maintaining normal levels of blood glucose and lipid profile in diabetic Wistar rats. *Biomedicine* 2008;2:134–8.
43. Ahmed AB, Rao AS, Rao MV. *In vitro* callus and *in vivo* leaf extract of *Gymnema sylvestre* stimulate β -cells regeneration and anti-diabetic activity in Wistar rats. *Phytomedicine* 2010;17(13):1033-9.

44. Daisy P, Eliza J, Mohamed Farook KA. A novel dihydroxy gymnemic triacetate isolated from *Gymnema sylvestre* possessing normoglycemic and hypolipidemic activity on STZ-induced diabetic rats. *J Ethnopharmacol.* 2009;126(2):339-44.
45. Balasubramaniam K, Vasanthi Arasaratnam, Nagaswaran A, Anushiyanthan S, Mugunthan N. Studies on the effect of *Gymnema sylvestre* on diabetics. *J Natn Srilanka* 1992;20(1):81-9.
46. Baskaran K, Kizar Ahamath B, Radha Shanmugasundaram K, Shanmugasundaram E R. Antidiabetic effect of a leaf extract from *Gymnema sylvestre* in non-insulin-dependent diabetes mellitus patients. *J Ethnopharmacol* 1990;30(3):295-300.
47. Shanmugasundaram ER, Rajeswari G, Baskaran K, Rajesh Kumar BR, Radha Shanmugasundaram K, Kizar Ahmath B. Use of *Gymnema sylvestre* leaf extract in the control of blood glucose in insulin-dependent diabetes mellitus. *J Ethnopharmacol* 1990;30(3):281-94.
48. Al-Romaiyan A, Liu B, Asare-Anane H, et al. A novel *Gymnema sylvestre* extract stimulates insulin secretion from human islets in vivo and in vitro. *Phytotherapy Res* 2010;24(9):1370-6.
49. Kumar SN, Mani UV, Mani I. An open label study on the supplementation of *Gymnema sylvestre* in type 2 diabetics. *J dietary supplements* 2010;7(3):273-82.
50. Kim SJ, Kang JS, Suh TK. Effect of gymnemic acid on the β -cell of pancreatic islets. *Hanyang Uidae Haksulchi* 1991;11(2):655-76.
51. Nani D, Siti Suhaila M, Faridah M, Wan ZW. The Effect of *Gymnema sylvestre* and *Camelia sinensis* on patients with Type 2 diabetes mellitus. *Health Environ J* 2016;7(2):1-19.
52. Kurian GA, Manjusha V, Nair SS, Varghese T, Padikkala J. Short-term effect of G-400, polyherbal formulation in the management of hyperglycemia and hyperlipidemia conditions in patients with type 2 diabetes mellitus. *Nutrition* 2014;30(10):1158-64.
53. DerMerderosian A, Beutler JA (coeditor). The review of natural products, 5th edition. United State of America: Wolters Kluwer Health, 2008: 1508 pp.
54. Bhakuni DS, Dhar ML, Dhar MM, Dhawan BN, Gupta B, Srimal RC. Screening of Indian plants for biological activity 3. *Indian J Exp Biol* 1971;9(1):91-102.

55. Ogawa Y, Sekita K, Umemura T, et al. *Gymnema sylvestre* leaf extract: a 52-week dietary toxicity study in Wistar rats. *Shokuhin Eiseigaku Zasshi*. 2004;45(1):8-18.
56. Potawale SE, Shinde VM, Anandi L, Borade S, Dhalawat H, Deshmukh RS, *Gymnema sylvestre*: a comprehensive review. *Pharmacologyonline* 2008;2:144–157.