

## เอกสารอ้างอิง\_artichoke

1. Barnes J, Anderson L, Phillipson D. Herbal Medicines, 3<sup>rd</sup> Edition. London: RPS Publishing, 2007: 720 p.
2. World Health Organization. WHO Monographs on Selected Medicinal Plants - Volume 4 Title: WHO Monographs on Selected Medicinal Plants - Volume 4. Salerno-Paestum: WHO Headquarters. 2009: 456 p.
3. Blumenthal M (editor). The Complete German Commission E Monographs, Therapeutic Guide to Herbal Medicines, 1<sup>st</sup> ed. 1998. Texas: Integrative Medicine Communications. 2000.
4. มธุรส วงศ์ครุฑ. จับตา “แก่นตะวัน” พืช อาหาร และพลังงาน. [อินเทอร์เน็ต]. กรุงเทพฯ. กรมส่งเสริมการเกษตร; 2561 [เข้าถึงเมื่อ 1 ธันวาคม 2561]. เข้าถึงได้จาก [http://www.doa.go.th/kasikorn/year-56/jan\\_feb\\_56/part-3.pdf](http://www.doa.go.th/kasikorn/year-56/jan_feb_56/part-3.pdf)
5. อัญชัน ชมภูพวง. อาร์ติโชค: พืชใหม่ที่น่าสนใจ. วารสารโครงการหลวง. 2543;4(2):12-6.
6. Dosi R, Daniele A, Guida V, Ferrara L, Severino V, Antimo DM. Nutritional and metabolic profiling of the Globe artichoke (*Cynara scolymus* L. ‘Capuanella’ heads) in province of Caserta, Italy. AJCS. 2013;7:1927-34.
7. National Nutrient Database for Standard Reference. [internet]. USA. 2018 [cited 2018]. Available from <https://ndb.nal.usda.gov>.
8. Matuschowski P, Nahrstedt A, Winterhoff H. Pharmacological study of the choleric efficacy of fresh plant extract from artichoke. Phytother. 2005;26(5):216-21
9. Gebhardt R. Anticholestatic activity of flavonoids from artichoke (*Cynara scolymus* L.) and of their metabolites. Med Sci Monit. 2001;7 (Suppl 1):316-20
10. Saénz Rodríguez T, García Giménez D, de la Puerta Vázquez R. Choleric activity and biliary elimination of lipids and bile acids induced by an artichoke leaf extract in rats. Phytomedicine. 2002;9(8):687-93.
11. Kirchhoff R, Beckers C, Kirchhoff GM, Trinczek-Gärtner H, Petrowicz O, Reimann HJ. Increase in choleresis by means of artichoke extract. Phytomedicine. 1994;1(2):107-15.
12. Holtmann G, Adam B, Haag S, Collet W, Grünwald E, Windeck T. Efficacy of artichoke leaf extract in the treatment of patients with functional dyspepsia: a six-week

- placebo-controlled, double-blind, multicentre trial. *Aliment Pharmacol Ther.* 2003;18(11-12):1099-105.
13. Marakis G, Walker AF, Middleton RW, Booth JC, Wright J, Pike DJ. Artichoke leaf extract reduces mild dyspepsia in an open study. *Phytomedicine.* 2002;9(8):694-9.
  14. Walker AF, Middleton RW, Petrowicz O. Artichoke leaf extract reduces symptoms of irritable bowel syndrome in a post-marketing surveillance study. *Phytother Res.* 2001;15(1):58-61.
  15. Bundy R, Walker AF, Middleton RW, Marakis G, Booth JC. Artichoke leaf extract reduces symptoms of irritable bowel syndrome and improves quality of life in otherwise healthy volunteers suffering from concomitant dyspepsia: a subset analysis. *J Altern Complement Med.* 2004;10(4):667-9.
  16. Bundy R, Walker AF, Middleton RW, Wallis C, Simpson HC. Artichoke leaf extract (*Cynara scolymus*) reduces plasma cholesterol in otherwise healthy hypercholesterolemic adults: a randomized, double blind placebo controlled trial. *Phytomedicine.* 2008;15(9):668-75.
  17. Englisch W, Beckers C, Unkauf M, Ruepp M, Zinserling V. Efficacy of artichoke dry extract in patients with hyperlipoproteinemia. *Arzneimittelforschung.* 2000;50(3):260-5.
  18. Rondanelli M, Giacosa A, Opizzi A, Faliva MA, Sala P, Perna S, et al. Beneficial effects of artichoke leaf extract supplementation on increasing HDL-cholesterol in subjects with primary mild hypercholesterolaemia: a double-blind, randomized, placebo-controlled trial. *Int J Food Sci Nutr.* 2013 Feb;64(1):7-15.
  19. Lupattelli G, Marchesi S, Lombardini R, Roscini AR, Trinca F, Gemelli F, et al. Artichoke juice improves endothelial function in hyperlipemia. *Life Sci.* 2004;76(7):775-82.
  20. Fallah Huseini F, Kianbakht S, Hest R. *Cynara scolymus* L. in treatment of hypercholesterolemic type 2 diabetic patients: a randomized double-blind placebo-controlled clinical trial. *J Med Plant.* 2012;11(41):1-8.
  21. Rondanelli M, Opizzi A, Faliva M, Sala P, Perna S, Riva A, et al. Metabolic management in overweight subjects with naive impaired fasting glycaemia by means

- of a highly standardized extract from *Cynara scolymus*: a double-blind, placebo-controlled, randomized clinical trial. *Phytother Res*. 2014 Jan;28(1):33-41.
22. Nazni P, Poongodi Vijayakumar T, Alagianambi P, Amirthaveni M. Hypoglycemic and hypolipidemic effect of *Cynara scolymus* among selected type 2 diabetic individuals. *Pak J Nutr*. 2006;5(2):147-51.
  23. Gebhardt R. Inhibition of cholesterol biosynthesis in primary cultured rat hepatocytes by artichoke (*Cynara scolymus* L.) extracts. *J Pharmacol Exp Ther*. 1998;286(3):1122-8.
  24. Petrowicz O, Gebhardt R, Donner M, Schwandt P, Kraft K. Effects of artichoke leaf extract (ALE) on lipoprotein metabolism *in vitro* and *in vivo*. *Atherosclerosis*. 1997;129(1):147.
  25. Wójcicki J. Effect of 1,5-dicaffeoylquinic acid on ethanol-induced hypertriglyceridemia. *Arzneimittel-Forschung*. 1976;26:2047-8.
  26. Rezazadeh K, Aliashrafi S, Asghari-Jafarabadi M, Ebrahimi-Mameghani M. Antioxidant response to artichoke leaf extract supplementation in metabolic syndrome: A double-blind placebo-controlled randomized clinical trial. *Clin Nutr*. 2018;37(3):790-6.
  27. Panahi Y, Kianpour P, Mohtashami R, Atkin SL, Butler AE, Jafari R, et al. Efficacy of artichoke leaf extract in non-alcoholic fatty liver disease: A pilot double-blind randomized controlled trial. *Phytother Res*. 2018;32(7):1382-87.
  28. Rangboo V, Noroozi M, Zavoshy R, Rezadoost SA, Mohammadpoorasl A. the effect of artichoke leaf extract on alanine aminotransferase and aspartate aminotransferase in the patients with nonalcoholic steatohepatitis. *Int J Hepatol*. 2016;2016:4030476.
  29. Skarpanska-Stejnborn A, Pilaczynska-Szczesniak L, Basta P, Deskur-Smielcka E, Horoszkiewicz-Hassan M. The influence of supplementation with artichoke (*Cynara scolymus* L.) extract on selected redox parameters in rowers. *Int J Sport Nutr Exerc Metab*. 2008;18(3):313-27.
  30. Roghani-Dehkordi F, Kamkhah AF. Artichoke leaf juice contains antihypertensive effect in patients with mild hypertension. *J Diet Suppl*. 2009;6(4):328-41.
  31. Bombardelli E, Gabetta B, Martinelli EM. Gas liquid chromatography and mass spectrometric Investigation on *Cynara scolymus* extracts. *Fitoterapia* 1977;48:143-52.

32. Preziosi P, Loscalzo B. Pharmacological properties of 1,4-dicaffeoylquinic acid, the active principle of *Cynara scolymus*. Arch Int Pharmacodyn. 1958;117:63-80.
33. Lietti A. Choleric and cholesterol lowering properties of two artichoke extracts. Fitoterapia 1977;48:153-58.
34. Meding B. Allergic contact dermatitis from Artichoke *Cynara scolymus*. Contact Dermatitis. 1983;9:314
35. Quirce S. Occupational contact urticaria syndrome caused by globe artichoke (*Cynara scolymus*). J Allergy Clin Immunol 1996;97:710-1
36. Romano C, Ferrara A, Falagiani P. A case of allergy to globe artichoke and other clinical cases of rare food allergy. J Allergol Clin Immunol. 2000;10:102-4.
37. Miralles JC, Garcia-Sells J, Bartolome B, Negro JM. Occupational rhinitis and bronchial asthma due to artichoke (*Cynara scolymus*). Ann Allergy Asthma Immunol. 2003; 91:92-5.