

## เอกสารอ้างอิง : พริกไทย 36(3)

1. Putalun W, De-Eknamkul W. Study on pepper oil content and composition of Sri Lankan and Sarawak cultivars grown in Thailand. *Thai J Pharm Sci.* 1992;16(2):151-63.
2. Buckle KA, Rathnawathie M, Brophy JJ. Compositional differences of black, green and white pepper (*Piper nigrum* L.) oil from three cultivars. *Int Food Sci Technol.* 1985;20(5): 599-613.
3. Ngo QT, Tran PT, Tran MH, Kim JA, Rho SS, Lim CH, et al. Alkaloids from *Piper nigrum* exhibit anti-inflammatory activity *via* activating the Nrf2/HO1 pathway. *Phytother Res.* 2017;31:663-70.
4. Liu HL, Luo R, Chen XQ, Ba YY, Zheng L, Guo WW. Identification and simultaneous quantification of five alkaloids in *Piper longum* L. by HPLC–ESI-MS<sup>n</sup> and UFLC–ESI-MS/MS and their application to *Piper nigrum* L. *Food Chem.* 2015;177:191-6.
5. Lee BM, Mai NTQ, Kim JA, Min BS. Alkaloids constituents from the fruits of *Piper nigrum* L. and their anti-inflammation activity. *Planta Med.* 2015;81:PX51.
6. Friedman M, Levin CE, Lee SU, Lee JS, Ohnisi-Kameyama M, Kozukue N. Analysis by HPLC and LC/MS of pungent piperamides in commercial black, white, green, and red whole and ground peppercorns. *J Agric Food Chem.* 2008;56:3028-36.
7. Miyakado M, Nakayama I, Ohno N, Hirosuke Y. Structure, chemistry and actions of the Piperaceae amides: new insecticidal constituents isolated from the pepper plant. *Curr Themes Trop Sci.* 1983;2:369-82.
8. Miyakado M, Nakayama I, Yoshioka H, Nobuji N. The Piperaceae amides. I. Structure of pipericide, a new insecticidal amide from *Piper nigrum* L. *Agric Biol Chem.* 1979;43(7): 1609-11.
9. Reddy SV, Srinivas PV, Praveen B, Kishore KH, Raju BC, Murthy US, Rao JM. Antibacterial constituents from the berries of *Piper nigrum*. *Phytomedicine.* 2004;11:697-700.
10. Nikolić M, Stojković D, Glamočlija J, Ćirić A, Marković T, Smiljković M, Soković M. Could essential oils of green and black pepper be used as food preservatives? *J Food Sci Technol.* 2015;52(10):6565-73.
11. บัณฑิตย์ ลิ้มปนชัยพรกุล. คุณสมบัติของสมุนไพรบางชนิดที่มีผลต่อการเจริญของเชื้อรา ที่เป็นสาเหตุของโรคผิวหนัง. *รวมบทความวิจัย การแพทย์แผนไทยและทิศทางการวิจัยในอนาคต, สถาบันการแพทย์แผนไทย.* 2543:146.
12. Bang JS, Oh DH, Choi HM, Sur BJ, Lim SJ, Kim JY, et al. Anti-inflammatory and antiarthritic effects of piperine in human interleukin 1 $\beta$ -stimulated fibroblast-like synoviocytes and in rat arthritis models. *Arthritis Res Ther.* 2009;11(2):R49.
13. Kottarapat J, Vijayasteltar BL, Umadevi NP, Kuttan R. Antioxidant, anti-inflammatory and antinociceptive properties of black pepper essential oil (*Piper nigrum* Linn). *J Essent Oil Bear Pl.* 2014;17(1):1-12.

14. Ou MC, Lee YF, Li CC, Wu SK. The effectiveness of essential oils for patients with neck pain: a randomized controlled study. *J Altern Complement Med.* 2014;20(10):771-9.
15. Siddiqui BS, Gulzar T, Mahmood A, Begum S, Bushra K, Afshan F. New insecticidal amides from petroleum ether extract of dried *Piper nigrum* L. whole fruits. *Chem Pharm Bull.* 2004;52(11):1349-52.
16. Devi KC, Devi SS. Insecticidal and oviposition deterrent properties of some spices against coleopteran beetle, *Sitophilus oryzae*. *J Food Sci Technol.* 2013; 50(3):600-4.
17. Dang QT, Phan NN. Optimization of supercritical CO<sub>2</sub> extraction of oleoresin from black pepper (*Piper nigrum* L.) and antioxidant capacity of the oleoresin. *Int Food Res J.* 2014; 21(4):1489-93.
18. Bagheri H, Manap MYBA, Solati Z. Antioxidant activity of *Piper nigrum* L. essential oil extracted by supercritical CO<sub>2</sub> extraction and hydro-distillation. *Talanta.* 2014;121:220-8.
19. Do MT, Kim HG, Choi JH, Khanal T, Park BH, Tran TP, et al. Antitumor efficacy of piperine in the treatment of human HER2-overexpressing breast cancer cells. *Food Chem.* 2013; 141:2591-9.
20. Gunasekaran V, Elangovan K, Devaraj SN. Targeting hepatocellular carcinoma with piperine by radical-mediated mitochondrial pathway of apoptosis: An *in vitro* and *in vivo* study. *Food Chem Toxicol.* 2017;105:106-18.
21. Usia T, Iwata H, Hiratsuka A, Watabe T, Kadota S, Tezuka Y. CYP3A4 and CYP2D6 inhibitory activities of Indonesian medicinal plants. *Phytomedicine.* 2006, 13:67-73.
22. Subehan, Usia T, Iwata H, Kadota S, Tezuka Y. Mechanism-based inhibition of CYP3A4 and CYP2D6 by Indonesian medicinal plants. *J Ethnopharmacol.* 2006;105:449-55.
23. Kimura Y, Ito H, Hatano T. Effects of mace and nutmeg on human cytochrome P450 3A4 and 2C9 activity. *Biol Pharm Bull.* 2010;33(12):1977-82
24. Harwansh RK, Mukherjee K, Bhadra S, Kar A, Bahadur S, Mitra A, et al. Cytochrome P450 inhibitory potential and RP-HPLC standardization of trikatu-A Rasayana from Indian Ayurveda. *J Ethnopharmacol.* 2014;153:674-81.
25. Bhardwaj RK, Glaeser H, Becquemont L, Klotz U, Gupta SK, Fromm MF. Piperine, a major constituent of black pepper, inhibits human P-glycoprotein and CYP3A4. *J Pharmacol Exp Ther.* 2002;302:645-50.
26. Hu D, Wang Y, Chen Z, Ma Z, You Q, Zhang X, et al. The protective effect of piperine on dextran sulfate sodium induced inflammatory bowel disease and its relation with pregnane X receptor activation. *J Ethnopharmacol.* 2015:169:109-23.
27. Tsukamoto S, Cha BC, Ohta T. Dipiperamides A, B, and C: bis-alkaloids from the white pepper *Piper nigrum* inhibiting CYP3A4 activity. *Tetrahedron.* 2002;58:1667-71.
28. Tsukamoto S, Tomise K, Miyakawa K, Cha BC, Abe T, Hamada T, et al. CYP3A4 inhibitory activity of new bis-alkaloids, dipiperamides D and E, and cognates from white pepper. *Bioorg Med Chem.* 2002;10:2981-5.

29. Subehan, Usia T, Kadota S, Tezuka Y. Mechanism-based inhibition of human liver microsomal cytochrome P450 2D6 (CYP2D6) by alkaloids of *Piper nigrum*. *Planta Med.* 2006;72:527-32.
30. Wang J, Huang M, Hu H, Yu L, Zeng Su. Pregnane X receptor-mediated transcriptional activation of UDP-glucuronosyltransferase 1A1 by natural constituents from foods and herbs. *Food Chem.* 2014;164:74-80.
31. Kanno Y, Yatsu T, Li W, Koike K, Inouye Y. Nigramide C is a natural agonist of human pregnane x receptor. *Drug Metab Dispos.* 2014;42:1084-9.
32. Li S, Lei Y, Jia Y, Li N, Wink M, Ma Y. Piperine, a piperidine alkaloid from *Piper nigrum* re-sensitizes P-gp, MRP1 and BCRP dependent multidrug resistant cancer cells. *Phytomedicine.* 2011;19:83-7.
33. Mujumdar AM, Dhuley JN, Deshmukh VK, Naik SR. Effect of piperine on bioavailability of oxyphenylbutazone in rats. *Indian Drugs.* 1999;36(2):123-6.
34. Bedada SK, Boga PK, Kotakonda HK. Study on influence of piperine treatment on the pharmacokinetics of diclofenac in healthy volunteers. *Xenobiotica.* 2017;47(2):127-32.
35. Pooja S, Agrawal R, Nyati P, Savita V, Phadnis P. Analgesic activity of *Piper nigrum* extract per se and its interaction with diclofenac sodium and pentazocine in albino mice. *Internet J Pharmacol.* 2007;5(1)30.
36. Venkatesh S, Durga KD, Padmavathi Y, Reddy BM, Mullangi R. Influence of piperine on ibuprofen induced antinociception and its pharmacokinetics. *Drug Research.* 2011;61(9):506-9.
37. Gupta SK, Velpandian T, Sengupta S, Mathur P, Sapra P. Influence of piperine on nimesulide induced antinociception. *Phytother Res.* 1998;12:266-9.
38. Hiwale AR, Dhuley JN, Naik SR. Effect of co-administration of piperine on pharmacokinetics of beta-lactam antibiotics in rats. *Indian J Exp Biol.* 2002;40(3):277-81.
39. Janakiraman K, Manavalan R. Studies on effect of co-administration of Trikatu and its components on oral bioavailability of ampicillin and norfloxacin, in rabbits. *J Pharm Res.* 2009;2(1):27-30.
40. Janakiraman K, Manavalan R. Studies on effect of piperine on oral bioavailability of ampicillin and norfloxacin. *Afr J Trad Med.* 2008;5(3):257-62.
41. Balkrishna BS, Yogesh PV. Influence of co-administration of piperine on pharmacokinetic profile of ciprofloxacin. *Indian Drugs.* 2002;39(3):166-8.
42. Khan AI, Mirza MZ, Kumar A, Verma V, Qazi NG. Piperine, a phytochemical potentiator of ciprofloxacin against *Staphylococcus aureus*. *Antimicrob Agents Chemother.* 2006;50(2):810-2.
43. Singh A, Pawar VK, Jakhmola V, Parabiah MH, Awasthi R, Sharma G. *In-vivo* assessment of enhanced bioavailability of metronidazole with piperine in rabbits. *Res J Pharm Biol Chem Sci.* 2010;1(4):273-8.

44. Patel S, Devada S, Patel H, Patel N, Bhavsar S, Thaker A. Influence of co-administration of piperine on pharmacokinetic profile of gatifloxacin in layer birds. *Global Veterinaria*. 2011;7:427-32.
45. Devada SS, Patel SD, Patel HB, Patel NN, Bhavsar SK, Thaker AM. Bioenhancing activity of piperine on pharmacokinetics of gatifloxacin in broiler birds. *Inventi Impact: Planta Activa*. 2011;Inventi:ppa/10/11.
46. Karan RS, Bhargava VK, Garg SK. Effect of trikatu, an Ayurvedic prescription, on the pharmacokinetic profile of rifampicin in rabbits. *J Ethnopharmacol*. 1999;64:259-64.
47. Dama MS, Varshneya C, Dardi MS, Katoch VC. Effect of trikatu pretreatment on the pharmacokinetics of pefloxacin administered orally in mountain Gaddi goats. *J Vet Sci*. 2008;9(1):25-9.
48. Sama V, Nadipelli M, Yenumula P, Bommineni MR, Mullangi R. Effect of piperine on antihyperglycemic activity and pharmacokinetic profile of nateglinide. *Arzneimittelforschung*. 2012;62(8):384-8.
49. Veeresham C, Sujatha S, Rani TS. Effect of piperine on the pharmacokinetics and pharmacodynamics of glimepiride in normal and streptozotocin - induced diabetic rats. *Nat Prod Commun*. 2012;7(10):1283-6.
50. Pattanaik S, Hota D, Prabhakar S, Kharbanda P, Pandhi P. Effect of piperine on the steady-state pharmacokinetics of phenytoin in patients with epilepsy. *Phytother Res*. 2006;20:683-6.
51. Bano, G, Amla V, Raina RK, Zutshi U, Chopra CL. The effect of piperine on pharmacokinetics of phenytoin in healthy volunteers. *Planta Med*. 1987;53(6):568-9.
52. Velpandian T, Jasuja R, Bhardwaj RK, Jaiswal J, Gupta SK. Piperine in food: interference in the pharmacokinetics of phenytoin. *Eur J Drug Metab Pharmacokinet*. 2001;26(4):241-7.
53. Pattanaik S, Hota D, Prabhakar S, Kharbanda P, Pandhi P. Pharmacokinetic interaction of single dose of piperine with steady-state carbamazepine in epilepsy patients. *Phytother Res*. 2009;23(9):1281-6.
54. Mujumdar AM, Dhuley JN, Deshmukh VK, Raman PH, Thorat SL, Naik SR. Effect of piperine on bioavailability of pentobarbitone induced hypnosis in rats. *Indian J Exp Biol*. 1990;28:486-7.
55. Bano G, Raina RK, Zutshi U, Bedi KL, Johri RK, Sharma SC. Effect of piperine on bioavailability and pharmacokinetics of propranolol and theophylline in healthy volunteers. *Eur J Clin Pharmacol*. 1991;41(6):615-7.
56. Swathilatha R, Lakshmi PK. Effect of piperine, quercetin, polysorbate 80 on the oral bioavailability of losartan in male Wistar rats. *Pharma Nanotechnol*. 2014;2(1):49-55.

57. Dudhatra GB, Mody SK, Awale MM, Patel HB, Modi CM, Kumar A, et al. A comprehensive review on pharmacotherapeutics of herbal bioenhancers. *Sci World J.* 2012;Article ID 637953:33 pages.
58. Singh A, Chand S. Improved bioavailability of atenolol with piperine in rats. *Inter J Pharm Res.* 2011;3:88-91.
59. Bezerra DP, Castro FO, Alves APNN, Pessoa C, Moraes MO, Silveira ER, et al. *In vitro* and *in vivo* antitumor effect of 5-FU combined with piplartine and piperine. *J Appl Toxicol.* 2008;28:156-63.
60. Li C, Wang Q, Ren T, Zhang Y, Lam CWK, Chow MSS, et al. Non-linear pharmacokinetics of piperine and its herb-drug interactions with docetaxel in Sprague-dawley rats. *J Pharm Biomed Anal.* 2016;128:286-93.
61. Rezaee MM, Kazemi S, Kazemi MT, Gharooee S, Yazdani E, Gharooee H, et al. The effect of piperine on midazolam plasma concentration in healthy volunteers, a research on the CYP3A-involving metabolism. *DARU J Pharm Sci.* 2014;22:1-7.
62. Temeesak N, Kheokasem N, Phatcharawongsagorn N, Nontakulwiwat P, Boonmuang P, Santimaleeworagun W, et al. The effects of herbs or dietary supplements on international normalized ratio in warfarin users: a retrospective study at Phramongkutklo hospital. *Thai Pharm Health Sci J.* 2015;10(4):139-46.
63. Alhumayyd MS, Bukhari I, Almotrefi A. Effect of piperine, a major component of black pepper, on the pharmacokinetics of domperidone in rats. *J Physiol Pharmacol.* 2014; 65(6):785-9.
64. Atal S, Phadnis P, Vyas S, Gudsurkar G, Churihar R. Evaluation of the interaction of piperine with antidepressant sertraline and analgesic pentazocine, using different routes of administration in albino mice. *Asian J Pharm Clin Res.* 2016;9(1):193-7.
65. Boddupalli BM, Anisetti RN, Ramani R, Malothu N. Enhanced pharmacokinetics of omeprazole when formulated as gastroretentive microspheres along with piperine. *Asian Pac J Trop Dis.* 2014;4(Suppl1):S129-33.
66. Kasibhatta R, Naidu MU. Influence of piperine on the pharmacokinetics of nevirapine under fasting conditions: a randomised, crossover, placebo-controlled study. *Drugs R D.* 2007;8(6):383-91.
67. Jin MJ, Han HK. Effect of piperine, a major component of black pepper, on the intestinal absorption of fexofenadine and its implication on food–drug interaction. *J Food Sci.* 2010;75(3):H93-6.
68. Moghadamnia AA, Afraze E. The effect of piperine on the jumping induced by naloxone in morphine dependent mice. *Daru J Pharm Sci.* 2001;9(1&2):41-3