

Reference

(CLA ⁴ ~~pharmacological intervention~~)

1. Gregory S, Kelly ND. Conjugated linoleic acid : a review. *Altern Med Rev* 2001;6(4):367- 82.
2. West DB, Blohm FY, Truett AA, Delany JP. Conjugated linoleic acid persistently increases total energy expenditure in AKR/J mice without increasing uncoupling protein gene expression. *J Nutr* 2000;130:2471-7.
3. DeLany JP, Blohm F, Truett AA, et al. Conjugated linoleic acid rapidly reduces body fat content in mice without affecting energy intake. *Am J Physiol* 1999;276:R1172-9.
4. West DB, Delany JP, Camet PM, Blohm F, Truett AA. Scimeca J. Effect of conjugated linoleic acid on body fat and energy metabolism in the mouse. *Am J Physiol* 1998;275:R667-72.
5. Pariza M, Park Y, Albright K, Liu W. Conjugated linoleic acid (CLA) reduces body fat. *FASEB J* 1996;10:A3227.
6. Park Y, Albright KJ, Liu W, Storkson JM, Cook ME, Pariza MW. Effect of conjugated fatty acid on body composition in mice. *Lipids* 1997; 32:853-8.
7. Ryder JW, Portocarrero CP, Song XM, et al. Isomers-specific antidiabetic properties of conjugated linoleic acid: Improved glucose tolerance, skeletal muscle insulin action, and UCP-2 gene expression. *Diabetes* 2001;50:1149-57.
8. Terpstra AHM, Beynen AC, Everts H, Kocsis S, Katan MB, Zock PL. The decrease in body fat in mice fed conjugated linoleic acid is due to increases in energy expenditure and energy loss in excreta. *J Nutr* 2002;132:940-5.
9. Blankson H, Stakkestad JA, Fagertun H, Thom E, Wadstein J, Gudmundsen O. Conjugated linoleic acid reduces body fat mass in overweight and obese humans. *J Nutr* 2000;130:2943-8.
10. Riserus U, Berglund L, Vessby B. Conjugated linoleic acid (CLA) reduced abdominal adipose tissue in obese middle-aged men with signs of the metabolic syndrome : a randomised controlled trial. *International Journal of Obesity* 2001;25:1129-35.
11. Thom E, Wadstein J, Gudmundson O. Conjugated linoleic acid reduces body fat in healthy exercising humans. *J Int Med Res* 2001;29:392-6.
12. Kamphuis MMJW, Lejeune MPGM, Seris WHM, Westerterp-Plantinga MS. The effect of conjugated linoleic acid supplementation after weight loss on body weight regain, body composition, and resting metabolic rate in overweight subjects. *International Journal of Obesity* 2003;27:840-7.

13. Smedman A, Vessby B. Conjugated linoleic acids supplement in humans metabolic effects. *Lipids* 2001;36(8):773-81.
14. Malpuech-Brugere C, Verboeket-van de venne WPHG, Mensink RP, et al. Effects of two conjugated linoleic acid isomers on body fat mass in overweight humans. *Obesity Research* 2004;12:591-8.
15. Gaullier J-M, Halse J, Høye K, et al. Conjugated linoleic acid supplementation for 1 year reduces body fat mass in healthy overweight humans. *Am J Clin Nutr* 2004;79:118-250.
16. Pariza MW. Perspective on the safety and effectiveness of conjugated linoleic acid. *Am J Clin Nutr* 2004;79(suppl):1132S-6S.

เอกสารอ้างอิง (น้ำมันมะกอกกับภาวะหลอดเลือดแดงแข็งตัว)

1. สุรพันธ์ สิทธิสุข. โรคหัวใจขาดเลือด ใน ตำราอายุรศาสตร์ 2, วิทยา ศรีมาดา บรรณาธิการ. กรุงเทพฯ : โรงพิมพ์ยูนิดี พับลิเคชั่น : 172-97.
2. เกษนภา เตกาญจนวิช. Dylipidemia and atherosclerosis. ใน โรคต่อมไร้ท่อและเมตาบอลิซึม สำหรับเวชปฏิบัติทั่วไป, วิทยา ศรีมาดา บรรณาธิการ. กรุงเทพฯ: โรงพิมพ์ยูนิดี พับลิเคชั่น : 124-9.
3. นันทวัน บุญยะประภัศร อรุณช โศคชัยเจริญพร, บรรณาธิการ. สมุนไพรไม้พื้นบ้าน เล่ม 3. กรุงเทพฯ: บริษัทประชาชนจำกัด, 2541.
4. <http://thailabonline.com/aromaolive.htm> (accessed 16 December 2004)
5. <http://www.hormel.com/templates/knowledge/knowledge.asp?catitemid=41&id=406> (accessed 16 December 2004)
6. Haban P, Klvanova J, Zidekova E, Nagyova A. Dietary supplementation with olive oil leads to improved lipoprotein spectrum and lower n-6 PUFAs in elderly subjects. *Med Sci Monit* 2004;10(4):PI49-54.
7. Ahuja KD, Kunde D, Ball MJ. Effects of olive oil and tomato lycopene combination on heart disease risk factors. *Asia Pac J Clin Nutr* 2003;12(Suppl):S21.
8. Krzeminski R, Gorinstein S, Leontowicz H et al. Effect of different olive oils on bile excretion in rats fed cholesterol-containing and cholesterol-free diets. *J Agric Food Chem* 2003;51(19):5774-9.
9. Perona JS, Canizares J, Montero E, Sanchez-Dominguez JM, Ruiz-Gutierrez V. Plasma lipid modifications in elderly people after administration of two virgin olive oils of the same variety (*Olea europaea* var. *hojiblanca*) with different triacylglycerol composition. *Br J Nutr* 2003;89(6):819-26.
10. Quiles JL, Huertas JR, Ochoa JJ, Battino M, Mataix J, Manas M. Dietary fat (virgin olive oil or sunflower oil) and physical training interactions on blood lipids in the rat. *Nutrition* 2003;19(4):363-8
11. Xiao Y, Yan S, Wang J, Liang X. Effects of olive oil and fish oil on serum lipids and lipid peroxidation in rats. *Wei Sheng Yan Jiu* 2001;30(4):211-2.
12. Puiggros C, Chacon P, Armadans LI, Clapes J, Planas M. Effects of oleic-rich and omega-3-rich diets on serum lipid pattern and lipid oxidation in mildly hypercholesterolemic patients. *Clin Nutr* 2002;21(1):79-87.

13. Mangas-Cruz MA, Fernandez-Moyano A, Albi T, et al. Effects of minor constituents (non-glyceride compounds) of virgin olive oil on plasma lipid concentrations in male Wistar rats. *Clin Nutr* 2001;20(3):211-5.
14. Tuck KL, Hayball PJ. Major phenolic compounds in olive oil : metabolism and health effect. *J Nutr Biochem* 2002;13(11):636 -44
15. Andrikopoulos NK, Kaliora AC, Assimopoulou AN, Papageorgiou VP. Inhibitory activity of minor polyphenolic and nonpolyphenolic constituents of olive oil against in vitro low-density lipoprotein oxidation. *J Med Food* 2002;5(1):1-7.
16. Wiseman SA, Mathot JN, de Fouw NJ, Tilburg LB. Dietary non – tocopherol antioxidants present in extra virgin olive oil increase the resistance of low density lipoproteins to oxidation in rabbits. *Atherosclerosis* 1996;120(1-2):15-23.
17. Weinbrenner T, Fito M, Torre Rd Rde L, Saez GT, Rijken P, Tormos C, Coolen S, et al. Inhibitory activity of minor polyphenolic and nonpolyphenolic constituents of olive oil against in vitro low-density lipoprotein oxidation. *Nutr Metab Cardiovasc Dis* 2000;10(3):111-20.
18. Moreno JA, Lopez – Miranda J, Gomez P, Benkhalti F, El Boustani ES, Perez – Jimenez F. Effect of phenolic compounds of virgin olive oil on LDL oxidation resistance. *Med Clin (Barc)* 2003;120(4):128-31.
19. Carluccio MA, Siculella L, Ancora MA, Massaro M, Scoditti E, Storelli C, Visioli F, et al. Olive oil and red wine antioxidant polyphenols inhibit endothelial activation: antiatherogenic properties of Mediterranean diet phytochemicals. *Arterioscler Thromb Vasc Biol* 2003;23(4):622-9.
20. De la Torre R. Effect of differing phenolic content in dietary olive oils on lipids and LDL oxidation a randomized controlled trial. *Eur J Nutr* 2004;43:140-47.
21. Aguilera CM, Mesa MD, Ramirez – Tortosa MC, Quiles JL, Gil A. Virgin olive and fish oils enhance the hepatic antioxidant defence system in atherosclerotic rabbits. *Clin Nutr* 2003;22(4):379-84
22. Manna C, D' Angelo S, Migliardi V, Loffedi E, Mazzoni O, Morrica P, Galletti P, et al. Protective effect of the phenolic fraction from virgin olive oils against oxidative stress in human cells. *J Agric Food Chem* 2002;50(22):6521-6.
23. Yvonne OD, Fathi D, Pham MCD, Carole E, Marie-Anne GP, Catherine P, Jamel EB. Antioxidant effect of hydroxytyrosol, a polyphenol from olive oil: scavenging of hydrogen

peroxide but not superoxide anion produce by human neutrophils. *Biochemical Pharmacology* 2004;68:2003-8.

24. Manna C, Morrica P, Cucciolla V, Mopntedoro G, Zappia V. Olive oil hydroxytyrosol protects human erythrocytes against oxidative damages. *J Nutr Biochem* 1999;10(3):159-65.
25. Masella R, Vari R, D' Archivio M, Di BR, Matarrese P, Malorni W, Scazzocchio B, et al. Extra virgin olive oil biophenols inhibit cell – mediated oxidation of LDL by increasing the mRNA transcription of glutathione-related enzymes. *J Nutr* 2004;134(4):785–91.
26. Nagyova A, Haban P, Klvano J, Kadrabova J. Effects of dietary extra virgin olive oil on serum lipid resistance to oxidation and fatty acid composition in elderly lipidemic patients. *Bratisl Lek Listy* 2003;104(7-8):218–21.
27. Manna C, Migliardi V, Golino P, Scognamiglio A, Galletti P, chiariello M, Zappia V. Oleuropein prevents oxidative myocardial injury induced by ischemia and reperfusion. *J Nutr Biochem* 2004;15(8):461–6.
28. Visioli F, Caruso D, Grande S, Bosisio R, Villa M, Galli G, Sirtori C, et al. Virgin olive oil study (VOLOS) : vasoprotective potential of extra virgin olive oil in mildly dyslipidemic patients. *Eur J Nutr* 2004;6:1–7.
29. Gomez-Alonso S, Fregapane G, Salvador MD, Gordon MH. Changes in phenolic composition and antioxidant activity of virgin olive oil during frying. *J Aric Food Chem* 2003;51(3):667–72.