

## เอกสารอ้างอิง Gac ผลไม้สีแดงของเวียดนาม

1. Do LT. Medicinal plants of Viet-Nam. Hanoi, Vietnam: Science and Technology Publishing. 1981.
2. Rahman MM, Washed MA, Ali MA.  $\beta$ -carotene losses during different methods of cooking green leafy vegetables in Bangladesh. J Food Comp Anal 1990;3:47-53.
3. Vuong LT, Dueker SR, Murphy SP. Plasma  $\beta$ -carotene and retinol concentrations in children increase after a 30-d supplementation with the fruit *Momordica cochinchinensis* (gac). Am J Clin Nutr 2002;75:872-9.
4. Aoki H, Kien NTM, Kuze N, Tomisaka K, Chuyen NY. Carotenoid pigments in GAC fruit (*Momordica cochinchinensis* SPRENG). Biosci Biotechnol Biochem 2002;66(11):2479-82.
5. West CE, Poortvliet EJ. The carotenoid content of foods with special reference to developing countries. USAID-VITAL, Washington, DC, 1993.
6. Vuong LT, King JC. A method of preserving and testing the acceptability of gac fruit oil, a good source of beta-carotene and essential fatty acids. Food Nutr Bull 2003;24(2):224-30.
7. Ishida BK, Turner C, Chapman MH, McKeon TA. Fatty acid and carotenoid composition of Gac (*Momordica cochinchinensis* Spreng) fruit. J Agri Food Chem 2004;52:274-9.
8. Kan LD, Hu Q, Chao ZM, Song X, Cao XL. Chemical constituents of unsaponifiable matter from seed oil of *Momordica cochinchinensis*. Zhongguo Zhong Yao Za Zhi 2006;31(7):1441-4.
9. Hernandez J-F, Gagnon J, Chiche L, Nguyen TM, Andrieu J-P, Heitz A, Hong TT, Pham TTC, Nguyen DL. Squash trypsin inhibitors from *Momordica cochinchinensis* exhibit an atypical macrocyclic structure. Biochem 2000;39:5722-30.
10. Felizmenio-Quimio ME, Daly NL, Craik DJ. Circular proteins in plants. J Biol Chem 2001;276(25):22875-82.
11. Heitz A, Hernandez J-F, Gagnon J, Hong TT, Pham TTC, Nguyen TM, Le-Nguyen D, Chiche L. Solution structure of the squash trypsin inhibitor MCoTI-II. A new family for cyclic knottins. Biochem 2001;40:7973-83.
12. Wong RCH, Fong WP, Ng TB. Multiple trypsin inhibitors from *Momordica cochinchinensis* seeds, the Chinese drug mubiezhi. Peptides 2004;25:163-9.
13. Stirpe F. Ribosome-inactivating proteins. Toxicon 2004;44:371-83.
14. Chuethong J, Oda K, Sakurai H, Saiki I, Leelamanit W. Cochinin B, a novel ribosome-inactivating protein from the seeds of *Momordica cochinchinensis*. Biol Pharm Bull 2007;30(3):428-32.
15. Tsoi AY, Wong RC, Ng TB, Fong WP. First report on a potato I family chymotrypsin inhibitor from the seeds of a Cucurbitaceous plant, *Momordica cochinchinensis*. Biol Chem 2004;385(2):185-9.
16. Tien PG, Kayama F, Konishi F, Tamemoto H, Kasano K, Hung NT, Kuroki M, Ishikawa SE, Van CN, Kawakami M. Inhibition of tumor growth and

- angiogenesis by water extract of Gac fruit (*Momordica cochinchinensis* Spreng).  
Int J Oncol 2005;26(4):881-9.
17. Tsoi AY, Ng TB, Fong WP. Antioxidative effect of a chymotrypsin inhibitor from *Momordica cochinchinensis* (Cucurbitaceae) seeds in a primary rat hepatocyte culture. J Pept Sci 2005;11(10):665-8.
  18. Tsoi AY, Ng TB, Fong WP. Immunomodulatory activity of a chymotrypsin inhibitor from *Momordica cochinchinensis* seeds. J Pept Sci 2006;12(9):605-11.
  19. Hong CH, Hur SK, Oh O-J, Kim SS, Nam KA, Lee SK. Evaluation of natural products on inhibition of inducible cyclooxygenase (COX-2) and nitric oxide synthase (iNOS) in cultured mouse macrophage cells. J Ethnopharmacol 2002;83:153-9.
  20. Nguyen-Pouplin J, Tran H, Tran H, Phan TA, Dolecek C, Farrar J, Tran TH, Caron P, Bodo B, Grellier P. Antimalarial and cytotoxic activities of ethnopharmacologically selected medicinal plants from south Vietnam. J Ethnopharmacol 2007;109:417-27.

## เอกสารอ้างอิง Sage

1. Gruenwald J, Brendler T, Jaenicke C (eds.). PDR for Herbal Medicines. New Jersey: Medical economics company, 2000.
2. Blumenthal M (eds.). Herbal medicine expanded commission E monographs. Newton: Integrative Medicine Communications, 2000.
3. Bone K. A Clinical guide to blending liquid herbs. Missouri: Churchill Livingstone, 2003.
4. D' Amelio FS. Botanicals : A phytocosmetic desk reference. New York: CRC Press LLC, 1999.
5. De Leo V, Lanzetta D, Cazzavacca R, Morgante G. Treatment of neurovegetative menopausal symptoms with a phytotherapeutic agent. *Minerva Ginecol* 1998;50(5):207-11.
6. Dos Santos-Neto LL, de Vilhena Toledo MA, Medeiros-Souza P, de Souza GA. The use of herbal medicine in Alzheimer's disease-a systematic review. *Evid Based Complement Alternat Med*. 2006;3(4):441-5.
7. Delamare APL, Moschen-Pistorello IT, Artico L, Atti-Serafini L, Echeverrigaray S. Antibacterial activity of the essential oil of *Salvia officinalis* L. and *Salvia triloba* L. cultivated in South Brazil. *Food chemistry* 2007;100:603-8.
8. Pinto E, Salgueiro LR, Cavaleiro C, Palmeira A, Goncalves MJ. In vitro susceptibility of some species of yeasts and filamentous fungi to essential oils of *Salvia officinalis*. *Industrial Crops and Products* 2007;26:135-41.
9. Hohmann J, Zupko I, Redei D, Csanyi M, Falkay G, Mathe I, Janicsak G. Protective effects of the aerial parts of *Salvia officinalis*, *Melissa Officinalis* and *Lavandula angustifolia* and their constituents against enzyme-dependent and enzyme-independent lipid peroxidation. *Planta Med* 1999;65(6):576-8.
10. Wang M, Shao Y, Li J, Zhu N, Rangarajan M, LaVoie EJ, Ho C-H. Antioxidative phenolic glycosides from Sage (*Salvia officinalis*). *J Nat Prod* 1999;62:454-6.
11. Lima CF, Valentao PCR, Andrade PB, Seabra RM, Fernandes-Ferreira M, Pereira-Wilson C. Water and methanolic extracts of *Salvia officinalis* protect HepG2 cells from t-BHP induced oxidative damage. *Chemico-Biological Interactions* 2007;167:107-15.
12. Lima CF, Andrade PB, Seabra RM, Fernandes-Ferreira M, Pereira-Wilson C. The drinking of a *Salvia officinalis* infusion improves liver antioxidant status in mice and rats. *J Ethnopharmacol* 2005;28;97(2):383-9.

13. Grzegorzczak I, Matkowski A, Wysokinska H. Antioxidant activity of extracts from in vitro cultures of *Salvia officinalis* L. *Food chemistry* 2007;104:536-41.
14. Lu Y, Yeap Foo L. Salvianolic acid L, a potent phenolic antioxidant from *Salvia officinalis*. *Tetrahedron Letters* 2001;42:8223-5.
15. Capek P, Hribalova V, Svandova E, Ebringerova A, Sasinkova V, Masarova J. Characterization of immunomodulatory polysaccharides from *Salvia officinalis* L. *Int J Biol Macromol* 2003;33(1-3):113-9.
16. Capek P, Vera H. Water-soluble polysaccharides from *Salvia officinalis* L. possessing immunomodulatory activity. *Phytochemistry* 2004;65:1983-92.
17. Vukovic-Gacic B, Nikcevic S, Beric-Bjedov T, Knezevic-Vukcevic J, Simic D. Antimutagenic effect of essential oil of Sage (*Salvia officinalis* L.) and its monoterpenes against UV-induced mutations in *Escherichia coli* and *Saccharomyces cerevisiae*. *Food Chem Toxicol* 2006;44(10):1730-8.
18. Simic D, Vukovic-Gacic B, Knezevic-Vukcevic J, Jankov RM. Antimutagenic activity of plant extracts. I. Effect of terpenoids from Sage (*Salvia officinalis* L.). *Mutation Research* 1996;360:269.
19. Vukovic-Gacic B, Knezevic-Vukcevic J, Jankov RM, Simic D. Antimutagenic activity of plant extracts. II. Bioantimutagenic effect of various fractions of cultivated Sage (*Salvia officinalis* L.). *Mutation Research* 1996;360:270.
20. Tminic S, Knezevic-Vukcevic J, Vukovic-Gacic B, Jankov RM, Simic D. Antimutagenic activity of plant extracts. III. Antioxidants from Sage (*Salvia officinalis* L.). *Mutation Research* 1996;360:269.
21. Ninomiya K, Matsuda H, Shimoda H, et al. Carnosic acid, a new class of lipid absorption inhibitor from Sage. *Bioorg Med Chem Lett* 2004;14(8):1943-6.
22. Todorov S, Philianos S, Petkov V, Harvala C, Zamfirova R, Olimpiou H. Experimental pharmacological study of three species from genus *Salvia*. *Acta physiologica et pharmacologica Bulgarica* 1984;10(2):13-20.
23. Perry N, Court G, Bidet N, Court J, Perry E. European herbs with cholinergic activities: potential in dementia therapy. *Int J Geriatr Psychiatry* 1996;11(12):1063-9.
24. Rutherford DM, Nielsen MP, Hansen SK, Witt MR, Bergendorff O, Sterner O. Isolation and identification from *Salvia officinalis* of two diterpenes which inhibit t-butylbicyclophosphoro[35S]thionate binding to chloride channel of rat cerebrocortical membranes in vitro. *Neurosci Lett* 1992;135(2):224-6.

25. Bailly F, Queffelec C, Mbemba G, Mouscadet JF, Cotelle P. Synthesis and HIV-1 integrase inhibitory activities of caffeic acid dimers derived from *Salvia officinalis*. *Bioorg Med Chem Lett* 2005;15(22):5053-6.
26. Lima CF, Carvalho F, Fernandes E, Bastos ML, Santos-Gomes PC, Fernandes-Ferreira M, Pereira-Wilson C. Evaluation of toxic/protective effects of the essential oil of *Salvia officinalis* on freshly isolated rat hepatocytes. *Toxicol In Vitro* 2004;18(4):457-65.
27. Lima CF, Fernandes-Ferreira M, Pereira-Wilson C. Drinking of *Salvia officinalis* tea increases CCl<sub>4</sub>-induced hepatotoxicity in mice. *Food Chem Toxicol* 2007;45(3):456-64.

## เอกสารอ้างอิง ประโยชน์ของสมุนไพรตำรับตรีผลาต่อสุขภาพ

1. Council of Scientific & Industrial Research. The wealth of India: A Dictionary of Raw material and Industrial products Vol. III. Calcutta: United Press 1952: 236 pp.
2. Naik GH, Priyadarsini KI, Bhagirathi RG, Mishra B, Mishra KP, Banavalikar MM, Mohan H, In vitro antioxidant studies and free radical reactions of triphala, an ayurvedic formulation and its constituents. *Phytother Res* 2005;19(7):582-6.a
3. Naik GH, Priyadarsini KI, Mohan H, Evaluation of antioxidant activity and phytochemical analysis of Triphala. *Founder's Day Special Issue* 2005; 76-78.b
4. Tillotson A, Khalsa KPS, Caldecott T. Triphala. *Canadian Journal of Herbalism* 2001;22(2):16-44.
5. Mekheree PK *et al*, Clinical study of Triphala-A well known phytomedicine in India, *Iranian Journal of Pharmacology and Therapeutics* 2006 5(1):1-4
6. Naik GH, Priyadarsini KI, Mohan H, Free radical scavenging reactions and phytochemical analysis of Triphala , an ayurvedic formulation. *Current Science* 2006; 90(8):1100-1105.
7. Jagetia GC, Balica MS, Malagi KJ, Sethukumar Kamath, The evaluation of the radioprotective effect of Triphala (An ayurvedic rejuvenating drug) in the mice exposed to gamma radiation. *Phytomedicine* 2002; 9: 99-108.
8. Jagetia GC, Malagi KJ, Baliga MS, Venkatesh P, Veruva RR. Triphala, an ayurvedic rasayana drug, protects mice against radiation-induced lethality by free-radical scavenging. *J Altern Complement Med* 2004;10(6):971-8.
9. Jagetia GC, Rao SK, Baliga MS, S Babu K. The evaluation of nitric oxide scavenging activity of certain herbal formulations in vitro: a preliminary study. *Phytother Res* 2004;18(7):561-5.
10. Deep G, Dhiman M, Rao AR, Kale RK. Chemopreventive potential of Triphala (a composite Indian drug) on benzo(a)pyrene induced forestomach tumorigenesis in murine tumor model system. *J Exp Clin Cancer Res* 2005;24(4):555-63.
11. Srikumar R, Parthasarathy NJ, Sheela Devi R. Immunomodulatory effect of Triphala on neutrophil functions. *Biol Pharm Bull* 2005;28 (8):1398-1403.

12. Srikumar R, Parthasarathy NJ, Manikandan S, Narayanan GS, Sheela Devi R. Effect of Triphala on oxidative stress and on cell-mediated immune response against noise stress in rats. *Mol Cell Biochem* 2006;283(1-2):67-74.
13. Sabu MC, Kuttan R, Anti-diabetic activity of medicinal plants and its relationship with their antioxidant property. *J Ethnopharmacol* 2002 ;81(2):155-60.
14. Kaur S, Arora S, Kaur K and Kumar S, The in vitro antimutagenicity of Triphala- An Indian herbal drug. *Food and Chemical Toxicology* 2002; 40:527-534.
15. Kaur S, Michael H, Arora S, Harkonen PL, Kumar S. The in vitro cytotoxic and apoptotic activity of Triphala- an Indian herbal drug. *J Ethnopharmacol* 2005;97(1):15-20.
16. Sandhya T, Lathika KM, Pandey BN, Bhilwade HN, Mishra KP, Potential of traditional Ayurvedic formulation, Triphala, as a novel anticancer drug. *Cancer Lett* 2006; 231:206-14.
17. Sandhya T, Mishra KP. Cytotoxic response of breast cancer cell lines MCF-7 and T 47 D to Triphala and its modification by antioxidants. *Cancer Lett* 2006;238(2):304-13.