

เอกสารอ้างอิงการดื่มกาแฟกับสุขภาพ จุลสาร 30(4)

1. Th.wikipedia.org [homepage on the Internet]. กาแฟ [updated 2013 Jun 14; cited 2013 Jun 16]. Available from: <http://th.wikipedia.org/wiki/กาแฟ>
2. Sites.google.com [homepage on the Internet]. การปลูกกาแฟ [cited 2013 Jun 16]. Available from: <https://sites.google.com/site/library2u/witthy-thekhnoloyi/kar-pluk-kafae-2>
3. Th.wikipedia.org [homepage on the Internet]. คาเฟอีน [updated 2013 May 25; cited 2013 Jun 16]. Available from: <http://th.wikipedia.org/wiki/คาเฟอีน>
4. Siamhealth.net [homepage on the Internet]. กาแฟ [cited 2013 Jun 16]. Available from: http://www.siamhealth.net/public_html/environment/coffee/index.htm
5. Khaliq S, Haider S, Naqvi F, et al., Altered brain serotonergic neurotransmission following caffeine withdrawal produces behavioral deficits in rats. Pak J Pharm Sci. 2012; 25(1): 21-5.
6. Gilbert R. Caffeine The Most Popular Stimulant (The encyclopedia of psychoactive drugs). 1st ed. London: Burke Publishing Company Limited; 1988.
7. สุพรรณิการ์ กิจสวัสดิ์ไพบูลย์. คาเฟอีนเครื่องดื่มใกล้ตัว. [cited 2013 Jun 16]. Available from: http://www.pharmacy.cmu.ac.th/dic/newsletter/newpdf/newsletter10_4/caffeine.pdf
8. En.wikipedia.org [homepage on the Internet]. Cafestol [updated 2013 Feb 25; cited 2013 Jun 16]. Available from: <http://en.wikipedia.org/wiki/Cafestol>
9. En.wikipedia.org [homepage on the Internet]. Kahweol [updated 2013 Mar 19; cited 2013 Jun 16]. Available from: <http://en.wikipedia.org/wiki/Kahweol>
10. Food-info.net [homepage on the Internet]. Kahweol and Cafestol [updated 2013 May 13; cited 2013 Jun 16]. Available from: <http://www.food-info.net/uk/products/coffee/kahweol.htm>
11. จิตระพี บัวผัน และ วลัยลักษณ์ เหลืองวิเศษกุล. วิวาทะกาแฟ. [updated 2003 Feb 4; cited 2013 Jun 16]. Available from: http://www.elib-online.com/doctors46/food_coffee001.html
12. Higdon JV and Frei B. Coffee and health: a review of recent human research. Crit Rev Food Sci Nutr. 2006; 46(2): 101-23.
13. อวยพร อภิรักษ์อร่ามวง. การบริโภคกาแฟกับความเสี่ยงต่อเบาหวานชนิดที่ 2. วารสารไทยโภชนาการ (ฉบับ-ออนไลน์). 2548; 2(4): 11-21.
14. Van Dam RM and Feskens EJ. Coffee consumption and risk of type 2 diabetes mellitus. Lancet. 2002; 360: 1477-8.

15. Rosenggren A, Dotevall A, Wilhelmsen L, et al. Coffee and incidence of diabetes in Swedish women: a prospective 18-year follow-up study. *J Intern Med.* 2004; 255(1): 89-95
16. Carlsson S, Hammar N, Grill V, et al. Coffee consumption and risk of type 2 diabetes in Finnish twins. *Int J Epidemiol.* 2004; 33(3): 616-7.
17. Tuomilehto J, Hu G, Bidel S, et al. Coffee consumption and risk of type 2 diabetes mellitus among middle-aged Finnish men and women. *JAMA.* 2004; 291(10): 1213-9.
18. Salazar-Martinez E, Willett WC, Ascherio A, et al. Coffee consumption and risk for type 2 diabetes mellitus. *Ann Intern Med.*; 140(1): 1-8.
19. Oba S, Nagata C, Nakamura K, et al. Consumption of coffee, green tea, oolong tea, black tea, chocolate snacks and the caffeine content in relation to risk of diabetes in Japanese men and women. *Br J Nutr.* 2010; 103(3): 453-9.
20. Saremi A, Tulloch Reid M, and Knowler WC. Coffee consumption and the incidence of type 2 diabetes *Diabetes Care.* 2003; 26(7): 2211-2.
21. van Dam RM, Dekker JM, Nijpels G, et al. Coffee consumption and incidence of impaired fasting glucose, impaired glucose tolerance, and type 2 diabetes: the Hoorn Study. *Diabetologia.* 2004; 47(12): 2152-9.
22. Reunonen A, Heliövaara M and Aho K. Coffee consumption and risk of type 2 diabetes mellitus. *Lancet.* 2003; 361: 702-3.
23. Ross GW, Abbott RD, Petrovitch H, et al. Association of coffee and caffeine intake with the risk of Parkinson disease. *JAMA.* 2000; 283(20): 2674-9.
24. Ascherio A, Zhang SM, Hernán MA, et al. Prospective study of caffeine consumption and risk of Parkinson's disease in men and women. *Ann Neurol.* 2001; 50(1): 56-63.
25. Ascherio A, Chen H, Schwarzschild MA, et al. Caffeine, postmenopausal estrogen, and risk of Parkinson's disease. *Neurology.* 2003; 60(5): 790-5.
26. Eskelinen MH, Ngandu T, Tuomilehto J, et al. Midlife coffee and tea drinking and the risk of late-life dementia: a population-based CAIDE study. *J Alzheimers Dis.* 2009; 16(1): 85-91.
27. Giovannucci E. Meta-analysis of coffee consumption and risk of colorectal cancer. *Am J Epidemiol.* 1998; 147(11): 1043-52.

28. Naganuma T, Kuriyama S, Akhter M, et al. Coffee consumption and the risk of colorectal cancer: A prospective cohort study in Japan. *Int J Cancer*. 2007; 120: 1542-7.
29. Je Y, Liu W, and Giovannucci E. Coffee consumption and risk of colorectal cancer: a systematic review and meta-analysis of prospective cohort studies. *Int J Cancer*. 2009; 124(7): 1662-8.
30. Nkondjock A. Coffee consumption and the risk of cancer: an overview. *Cancer Lett*. 2009; 277(2): 121-5.
31. Ganmaa D, Willett WC, Li TY, et al. Coffee, tea, caffeine and risk of breast cancer: a 22-year follow-up. *Int J Cancer*. 2008; 122(9): 2071-6.
32. Vatten LJ, Solvoll K, and Løken EB. Coffee consumption and the risk of breast cancer. A prospective study of 14,593 Norwegian women. *Br J Cancer*. 1990; 62(2): 267-70.
33. Nkondjock A, Ghadirian P, Kotsopoulos J, et al. Coffee consumption and breast cancer risk among BRCA1 and BRCA2 mutation carriers. *Int J Cancer*. 2006; 118(1): 103-7.
34. Tang N, Zhou B, Wang B, et al. Coffee consumption and risk of breast cancer: a metaanalysis. *Am J Obstet Gynecol*. 2009; 200(3): 290.e1-9.
35. Bhoo Pathy N, Peeters P, van Gils C, et al. Coffee and tea intake and risk of breast cancer. *Breast Cancer Res Treat*. 2010; 121(2): 461-7.
36. Jordan SJ, Purdie DM, Green AC, et al. Coffee, tea and caffeine and risk of epithelial ovarian cancer. *Cancer Causes Control*. 2004; 15(4): 359-65.
37. Larsson SC and Wolk A. Coffee consumption is not associated with ovarian cancer incidence. *Cancer Epidemiol Biomarkers Prev*. 2005; 14(9): 2273-4.
38. Baker JA, Boakye K, McCann SE, et al. Consumption of black tea or coffee and risk of ovarian cancer. *Int J Gynecol Cancer*. 2007; 17(1): 50-4.
39. Bravi F, Bosetti C, Tavani A, et al. Coffee drinking and hepatocellular carcinoma risk: a meta-analysis. *Hepatology*. 2007; 46(2): 430-5.
40. Larsson SC and Wolk A. Coffee consumption and risk of liver cancer: a meta-analysis. *Gastroenterology*. 2007; 132(5) :1740-5.
41. Wakai K, Kurozawa Y, Shibata A, et al. Liver cancer risk, coffee, and hepatitis C virus infection: a nested case-control study in Japan. *Br J Cancer*. 2007; 97(3) :426-8.

42. Montella M, Polesel J, La Vecchia C, et al. Coffee and tea consumption and risk of hepatocellular carcinoma in Italy. *Int J Cancer*. 2007; 120(7): 1555-9.
43. Greenland S. A meta-analysis of coffee, myocardial infarction, and coronary death. *Epidemiology*. 1993; 4(4) :366-74.
44. Kawachi I, Colditz GA, and Stone CB. Does coffee drinking increase the risk of coronary heart disease? Results from a meta-analysis. *Br Heart J*. 1994; 72(3): 269-75.
45. Hammar N, Andersson T, Alfredsson L, et al. Association of boiled and filtered coffee with incidence of first nonfatal myocardial infarction: the SHEEP and the VHEEP study. *J Intern Med*. 2003; 253(6): 653-9.
46. Palmer JR, Rosenberg L, Rao RS, et al. Coffee consumption and myocardial infarction in women. *Am J Epidemiol*. 1995; 141(8): 724-31.
47. Tavani A, Bertuzzi M, Negri E, et al. Alcohol, smoking, coffee and risk of non-fatal acute myocardial infarction in Italy. *Eur J Epidemiol*. 2001; 17(12): 1131-7.
48. Sesso HD, Gaziano JM, Buring JE, et al. Coffee and tea intake and the risk of myocardial infarction. *Am J Epidemiol*. 1999; 149(2): 162-7.
49. Tavani A, Bertuzzi M, Gallus S, et al. Risk factors for non-fatal acute myocardial infarction in Italian women. *Prev Med*. 2004; 39(1): 128-34.
50. Myers MG, and Basinski A. Coffee and Coronary Heart Disease. *Arch Intern Med*. 1992; 152(9): 1767-72.
51. Stensvold I, Tverdal A, and Jacobsen BK. Cohort study of coffee intake and death from coronary heart disease over 12 years. *BMJ*. 1996; 312(7030): 544-5.
52. สุภัทรา ช่างฉ่ำ. กาแฟกับคอเลสเตอรอล. *จุลสารข้อมูลสมุนไพร*. 2547; 22(1): 11-7.
53. Nurminen ML, Niittynen L, Korpela R, et al. Coffee, caffeine and blood pressure: a critical review. *Eur J Clin Nutr*. 1999; 53(11): 831-9.
54. Jee SH, He J, Whelton PK, et al. The Effect of Chronic Coffee Drinking on Blood Pressure: A Meta-Analysis of Controlled Clinical Trials. *Hypertension*. 1999; 33: 647-52.
55. Noordzij M, Uiterwaal CS, Arends LR, et al. Blood pressure response to chronic intake of coffee and caffeine: a meta-analysis of randomized controlled trials. *J Hypertens*. 2005; 23(5): 921-8.

56. Klag MJ, Wang NY, Meoni LA, et al. Coffee intake and risk of hypertension: the Johns Hopkins precursors study. *Arch Intern Med.* 2002; 162(6): 657-62.
57. Palatini P, Dorigatti F, Santonastaso M, et al. Association between coffee consumption and risk of hypertension. *Ann Med.* 2007; 39(7): 545-53.
58. Hakim AA, Ross GW, Curb JD, et al. Coffee consumption in hypertensive men in older middle-age and the risk of stroke: the Honolulu Heart Program. *J Clin Epidemiol.* 1998; 51(6): 487-94.
59. Heaney RP. Effects of caffeine on bone and the calcium economy. *Food Chem Toxicol.* 2002; 40(9): 1263-70.
60. Rapuri PB, Gallagher JC, Kinyamu HK, et al. Caffeine intake increases the rate of bone loss in elderly women and interacts with vitamin D receptor genotypes. *Am J Clin Nutr.* 2001; 74(5): 694-700.
61. Tavani A, Negri E, and La Vecchia C. Coffee intake and risk of hip fracture in women in northern Italy. *Prev Med.* 1995; 24(4): 396-400.
62. Cumming RG and Klineberg RJ. Case-control study of risk factors for hip fractures in the elderly. *Am J Epidemiol.* 1994; 139(5): 493-503.
63. Huopio J, Kröger H, Honkanen R, et al. Risk factors for perimenopausal fractures: a prospective study. *Osteoporos Int.* 2000; 11(3): 219-27.
64. Fujiwara S, Kasagi F, Yamada M, et al. Risk factors for hip fracture in a Japanese cohort. *J Bone Miner Res.* 1997; 12(7): 998-1004.
65. Meyer HE, Pedersen JI, Løken EB, et al. Dietary factors and the incidence of hip fracture in middle-aged Norwegians. A prospective study. *Am J Epidemiol.* 1997; 145(2): 117-23.
66. Kiel DP, Felson DT, Hannan MT, et al. Caffeine and the risk of hip fracture: the Framingham Study. *Am J Epidemiol.* 1990; 132(4): 675-84.
67. Hernandez-Avila M, Colditz GA, Stampfer MJ, et al. Caffeine, moderate alcohol intake, and risk of fractures of the hip and forearm in middle-aged women. *Am J Clin Nutr.* 1991; 54(1): 157-63.
68. Cummings SR, Nevitt MC, Browner WS, et al. Risk factors for hip fracture in white women. Study of Osteoporotic Fractures Research Group. *N Engl J Med.* 1995; 332(12): 767-73.

69. Ruhl CE and Everhart JE. Coffee and caffeine consumption reduce the risk of elevated serum alanine aminotransferase activity in the United States. *Gastroenterology*. 2005; 128(1): 24-32.
70. Lucas M, Mirzaei F, Pan A, et al. Coffee, caffeine, and risk of depression among women. *Arch Intern Med*. 2011; 171(17): 1571-8.
71. Ruusunen A, Lehto SM, Tolmunen T, et al. Coffee, tea and caffeine intake and the risk of severe depression in middle-aged Finnish men: the Kuopio Ischaemic Heart Disease Risk Factor Study. *Public Health Nutr*. 2010; 13(8): 1215-20.