

เอกสารอ้างอิงกะลำพัก

1. The Forest Herbarium, Royal Forest Department. Thai Plant Names Tem Smitinand. Revised ed. Bangkok: Prachachon Co., 2001.
2. ชัยนันทน์ พิเชียรสุนทร แม่นมาส ชวลิต วิเชียร จีรวงศ์. คำอธิบายตำราพระโอสถพระนารายณ์. กรุงเทพมหานคร: สำนักพิมพ์อมรินทร์, 2542.
3. Sengupta P, Ghosh S. Isolation of taraxerol and epifriedelanol from *Euphorbia antiquorum*. Indian J Chem 1964; 2(7): 298.
4. Anjaneyulu V, Rao DN, Row LR. The triterpenoids of *Euphorbia antiquorum*. Curr Sci 1964; 33(19): 583-4.
5. Anjaneyulu V, Rao DN, Row LR. Crystalline constituents of Euphorbiaceae. VII. Triterpenes of *Euphorbia antiquorum*. J Indian Chem Soc 1967; 44(2): 123-6.
6. Min Z, Mizuno M, Tanaka T, Iinuma M, Xu G, Huang Q. A diterpene from *Euphorbia antiquorum*. Phytochemistry 1989; 28(2): 553-5.
7. Sang YS, Shi HM, Jia L, Liu XT, Min ZD. Chemical constituents of *Euphorbia antiquorum*. Zhongguo Tianran Yaowu 2005; 3(1): 31-3.
8. Banerji J, Chatterjee A, Saha M, Dhara KP, Kanrar S, Mukherjee P, Neuman A, Prange T. Reactions and rearrangements of triterpenoids. 3-epitaraxerol and its transformation products. Indian J Chem, Section B 1999; 38B(12): 1322-30.
9. Li Z, Yan J, Wang Y, Zhang L, Li L. Study on chemical constituents of *Euphorbia antiquorum*. Yunnan Minzu Daxue Xuebao, Ziran Kexueban 2006; 15(4): 313-4.
10. Anjaneyulu V, Ravi K. Triterpenoids from *Euphorbia antiquorum*. Phytochemistry 1989; 28(6): 1695-7.
11. Gotta H, Adolf W, Opferkuch HJ, Hecker E. On the active principles of the Euphorbiaceae, IX. Ingenane type diterpene esters from five *Euphorbia species*. Anorganische Chemie, Organische Chemie 1984; 39B (5): 683-94.
12. Min Z, Wu B, Zheng Q, Mizuno M, Iinuma M, Tanaka T. Revised structure of a diterpene from *Euphorbia antiquorum*. Phytochemistry 1990; 29(12): 3952-3.
13. Akihisa T, Wijeratne EMK, Tokuda H, Enjo F, Toriumi M, Kimura Y, Koike K, Nikaido T, Tezuka Y, Nishino H. Eupha-7,9(11),24-trien-3 β -ol ("Antiquol C") and other triterpenes from *Euphorbia antiquorum* latex and their inhibitory effects on Epstein-Barr virus activation. J Nat Prod 2002; 65(2): 158-62.
14. Gewali MB, Hattori M, Tezuka V, Kikuchi T, Namba T. Constituents of the latex of *Euphorbia antiquorum*. Phytochemistry 1990; 29(5): 1625-8.
15. Adolf W, Chanai S, Hecker E. 3-O-Angeloylingenol, the toxic and skin irritant factor from latex of *Euphorbia antiquorum* L. (Euphorbiaceae). J Sci Soc Thailand 1983; 9(2): 81-8.