

เอกสารอ้างอิง มะระ ความขม สยบ(เบา)หวาน

1. นันทวัน บุญยะประภัสร์ อรุณช โศภชัยเจริญพร, บรรณาธิการ. สมุนไพรไม้พุ่มบ้าน เล่ม 3. กรุงเทพฯ: ประชาชน จำกัด, 2542. 823 หน้า.
2. Mueller-Oerlinghausen B, Ngamwathana W, Kanchanapee P. Investigation into Thai medicinal plants said to cure diabetes. J Med Ass Thailand 1971;54:105-11.
3. Jain Sr, Sharma Sn. Hypoglycaemic drugs of Indian indigenous origin. Planta Med 1967;15(4):439-42.
4. Gray AM, Flatt PR. Nature's own pharmacy: the diabetes perspective. Proc Nutr Soc 1997;56(1B):507-17.
5. Akhtar MS. Hypoglycaemic activities of some indigenous medicinal plants traditionally used as antidiabetic drugs. J Pak Med Ass 1992;42(11):271-7.
6. Aslam M, Stockley IH. Interaction between curry ingredient (karela) and drug (chlorpropamide). Lancet 1979;1979:607.
7. Day C, Bailey C. A diabetologist's herbal. Curr Med Lit Diabetes Royal Soc Med 1988; 5:31-5.
8. Zamora-Martinez MC, Pola CNP. Medicinal plants used in some rural populations of Oaxaca, Puebla and Veracruz, Mexico. J Ethnopharmacol 1992;35(3):229-57.
9. Mossa JS. A study on the crude antidiabetic drugs used in Arabian folk medicine. Int J Crude Drug Res 1985;23(3):137-45.
10. Lotlikar MM, Rajarama MR. Note on hypoglycemic principle isolated from the fruits of *Momordica charantia*. J Univ Bombay 1960;29:223.
11. Raman A, Lau C. Anti-diabetic properties and phytochemistry of *Momordica charantia* L. (Cucurbitaceae). Phytomedicine 1996;2(4):349-62.
12. NgTB, Yeung HW. Bioactive constituents of Cucurbitaceae plants with special emphasis on *Momordica charantia* and *Trichosanthes kirilowii*. Proc fifth Asian symposium on medicinal plants and spices; August 20-24 1984; Seoul, Korea; 1984:p.183-196.
13. Lotlikar MM, Rajarama Rao MR. Pharmacology of a hypoglycemic principle isolated from the fruits of *Momordica charantia*. Indian J Pharmacy 1966;28:129.

14. Khanna P, Jain SC, Panagariya A, Dixit VP. Hypoglycemic activity of polypeptide-p from a plant source. *J Nat Prod* 1981;44(6):648-55.
15. Tan MJ, Ye JM, Turner N, Hohnen-Behrens C, Ke CQ, Tang CP, et al. Antidiabetic activities of triterpenoids isolated from bitter melon associated with activation of the AMPK pathway. *Chemistry & Biology* 2008;15:263-73.
16. Welihinda J, Karunanayake EH, Sheriff MHR, Jayasinghe KSA. Effect of *Momordica charantia* on the glucose tolerance in maturity onset diabetes. *J Ethnopharmacol* 1986; 17:277-82.
17. Leatherdale BA, Panesar RK, Singh G, et al. Improvement in glucose tolerance due to *Mormodica charantia* (Karela). *BMJ* 1981;282:1823-4.
18. Akhtar MS. Trial of *Momordica charantia* Linn (Karela) powder in patients with maturity-onset diabetes. *J Pak Med Assoc* 1982;32:106-7.
19. Ahmad N, Hassan MR, Halder H, Bennoor KS. Effect of *Momordica charantia* (Karolla) extracts on fasting and postprandial serum glucose levels in NIDDM patients. *Bangladesh Med Res Counc Bull* 1999;25(1):11-3.
20. Devaki CS, Premavalli KS. Evaluation of supplementation of bittergourd fermented beverage to diabetic subjects. *J Pharm Nutri Sci* 2014;4(1):27-36.
21. Zanker KS, Mang B, Wolters M, Hahn A. Personalized diabetes and cancer medicine: A rationale for anti-diabetic nutrition (bitter melon) in a supportive setting. *Curr Cancer Ther Rev* 2012;8:66-77.
22. Srivastava Y, Venkatakrishna-Bhatt H, Verma Y, Venkaiah K. Antidiabetic and adaptogenic properties of *Momordica charantia* extract: an experimental and clinical evaluation. *Phytother Res* 1993;7(4):285-9.
23. Waheed A, Miana GA, Sharafatullah T, Ahmad SI. Clinical investigation of hypoglycemic effect of unripe fruit on *Momordica charantia* in type-2 (NIDDM) diabetes mellitus. *Pak J Pharmacol* 2008;25(1):7-12.
24. Dans AML, Villarruz MVC, Jimeno CA, Javelosa MAU, Chua J, Bautista R, Velez GGB. The effect of *Momordica charantia* capsule preparation on glycemic control in Type 2 Diabetes Mellitus needs further studies. *J Clin Epidemiol* 2007;60:554-9.

25. Bunyamahotama S. Acute hypoglycemic effects of *Momordica charantia* freeze-dried powder in impaired glucose tolerance cases (IGT). [Dissertation]. Bangkok: Silpakorn University; 2004.
26. Baldwa VS, Bhandari CM, Pangaria A, Goyal RK. Clinical trial in patients with diabetes mellitus of an insulin-like compound obtained from plant source. *Upsala J Med Sci* 1977; 82(1):39-41.
27. Fuangchan A, Sonthisombat P, Seubnukarn T, Chanouan R, Chotchaisuwa P, Sirigulsatien V, et al. Hypoglycemic effect of bitter melon compared with metformin in newly diagnosed type 2 diabetes patients. *J Ethnopharmacol* 2011;134:422-8.
28. Rahman IU, Khan RU, Rahman KU, Bashir M. Lower hypoglycemic but higher antiatherogenic effects of bitter melon than glibenclamide in type 2 diabetic patients. *Nutr J* [internet]. 2015 [cited 2016 Feb 15]:2-7. Available from: <http://www.nutritionj.com/content/14/1/13>.
29. Rahman I, Malik SA, Bashir M, Khan R, Iqbal M. Serum sialic acid changes in non-insulin-dependent diabetes mellitus (NIDDM) patients following bitter melon (*Momordica charantia*) and rosiglitazone (Avandia) treatment. *Phytomedicine* 2009;16:401-5.
30. Tongia A, Tongia SK, Mangala D. Phytochemical determination and extraction of *Momordica charantia* fruit and its hypoglycemic potentiation of oral hypoglycemic drugs in diabetes mellitus (NIDDM). *Indian J Physiol Pharmacol* 2004;48(2):241-4.
31. Fuangchan A, Seubnukarn T, Jungpattanawadee D, Sonthisombat P, Ingkaninan K, Plianbangchang P, et al. Retrospective study on the use of bitter melon for type 2 diabetes at Dansai Crown Prince Hospital, Thailand. *Srinagarind Med J* 2009;24(4):332-8.
32. พิงใจ ภูนิคม วีระศักดิ์ ดำรงพงษ์ นลิน จรุงธนกิจ ธิติมา เทียบทอง นฤมล พานชัย ปริญญา เม้าโมลี และคณะ. การศึกษาผลการรักษาผู้ป่วยเบาหวานชนิดที่ 2 จากสารสกัดมะระขี้นก. วารสารการแพทย์แผนไทยและการแพทย์ทางเลือก 2557;12(2):18.
33. Habib A, Gafur A. The hypoglycaemic activity of karela fruits and fenugreek seeds in non-insulin dependent diabetic patients. *Pakistan J Pharm* 2003; 20:37-40.

34. Kochhar A, Nagi M. Effect of supplementation of traditional medicinal plants on blood glucose in non-insulin-dependent diabetics: A pilot study. *J Med Food* 2005;8: 545-9.
35. Tsai CH, Chen EC, Tsay HS, Huang CJ. Wild bitter gourd improves metabolic syndrome: A preliminary dietary supplementation trial. *Nutr J* [internet]. 2012 [cited 2016 Feb 15]:1-9. Available from: <http://www.nutritionj.com/content/11/1/4>.
36. John AJ, Cherian R, Subhash HS, Cherian AM. Evaluation of the efficacy of bitter gourd (*Momordica charantia*) as an oral hypoglycemic agent-a randomized controlled clinical trial. *Indian J Physiol Pharmacol* 2003;47(3):363-5.
37. Lim ST, Jimeno CA, Razon-Gonzales EB, Velasquez EN. The MOCHA DM study: The effect of *Momordica charantia* tablets on glucose and insulin levels during the postprandial state among patients with type 2 diabetes mellitus. *Phil J Inter Med* 2010;48:19-25.
38. Grover J, Gupta S. Hypoglycemic activity of seeds of *Momordica charantia*. *Eur J Pharmacol* 1990;183:1026-7.
39. Nopchinda S, Chobtum L, Chanprasertyothin S, Ongphiphadhanakul B. Screening for the antidiabetic effect of *Momordica charantia* using frequent serum intravenous glucose tolerance test and other simplified methods in non-diabetics. *Mahidol Univ Ann Res Abstr (Jan 1-Dec 31, 2000)* 2001;28:68.
40. Kasbia GS, Arnason JT, Imbeault P. No effect of acute, single dose oral administration of *Momordica charantia* Linn., on glycemia, energy expenditure and appetite: A pilot study in non-diabetic overweight men. *J Ethnopharmacol* 2009;126:127-33.
41. Erden I, Ordu S, Erden EC, Caglar SO. A case of atrial fibrillation due to *Momordica charantia* (bitter melon). *Ann Saudi Med* 2010;30(1):86-7.
42. Nadkarni N, D'Cruz S, Sachdev A. Hematemesis due to bitter melon (*Momordica charantia*) extract-induced gastric ulcerations. *Indian J Gastroenterol* 2010;29(1):37-9.
43. Leung SO, Yeung HW, Leung KN. The immunosuppressive activities of two abortifacient proteins isolated from the seeds of bitter melon (*Momordica charantia*). *Immunopharmacology* 1987;13(3):159-71.

44. Chan WY, Tam PP, Yeung HW. The termination of early pregnancy in the mouse by beta-momorcharin. *Contraception* 1984;29(1):91-100.
45. Chan WY, Tam PP, So KC, Yeung HW. The inhibitory effects of beta-momorcharin on endometrial cells in the mouse. *Contraception* 1985;31(1):83-90.