

## เอกสารอ้างอิง ... ดอกไม้ในพิกัดเกษตร

1. ราชบัณฑิตยสถาน. พจนานุกรม ฉบับราชบัณฑิตยสถาน พ.ศ. 2554. กรุงเทพฯ: บริษัท ศิริวัฒนา อินเทอร์เน็ต จำกัด; 2556.
2. ชยันต์ พิเชียรสุนทร และวิเชียร จีรวงส์. คู่มือเภสัชกรรมแผนไทย เล่ม 5 คณาเภสัช. กรุงเทพฯ: สำนักพิมพ์อมรินทร์; 2545.
3. นันทวัน บุญยะประภัศร์ และคณะ. สมุนไพรไม้พุ่มบ้าน (2). กรุงเทพฯ: สำนักพิมพ์ประชาชน; 2541.
4. นพมาศ สุนทรเจริญนนท์ และนางลักษณ์ เรืองวิเศษ. คุณภาพเครื่องยาไทย จากงานวิจัยสู่การพัฒนา อย่างยั่งยืน. กรุงเทพมหานคร: คอนเซ็ปท์ เมดิคัล จำกัด; 2551.
5. Jang CG, Kang M, Cho JH, Lee SB, Kim H, Park S, et al. *Nelumbinis Semen* reverses a decrease in 5-HT<sub>1A</sub> receptor binding induced by chronic mild stress, a depression-like symptom. *Arch Pharm Res* 2004;27(10):1065-72.
6. Kang M, Pyun KH, Jang CG, Kim H, Bae H, Shim I. *Nelumbinis Semen* reverses a decrease in hippocampal 5-HT release induced by chronic mild stress in rats. *J Pharm Pharmacol* 2005;57(5):651-6.
7. Chung HS, Lee HJ, Shim I, Bae H. Assessment of anti-depressant effect of *nelumbinis semen* on rats under chronic mild stress and its subchronic oral toxicity in rats and beagle dogs. *BMC Complement Altern Med* 2012;12:68.
8. Prabsattroo T, Wattanathorn J, Somsapt P, Sritragool O. Positive modulation of pink *Nelumbo nucifera* flowers on memory impairment, brain damage, and biochemical profiles in restraint rats. *Oxid Med Cell Longev* 2016;2016:5789857.
9. Oh JH, Choi BJ, Chang MS, Park SK. *Nelumbo nucifera* semen extract improves memory in rats with scopolamine-induced amnesia through the induction of choline acetyltransferase expression. *Neurosci Lett* 2009;461(1):41-4.
10. Kim JH, Kang M, Cho C, Chung HS, Kang CW, Parvez S, et al. Effects of *Nelumbinis Semen* on contractile dysfunction in ischemic and reperfused rat heart. *Arch Pharm Res* 2006;29(9):777-85.
11. Huralikuppi JC, Christopher AB, Stephen PM. Anti-diabetic effect of *Nelumbo nucifera* (Gaertn): Part I preliminary studies in rabbits. *Phytother Res* 1991;5(2):54-8.

12. Huralikuppi JC, Christopher AB, Stephen PM. Antidiabetic effect of *Nelumbo nucifera* (Gaertn) extract: Part II. *Phytother Res* 1991;5(5):217-23.
13. Sakuljaitrong S, Buddhakala N, Chomko S, Talubmook C. Effects of flower extract from lotus (*Nelumbo nucifera*) on hypoglycemic and hypolipidemic in streptozotocin-induced diabetic rats. *Int J Sci Eng Res* 2013;4(7):1441-6.
14. Kunanusorn P, Panthong A, Pittayanurak P, Wanauppathamkul S, Nathasaen N, Reutrakul V. Acute and subchronic oral toxicity studies of *Nelumbo nucifera* stamens extract in rats. *J Ethnopharmacol* 2011;134(3):789-95.
15. นันทวัน บุญยะประภัศร และคณะ. สมุนไพรไม้พุ่มบ้าน (3). กรุงเทพฯ: สำนักพิมพ์ประชาชน; 2542.
16. Hongratanaworakit T. Stimulating effect of aromatherapy massage with jasmine oil. *Nat Prod Commun* 2010;5(1):157-62.
17. วินัย สยอวรรณ. ผลของน้ำมันหอมระเหยบางชนิดที่ใช้มากในประเทศไทยต่อสรีรวิทยาและอารมณ์ความรู้สึก Effects of selected volatile oils commonly used in Thailand on physiological activities and emotions (วิทยานิพนธ์) กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย. 2554.
18. Sayowan W, Siripompanich V, Hongratanaworakit T, Kotchabhakdi N, i Ruangrunsi N. The effects of jasmine oil inhalation on brain wave activities and emotions. *J Health Res* 2013;27:2:73-7.
19. Kuroda K, Inoue N, Ito Y, Kubota K, Sugimoto A, Kakuda T, et al. Sedative effects of the jasmine tea odor and (*R*)-(-)-linalool, one of its major odor components, on autonomic nerve activity and mood states. *Eur J Appl Physiol* 2005;95(2-3):107-14.
20. Inoue N, Kuroda K, Sugimoto A, Kakuda T, Fushiki T. Autonomic nervous responses according to preference for the odor of jasmine tea. *Biosci Biotechnol Biochem* 2003;67(6):1206-14.
21. Yin Y, Ying X, Luan H, Zhao Z, Lou J, Wang D, et al. UPLC-DAD/Q-TOF-MS based ingredients identification and vasorelaxant effect of ethanol extract of jasmine flower. *Evid Based Complement Alternat Med* 2014;2014:707908.

22. LUAN HR, YIN JJ, MO WH, ZHANG BN, PANG XP, HOU YL. Vasodilation effect of aqueous extract of jasmine on rat thoracic aorta and its related mechanism. *JCPS* 2010;45(3):182-6.
23. Kunhachan P, Banchonglikitkul C, Kajsongkram T, Khayungarnnawee A, Leelamanit W. Chemical composition, toxicity and vasodilatation effect of the flowers extract of *Jasminum sambac* (L.) Ait. "G. Duke of Tuscany". *Evid Based Complement Alternat Med* 2012;2012:471312.
24. Kalaiselvi M, Narmadha R, Ragavendran P, Vidya B, Gomathi D, Raj CA, et al. Chemopreventive effect and HPTLC fingerprinting analysis of *Jasminum sambac* (L.) Ait. extract against DLA-induced lymphoma in experimental animals. *Appl Biochem Biotechnol* 2013;169(4):1098-108.
25. Lim TK. *Edible Medicinal and Non Medicinal Plants*, vol. 8 of Flower. London, UK :Springer;2014.
26. Ragasa CY, Tamboong BG, Rideout JA. Secondary metabolites from *Jasminum sambac* and *Cananga odorata*. *Acgc Chem Res Comm* 2003;16:40-7
27. Rath CC, Devi S, Dash SK, Mishra RK. Antibacterial potential assessment of jasmine essential oil against *E. Coli*. *Indian J Pharm Sci* 2008;70(2):238-41.
28. Gami B, Pathak S, Parabia M. Ethnobotanical, phytochemical and pharmacological review of *Mimusops elengi* Linn. *Asian Pac J Trop Biomed*. 2012 Sep;2(9):743-8.
29. Nagakannan P, Shivasharan BD, Thippeswamy BS, Veerapur VP, Bansal P. Protective effect of hydroalcoholic extract of *Mimusops elengi* Linn. flowers against middle cerebral artery occlusion induced brain injury in rats. *J Ethnopharmacol* 2012;140(2):247-54.
30. Nagakannan P, Shivasharan BD, Thippeswamy BS, Veerapur VP. Restoration of brain antioxidant status by hydroalcoholic extract of *Mimusops elengi* flowers in rats treated with monosodium glutamate. *J Environ Pathol Toxicol Oncol* 2012;31(3):213-21.

31. Hadaginhil RV, Tikare VP, Patil KS, Bhanushali MS, Desai NS, Karigar A. Evaluation of cognitive enhancing activity of *Mimusops elengi* Linn on albino rats. *Int J Res in Aur Pharm* 2010;1(2):484–92.
32. Sunita Shailajan, Deepti Gurjar. Wound healing efficacy of *Mimusops elengi* L. flowers in albino wistar rats using excision wound model. *Pharmacogn Commn* 2016;6(2)72-9.
33. Mahavorasirikul W, Viyanant V, Chaijaroenkul W, Itharat A, Na-Bangchang K. Cytotoxic activity of Thai medicinal plants against human cholangiocarcinoma, laryngeal and hepatocarcinoma cells *in vitro*. *BMC Complement Altern Med* 2010;10:55.
34. Verotta L, Lovaglio E, Vidari G, Finzi PV, Neri MG, Raimondi A, et al. 4-Alkyl- and 4-phenylcoumarins from *Mesua ferrea* as promising multidrug resistant antibacterials. *Phytochemistry* 2004;65(21):2867-79.
35. Roy SK, Kumari N, Pahwa S, Agrahari UC, Bhutani KK, Jachak SM, et al. NorA efflux pump inhibitory activity of coumarins from *Mesua ferrea*. *Fitoterapia* 2013;90:140-50.
36. Tiangda C, Vongratanasathit T, Saraya S. Acute toxicity and phytochemical screening of *Mesua ferrea* Linn. *Imn mice*. การประชุม Princess congress I, กรุงเทพฯ, 10-13 Dec 1987.
37. Tiangda C, Vongratanasathit T, Saraya S. Acute toxicity and phytochemical screening of *Mesua ferrea* Linn. *Imn mice*. วารสารเภสัชศาสตร์ มหาวิทยาลัยมหิดล 1988;15(1):1-5.
38. นันทวัน บุญยะประภัศร และคณะ. สมุนไพรไม้พุ่มบ้าน (4). กรุงเทพมหานคร:สำนักพิมพ์ประชาชน; 2543.
39. Mahidol C, Kawetripob W, Prawat H, Ruchirawat S. Mammea coumarins from the flowers of *Mammea siamensis*. *J Nat Prod* 2002;65(5):757-60.
40. Morikawa T, Sueyoshi M, Chaipech S, Matsuda H, Nomura Y, Yabe M, et al. Suppressive effects of coumarins from *Mammea siamensis* on inducible nitric oxide synthase expression in RAW264.7 cells. *Bioorg Med Chem*. 2012 Aug 15;20(16):4968-77.
41. Tung NH, Uto T, Sakamoto A, Hayashida Y, Hidaka Y, Morinaga O, et al. Antiproliferative and apoptotic effects of compounds from the flower of *Mammea*

- siamensis* (Miq.) T. Anders. on human cancer cell lines. *Bioorg Med Chem Lett* 2013;23(1):158-62.
42. Ninomiya K, Shibatani K, Sueyoshi M, Chaipech S, Pongpiriyadacha Y, Hayakawa T, Muraoka O, Morikawa T. Aromatase Inhibitory Activity of Geranylated Coumarins, Mammeasins C and D, Isolated from the Flowers of *Mammea siamensis*. *Chem Pharm Bull (Tokyo)*. 2016;64(7):880-5.
43. มงคล โมกขะสมิต กมล สวัสดิ์มงคล ประยูทศ สัตตราวาทะ. การศึกษาพิษของสมุนไพรไทย. วารสารของกรมวิทยาศาสตร์การแพทย์ 1971;13(1),36-66
44. นันทวัน บุญยะประภัศร และคณะ. สมุนไพรไม้พุ่มบ้าน (1). กรุงเทพมหานคร:สำนักพิมพ์ประชาชน; 2539.
45. Hongratanaworakit T, Buchbauer G. Evaluation of the harmonizing effect of ylang-ylang oil on humans after inhalation. *Planta Med* 2004;70(7):632-6.
46. Pujiarti R, Ohtani Y, Widowati TB, Wahyudi, Kasmudjo, Kaushalya HK, et al. Effect of *Melaleuca leucadendron*, *Cananga odorata* and *Pogostemon cablin* Oil odors on human physiological responses. *Wood Res J* 2012;3:2:100-4.
47. Ishiguchi A, Saitou A, Suenaga K, Ohta K, Matsuura M. Effects of odors on electroencephalogram and subjective alterations. *Clin Neurophysiol* 2008;119(6): e78.
48. Jung DJ, Cha JY, Kim SE, Ko IG, Jee YS. Effects of Ylang-Ylang aroma on blood pressure and heart rate in healthy men. *J Exerc Rehabil* 2013;9(2):250-5.
49. Moss M, Hewitt S, Moss L, Wesnes K. Modulation of cognitive performance and mood by aromas of peppermint and ylang-ylang. *Int J Neurosci* 2008;118(1):59-77.
50. Hongratanaworakit T, Buchbauer G. Relaxing effect of ylang ylang oil on humans after transdermal absorption. *Phytother Res* 2006;20(9):758-63.
51. Matsumoto T, Nakamura S, Nakashima S, Fujimoto K, Yoshikawa M, Ohta T, et al. Lignan dicarboxylates and terpenoids from the flower buds of *Cananga odorata* and their inhibitory effects on melanogenesis. *J Nat Prod*. 2014;77(4):990-9.

52. Gowda A, Shanbhag V, Bangalore ER, Shenoy S, Prabhu K, Narayanareddy M, et al. The wound healing property of ethanolic extract of *Michelia champaca* flowers in diabetic rats. *Int J Basic Clin Pharmacol* 2014;3(6):1036-42.
53. Shanbhag TV, Kodidela S, Shenoy S, Amuthan A, Kurra S. Effect of *Michelia champaca* Linn flowers on burn wound healing in Wistar rats. *Int J Pharm Sci Rev Res* 2011;7(2):112-5.
54. E. Edwin Jarald, S.B. Joshi, and D.C. Jain. Antidiabetic activity of flower buds of *Michelia champaca* Linn. *Indian J Pharmacol*. 2008 Nov-Dec; 40(6): 256–260.
55. Wei LS, Wee W, Siong JYF, Syamsumir DF. Characterization of antimicrobial, antioxidant, anticancer property and chemical composition of *Michelia champaca* seed and flower extracts. *Stamford J Pharm Sci* 2011;4(1):19-24.
56. Pripdeevech P, Chukeatirote E. Chemical compositions, antifungal and antioxidant activities of essential oil and various extracts of *Melodorum fruticosum* L. flowers. *Food Chem Toxicol* 2010;48(10):2754-8.
57. Chaichantipyuth C, Tiyaworanan S, Mekaroonreung S, Ngamrojnavanich N, Roengsumran S, Puthong S, et al. Oxidized heptenes from flowers of *Melodorum fruticosum*. *Phytochemistry* 2001;58(8):1311-5.
58. Adkar PP, Bhaskar VH. *Pandanus odoratissimus* (Kewda): A Review on Ethnopharmacology, Phytochemistry, and Nutritional Aspects. *Adv Pharmacol Sci*. 2014;2014:120895.
59. El-Shaibany A, MAL-Habori M, Al-Massarani S, El- Gamal A, Al-Ajami A, Al-Adhl A. Hepatoprotective effect of *Pandanus odoratissimus* L inflorescence extracts in Acetaminophen-treated guinea pigs. *Trop J Pharm Res* 2016;15(2):259-66.
60. Padkar PP, Jadhav PP, Ambavade SD, Shelke TT, Bhaskar VH. Protective effect of leaf extract of *Pandanus odoratissimus* Linn on experimental model of epilepsy. *Int Jof Nutri Pharm Neuro Dis* 2014;4(2):81-7.

61. Rajuh S, Subbaiah NV, Reddy KS, Das A, Murugan KB. Potential of *Pandanus odoratissimus* as a CNS depressant in Swiss albino mice. *Brazilian J Pharm Sci* 2011;47(3):630-4.
62. Venkatesh S, Kusuma R, Sateesh V, Madhava RV, Mullangr R. Antidiabetic activity of *Pandanus odoratissimus* root extract. *Indian J Pharm Educ Res* 2012;46(4):340-5.
63. Londonkar R, Kamble A, Reddy VC. Anti-inflammatory activity of *Pandanus odoratissimus* extract. *Int J Pharm* 2010;6:311-4.
64. Londonkar R, Kamble A. Hepatotoxic and *in vivo* antioxidant potential of *Pandanus odoratissimus* against carbon tetrachloride induced liver injury in rats. *Orient Pharm Exp Med* 2011;11:229-234.
65. สำนักยา สำนักกรรมการอาหารและยา. คู่มือการใช้ยาจากสมุนไพร ในบัญชียาหลักแห่งชาติ พ.ศ. 2555. กรุงเทพฯ: โรงพิมพ์ชุมนุมสหกรณ์แห่งประเทศไทย; 2555.