

เอกสารอ้างอิง ลูกซัด

1. Ethan M. Natural standard herb and supplement reference: evidence-based clinical reviews. New York: Elsevier Mosby; 2005.
2. De Guzman CC, Siemonsma JS. Plant resources of South-East Asia no 13 spices. Indonesia: Backhuys Publishers; 1999.
3. Nagulapalli Venkata KC, Swaroop A, Bagchi D, Bishayee A. A small plant with big benefits: fenugreek (*Trigonella foenum-graecum* Linn.) for disease prevention and health promotion. Mol Nutr Food Res 2017;61(6):1-26.
4. Fuller S, Stephens JM. Diosgenin, 4-hydroxyisoleucine, and fiber from fenugreek: mechanisms of actions and potential effects on metabolic syndrome. Adv Nutr 2015;6: 189-97.
5. Zameer S, Najmi AK, Vohora D, Akhtar M. A review on therapeutic potentials of *Trigonella foenum-graecum* (fenugreek) and its chemical constituents in neurological disorders: complementary roles to its hypolipidemic, hypoglycemic, and antioxidant potential. Nutr Neurosci 2017:1-7.
6. Yadav UC, Baquer NZ. Pharmacological effects of *Trigonella foenum-graecum* L. in health and disease. Pharm Biol 2014;52(2):243-54.
7. Roberts KT. The potential of fenugreek (*Trigonella foenum-graecum*) as a functional food and nutraceutical and its effects on glycemia and lipidemia. J Med Food 2011;14(12):1485-9.
8. El Bairi K, Ouzir M, Agnieszka N, Khalki L. Anticancer potential of *Trigonella foenum graecum*: cellular and molecular targets. Biomed Pharmacother 2017;90:479-91.
9. Goyal S, Gupta N, Chatterjee S. Investigating therapeutic potential of *Trigonella foenum-graecum* L. as our defense mechanism against several human diseases. J Toxicol 2016;2016:1-10.
10. Steels E, Rao A, Vitetta L. Physiological aspects of male libido enhanced by standardized *Trigonella foenum-graecum* extract and mineral formulation. Phytother Res 2011 ;25(9):1294-300.
11. Rao A, Steels E, Inder WJ, Abraham S, Vitetta L. Testofen, a specialised *Trigonella foenum-graecum* seed extract reduces age-related symptoms of androgen decrease, increases

- testosterone levels and improves sexual function in healthy aging males in a double-blind randomised clinical study. *Aging Male* 2016;19(2):134-42.
12. Maheshwari A, Verma N, Swaroop A, Bagchi M, Preuss HG, Tiwari K, et al. Efficacy of Furosap™, a novel *Trigonella foenum-graecum* seed extract, in enhancing testosterone level and improving sperm profile in male volunteers. *Int J Med Sci* 2017;14(1):58-66.
 13. Wankhede S, Mohan V, Thakurdesai P. Beneficial effects of fenugreek glycoside supplementation in male subjects during resistance training: a randomized controlled pilot study. *J Sport Health Sci* 2016;5:176–82.
 14. Rao A, Steels E, Beccaria G, Inder WJ, Vitetta L. Influence of a specialized *Trigonella foenum-graecum* seed extract (Libifem), on testosterone, estradiol and sexual function in healthy menstruating women, a randomised placebo controlled study. *Phytother Res* 2015;29(8):1123-30.
 15. Inanmdar W, Sultana A, Mubeen U, Rahman K. Clinical efficacy of *Trigonella foenum graecum* (fenugreek) and dry cupping therapy on intensity of pain in patients with primary dysmenorrhea. *Chin J Integr Med* 2016;1-8.
 16. Shamshad BS, Jayalakshmi HK, Vidyavathi HG, Gopakumar G, Abin I, Balu M, et al. A novel extract of fenugreek husk (FenuSMART™) alleviates postmenopausal symptoms and helps to establish the hormonal balance: a randomized, double-blind, placebo-controlled study. *Phytother Res* 2016;30(11):1775-84.
 17. Swaroop A, Jaipurkar AS, Gupta SK, Bagchi M, Kumar P, Preuss HG, et al. Efficacy of a novel fenugreek seed extract (*Trigonella foenum-graecum*, Furocyst) in polycystic ovary syndrome (PCOS). *Int J Med Sci* 2015;12(10):825-31.
 18. Nathan J, Panjwani S, Mohan V, Joshi V, Thakurdesai PA. Efficacy and safety of standardized extract of *Trigonella foenum-graecum* L. seeds as an adjuvant to L-Dopa in the management of patients with Parkinson's disease. *Phytother Res* 2014;28(2):172-8.
 19. Pandaran SS, Jacob D, Natinga MJ, Gopinathan NG, Maliakel A, Maliakel B, et al. Safety, tolerance, and enhanced efficacy of a bioavailable formulation of curcumin with fenugreek dietary fiber on occupational stress: a randomized, double-blind, placebo-controlled pilot study. *J Clin Psychopharmacol* 2016;36(3):236-43.

20. Sharma RD, Raghuram TC, Rao NS. Effect of fenugreek seeds on blood glucose and serum lipids in type I diabetes. *Eur J Clin Nutr* 1990;44(4):301-6.
21. Verma N, Usman K, Patel N, Jain A, Dhakre S, Swaroop A. A multicenter clinical study to determine the efficacy of a novel fenugreek seed (*Trigonella foenum-graecum*) extract (Fenfuro™) in patients with type 2 diabetes. *Food Nutr Res* 2016;60:1-8.
22. Kassaian N, Azadbakht L, Forghani B, Amini M. Effect of fenugreek seeds on blood glucose and lipid profiles in type 2 diabetic patients. *Int J Vitam Nutr Res* 2009;79(1):34-9.
23. Losso JN, Holliday DL, Finley JW, Martin RJ, Rood JC, Yu Y, et al. Fenugreek bread: a treatment for diabetes mellitus. *J Med Food* 2009;12(5):1046-9.
24. Gaddam A, Galla C, Thummiseti S, Marikanty RK, Palanisamy UD, Rao PV. Role of fenugreek in the prevention of type 2 diabetes mellitus in prediabetes. *J Diabetes Metab Disord* 2015;14:1-10.
25. Glycemic Index สำคัญอย่างไร [อินเทอร์เน็ต]. กรุงเทพฯ: สมาคมโรคเบาหวานแห่งประเทศไทย; 2558 [เข้าถึงเมื่อ 18 ก.ย. 2560]. เข้าถึงได้จาก: http://www.dmthai.org/news_and_knowledge/list/all
26. Robert SD, Ismail AA, Rosli WI. Reduction of postprandial blood glucose in healthy subjects by buns and flatbreads incorporated with fenugreek seed powder. *Eur J Nutr* 2016;55(7):2275-80.
27. Chevassus H, Gaillard JB, Farret A, Costa F, Gabillaud I, Mas E, et al. A fenugreek seed extract selectively reduces spontaneous fat intake in overweight subjects. *Eur J Clin Pharmacol* 2010;66(5):449-55.
28. Mathern JR, Raatz SK, Thomas W, Slavin JL. Effect of fenugreek fiber on satiety, blood glucose and insulin response and energy intake in obese subjects. *Phytother Res* 2009 ;23(11):1543-8.
29. Gong J, Fang K, Dong H, Wang D, Hu M, Lu F. Effect of fenugreek on hyperglycaemia and hyperlipidemia in diabetes and prediabetes: a meta-analysis. *J Ethnopharmacol* 2016;194:260-68.
30. Majumdar J, Chakraborty P, Mitra A, Sarkar NK, Sarkar S. Fenugreek, a potent hypoglycaemic herb can cause central hypothyroidism via leptin - a threat to diabetes phytotherapy. *Exp Clin Endocrinol Diabetes* 2017;125(7):441-8.

31. Izzo AA, Di Carlo G, Borrelli F, Ernst E. Cardiovascular pharmacotherapy and herbal medicines: the risk of drug interaction. *Int J Cardiol* 2005;98(1):1-14.
32. Lambert JP, Cormier J. Potential interaction between warfarin and boldo-fenugreek. *Pharmacotherapy* 2001;21(4):509-12.
33. Chan HT, So LT, Li SW, Siu CW, Lau CP, Tse HF. Effect of herbal consumption on time in therapeutic range of warfarin therapy in patients with atrial fibrillation. *J Cardiovasc Pharmacol* 2011;58(1):87-90.
34. Lu FR, Shen L, Qin Y, Gao L, Li H, Dai Y. Clinical observation on *Trigonella foenum-graecum* L. total saponins in combination with sulfonylureas in the treatment of type 2 diabetes mellitus. *Chin J Integr Med* 2008;14(1):56-60.
35. Sreemantula S, Kilari EK, Jaladi R, Leon T, Sharada R, Bettaiya R. Influence of aqueous extract of fenugreek-seed powder on the pharmacodynamics and pharmacokinetics of gliclazide in rats/rabbits. *Therapy* 2007;4(4):457-63.
36. Yadav M, Tomar R, Prasad G, Jain S, Yadav H. Complementary hypoglycemic and anti-hyperglycemic activity of various extracts of fenugreek seeds in rats. *Asian J Biochem* 2008;3(3):182-7.
37. Yadav M, Lavania A, Tomar R, Prasad GB, Jain S, Yadav H. Complementary and comparative study on hypoglycemic and antihyperglycemic activity of various extracts of *Eugenia jambolana* seed, *Momordica charantia* fruits, *Gymnema sylvestre*, and *Trigonella foenum graecum* seeds in rats. *Appl Biochem Biotechnol* 2010;160(8):2388-400.
38. Al-Mohizea AM, Ahad A, El-Maghraby GM, Al-Jenoobi FI, AlKharfy KM, Al-Suwayeh SA. Effects of *Nigella sativa*, *Lepidium sativum* and *Trigonella foenum-graecum* on sildenafil disposition in beagle dogs. *Eur J Drug Metab Pharmacokinet* 2015;40(2):219-24.
39. Al-Jenoobi FI, Ahad A, Mahrous GM, Al-Mohizea AM, AlKharfy KM, Al-Suwayeh SA. Effects of fenugreek, garden cress, and black seed on theophylline pharmacokinetics in beagle dogs. *Pharm Biol* 2015;53(2):296-300.
40. Al-Jenoobi FI, Alam MA, Alkharfy KM, Al-Suwayeh SA, Korashy HM, Al-Mohizea AM, et al. Pharmacokinetic interaction studies of fenugreek with CYP3A substrates cyclosporine and carbamazepine. *Eur J Drug Metab Pharmacokinet* 2014;39(2):147-53.

41. Al-Jenoobi FI, Al-Thukair AA, Alam MA, Abbas FA, Al-Mohizea AM, Alkharfy KM, et al. Effect of *Trigonella foenum-graecum* L. on metabolic activity of CYP2D6 and CYP3A4. *Forsch Komplementmed* 2015;22(3):180-4.
42. Sharma RD, Sarkar A, Hazra DK, Misra B, Singh JB, Maheshwari BB. Toxicological evaluation of fenugreek seeds: a long term feeding experiment in diabetic patients. *Phytother Res* 1996;10:519-20.
43. Deshpande P, Mohan V, Thakurdesai P. Preclinical safety evaluation of low molecular weight galactomannans based standardized fenugreek seeds extract. *EXCLI J* 2016;15:446-59.
44. Kandhare AD, Bodhankar SL, Mohan V, Thakurdesai PA. Acute and repeated doses (28 days) oral toxicity study of vicenin-1, a flavonoid glycoside isolated from fenugreek seeds in laboratory mice. *Regul Toxicol Pharmacol* 2016;81:522-31.
45. Liju VB, Jeena K, Kumar D, Maliakel B, Kuttan R, I M K. Enhanced bioavailability and safety of curcumagalactomannosides as a dietary ingredient. *Food Funct* 2015;6(1):276-86.
46. Khalki L, M'hamed SB, Bennis M, Chait A, Sokar Z. Evaluation of the developmental toxicity of the aqueous extract from *Trigonella foenum-graecum* (L.) in mice. *J Ethnopharmacol* 2010;131(2):321-5.
47. Faeste CK, Christians U, Egaas E, Jonscher KR. Characterization of potential allergens in fenugreek (*Trigonella foenum-graecum*) using patient sera and MS-based proteomic analysis. *J Proteomics* 2010;73(7):1321-33.
48. ข้าวประชาสัมพันธ์ [อินเทอร์เน็ต]. กรุงเทพฯ: กองพัฒนาศักยภาพผู้บริโภค สำนักงานคณะกรรมการอาหารและยา; 2560 [เข้าถึงเมื่อ 18 ก.ย. 2560]. เข้าถึงได้จาก http://203.157.203.22/archives/archivesImages/imgarchives/44146_257925453.pdf
49. Turkyilmaz C, Onal E, Hirfanoglu IM, Turan O, Koç E, Ergenekon E, et al. The effect of galactagogue herbal tea on breast milk production and short-term catch-up of birth weight in the first week of life. *J Altern Complement Med* 2011;17(2):139-42.
50. Kavurt S, Bas AY, Aydemir O, Yucel H, Isikoglu S, Demirel N. The effect of galactagogue herbal tea on oxidant and anti-oxidant status of human milk. *J Matern Fetal Neonatal Med* 2013;26(10):1048-51.

51. Forinash AB, Yancey AM, Barnes KN, Myles TD. The use of galactogogues in the breastfeeding mother. *Ann Pharmacother* 2012;46(10):1392-404.
52. Zapantis A, Steinberg JG, Schilit L. Use of herbals as galactagogues. *J Pharm Pract* 2012;25(2):222-31.