

เอกสารอ้างอิง : กระจับแดงกับโรคความดันโลหิตสูง

1. มูลนิธิหัวใจแห่งประเทศไทยในพระบรมราชูปถัมภ์ : ภัยเงียบจากความดันโลหิตสูง. Available from: <http://www.thaiheartfound.org/category/details/savedisease/285>. Access 11/06/2018.
2. Whelton PK, Carey RM, Aronow WS, et al. 2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the prevention, detection, evaluation, and management of high blood pressure in adults. A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Hypertension*. 2018;71:e13-e115.
3. แนวทางการรักษาโรคความดันโลหิตสูงในเวชศาสตร์ทั่วไป Guidelines on The Treatment of Hypertension สมาคมความดันโลหิตสูงแห่งประเทศไทย ฉบับปรับปรุง. Available from : <http://www.thaihypertension.org/files/GL%20HT%202015.pdf>. Access 11/06/2018.
4. Siervo M, Lara J, Chowdhury S, Ashor A, Oggioni C, Mathers JC. Effects of the dietary approach to stop hypertension (DASH) diet on cardiovascular risk factors: a systematic review and meta-analysis. *British J Nutr*. 2015;113:1-15.
5. นันทวัน บุญยะประภัศร และคณะ. ก้าวไปกับสมุนไพร เล่ม 3. กรุงเทพฯ: ธรรมการพิมพ์, 2530:194 หน้า.
6. Ali BH, Wabel NA, Blunden G. Phytochemical, pharmacological and toxicological aspects of *Hibiscus sabdariffa* L.: A review. *Phytother Res*. 2005;19:369-75.
7. Ojeda D, Jimenez-Ferrer E, Zamilpa A, Herrera-Arellano A, Tortoriello J, Alvarez. Inhibition of angiotensin converting enzyme (ACE) activity by the anthocyanins delphinidin- and cyaniding-3-O-sambubiosides from *Hibiscus sabdariffa*. *J Ethnopharmacol*. 2010;127:7-10
8. Faraji MH, Haji Tarkhani A. The effect of sour tea (*Hibiscus sabdariffa*) on essential hypertension. *J Ethnopharmacol*. 1999;65(3):231-6.
9. Herrera-Arellano A, Flores-Romero S, Chávez-Soto MA, Tortoriello J. Effectiveness and tolerability of a standardized extract from *Hibiscus sabdariffa* in patients with mild to moderate hypertension: a controlled and randomized clinical trial. *Phytomedicine*. 2004; 11(5):375-82.
10. Herrera-Arellano A, Miranda-Sánchez J, Avila-Castro P, Herrera-Alvarez S, Jiménez-Ferrer JE, Zamilpa A, et al. Clinical effects produced by a standardized herbal medicinal product of *Hibiscus sabdariffa* on patients with hypertension. A randomized, double-blind, lisinopril-controlled clinical trial. *Planta Med*. 2007;73(1):6-12.
11. Mozaffari-Khosravi H, Jalali-Khanabadi BA, Afkhami-Ardekani M, Fatehi F, Noori-Shadkam M. The effects of sour tea (*Hibiscus sabdariffa*) on hypertension in patients with type II diabetes. *J Hum Hypertens*. 2009;23(1):48-54.
12. McKay DL, Chen CY, Saltzman E, Blumberg JB. *Hibiscus sabdariffa* L. tea (Tisane) lowers blood pressure in prehypertensive and mildly hypertensive adults. *J Nutr*. 2010;140(2):298-303.

13. Mozaffari-Khosravi H, Ahadi Z, Barzegar K. The effect of green tea and sour tea on blood pressure of patients with type 2 diabetes: A randomized clinical trial. *J Diet Suppl.* 2013; 10(2):105-15.
14. Nwachukwu DC, Aneke E, Nwachukwu NZ, Obika LFO, Nwagha UI, Eze AA. Effect of *Hibiscus sabdariffa* on blood pressure and electrolyte profile of mild to moderate hypertensive Nigerians: A comparative study with hydrochlorothiazide. *Niger J Clin Pract.* 2015;18(6):762-70.
15. Serban C, Sahebkar A, Ursoniu S, Andrica F, Banach M. Effect of sour tea (*Hibiscus sabdariffa* L.) on arterial hypertension: a systematic review and meta-analysis of randomized controlled trials. *J Hypertens.* 2015;33(6):1119-27.
16. Asgary S, Soltani R, Zolghadr M, Keshvari M, Sarrafzadegan N. Evaluation of the effects of roselle (*Hibiscus sabdariffa* L.) on oxidative stress and serum levels of lipids, insulin and hs-CRP in adult patients with metabolic syndrome: a double-blind placebo-controlled clinical trial. *J Complement Integr Med.* 2016;1:13(2):175-80.
17. Kafeshani M, Entezari MH, Karimian J, Pourmasoumi M, Maracy MR, Amini MR, *et al.* A comparative study of the effect of green tea and sour tea on blood pressure and lipid profile in healthy adult men. *ARYA Atheroscler.* 2017;13(3):109-16.
18. วีระสิงห์ เมืองมัน กฤษณา รัตน์โอฬาร. การใช้สมุนไพรในโรคระบบปัสสาวะ. *วารสารยูโร.* 2527;8:7.
19. ศศิธร แสงเนตร จิตติมา วัฒนวิจิตรกุล สมเกียรติ แสงวัฒนาโรจน์.ฤทธิ์ขับปัสสาวะของชากระเจี๊ยบผสมหญ้าหวานเทียบกับยาไฮโดรคลอไรโทอะไซด์ในผู้ป่วยเบาหวานที่มีภาวะความดันโลหิตสูง. *วารสารไทยเภสัชศาสตร์และวิทยาการสุขภาพ.* 2011;6(4):265-73.
20. Onyenekwe PC, Ajani EO, Ameh DA, Gamaniel KS. Antihypertensive effect of roselle (*Hibiscus sabdariffa*) calyx infusion in spontaneously hypertensive rats and a comparison of its toxicity with that in Wistar rats. *Cell Biochem Funct.* 1999;17(3):199-206.
21. Amos S, Binda L, Chindo BA, Tseja A, Odutola AA, Wanbebe C, *et al.* Neuropharmacological effects of *Hibiscus sabdariffa* aqueous extracts. *Pharmaceutical Biol.* 2003;41(5):325-9.
22. Takeda N, Yasui Y. Identification of mutagenic substances in roselle color, elderberry color and safflower yellow. *Agr Biol Chem.* 1985;49(6):1851-2.
23. Polasa K, Rukmini C. Mutagenicity tests of cashew nut shell liquid, rice-bran oil and other vegetable oils using the *Salmonella typhimurium*/microsome system. *Food Chem Toxicol.* 1987;25(10):763-6.
24. Duh PD, Yeh GC. Antioxidative activity of three herbal water extracts. *Food Chem.* 1997; 60(4):639-45.
25. Changbumrung S, Limveeraprajak E, Rojanapo W, Meevatee A, Suttajit M, Pataraarchachai J, *et al.* Mutagenicity and clastogenicity tests of natural food colouring agents is commonly used in Thailand. *Annual Research Abstracts and Bibliography of Non-formal Publications, Mahidol Univ.* 1997. 1998;25:420.

26. Badria FA. Is man helpless against cancer? An environmental approach: antimutagenic agents from Egyptian food and medicinal preparations. *Cancer Lett.* 1994;84(1):1-5.
27. Akindahunsi AA, Olaleye MT. Toxicological investigation of aqueous-methanolic extract of the calyces of *Hibiscus sabdariffa* L. *J Ethnopharmacol.* 2003;89(1):161-4.
28. บัญชียาหลักแห่งชาติ : 2.5 ยารักษากลุ่มอาการทางระบบทางเดินปัสสาวะ : ยากระเจี๊ยบแดง . Available from: <http://drug.fda.moph.go.th:81/nlem.in.th/medicine/herbal/list/651#item-9375>. Access 11/06/2018.
29. Iyare EE, Adegoke OA. Mechanism of the delayed puberty onset in offspring of rats that consumed aqueous extract of *Hibiscus sabdariffa* during pregnancy. *Niger J Physiol Sci.* 2008;23(1-2):71-7.
30. Iyare EE, Adegoke OA. Maternal consumption of an aqueous extract of *Hibiscus sabdariffa* during lactation accelerates postnatal weight and delays onset of puberty in female offspring. *Niger J Physiol Sci.* 2008;23(1-2):89-94.
31. Iyare EE, Nwagha UI. Delayed puberty onset in rats that consumed aqueous extract of *Hibiscus sabdariffa* during the juvenile-pubertal period. *Pak J Biol Sci* 2009;12(23):1505-10.
32. Iyare EE, Adegoke OA, Nwagha UI. Mechanism of delayed puberty in rats whose mothers consumed *Hibiscus sabdariffa* during lactation. *Pharm Biol.* 2010;48(10):1170-6.
33. Ndu OO, Nworu CS, Ehiemere CO, Ndukwe N and Ochiogu IS. Herb–drug interaction between the extract of *Hibiscus sabdariffa* L. and hydrochlorothiazide in experimental animals. *J Med Food.* 2011;14(6):640-4.
34. Kolawole LA, Maduenyi, A. Effect of zobo drink (*Hibiscus sabdariffa* water extract) on the pharmacokinetics of acetaminophen in human volunteers. *Eur J Drug Metab Pharmacokinet.* 2004;29(1):25-9.
35. Fakeye TO, Adegoke AO, Omoyeni OC, Famakinde AA. Effects of water extract of *Hibiscus sabdariffa* Linn. (Malvaceae) 'Roselle' on excretion of a diclofenac formulation. *Phytother Res.* 2007;21(1):96-8.