

เอกสารอ้างอิง: ถั่วเหลืองกับผู้หญิงวัยหมดประจำเดือน_36(4)

1. นพพร สายัมพล เรวัต เลิศฤทัยโยธิน รังสฤษฎ์ กาวีตะ และคณะ (บรรณาธิการ). พีชเศรษฐกิจ. กรุงเทพฯ: ภาควิชาพืชไร่นา คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์, 2542:471หน้า
2. Moreira AC, Silva AM, Santos MS, Sardão VA. Phytoestrogens as alternative hormone replacement therapy in menopause: What is real, what is unknown. *J Steroid Biochem Mol Biol.* 2014;143:61-71.
3. Messina M. Soy foods, isoflavones, and the health of postmenopausal women. *Am J Clin Nutr.* 2014;100(Suppl1):423S-30S.
4. Taku K, Melby MK, Kronenberg F, Kurzer MS, Messina M. Extracted or synthesized soybean isoflavones reduce menopausal hot flash frequency and severity: systematic review and meta-analysis of randomized controlled trials. *Menopause.* 2012;19(7):776-90.
5. Williamson-Hughes PS, Flickinger BD, Messina MJ, Empie MW. Isoflavone supplements containing predominantly genistein reduce hot flash symptoms: a critical review of published studies. *Menopause.* 2006;13(5):831-9.
6. นันทวัน บุญยะประภัศร. สมุนไพรไม้พุ่มบ้าน เล่ม 2. กรุงเทพฯ: บริษัท ประชาชน จำกัด, 2541:640 หน้า.
7. Messina M. Soy and health update: evaluation of the clinical and epidemiologic literature. *Nutrients.* 2016;8(12):E754.
8. Song T, Barua K, Buseman G, Murphy PA. Soy isoflavone analysis: quality control and a new internal standard. *Am J Clin Nutr.* 1998;68(6Suppl):1474S-9S.
9. Yanaka K, Takebayashi J, Matsumoto T, Ishimi Y. Determination of 15 isoflavone isomers in soy foods and supplements by high-performance liquid chromatography. *J Agric Food Chem.* 2012;60(16):4012-6.
10. *Menopause.* ภาควิชาสูติศาสตร์-นรีเวชวิทยา คณะแพทยศาสตร์ศิริราชพยาบาล มหาวิทยาลัยมหิดล [อินเทอร์เน็ต]. [สืบค้นเมื่อวันที่ 8 มิ.ย. 2562]; จาก: file:///C:/Users/MPIC/Downloads/843-1023-1-PB%20(1).pdf.
11. Tranche S, Brotons C, Pascual de la Pisa B, Macías R, Hevia E, Marzo-Castillejo M. Impact of a soy drink on climacteric symptoms: an open-label, crossover, randomized clinical trial. *Gynecol Endocrinol.* 2016;32(6):477-82.
12. Nahas EA, Nahas-Neto J, Orsatti FL, Carvalho EP, Oliveira ML, Dias R. Efficacy and safety of a soy isoflavone extract in postmenopausal women: a randomized, double-blind, and placebo-controlled study. *Maturitas.* 2007;58(3):249-58.
13. Albert A, Altabre C, Baró F, Buendía E, Cabero A, Cancelo MJ, et al. Efficacy and safety of a phytoestrogen preparation derived from *Glycine max* (L.) Merr in climacteric

symptomatology: a multicentric, open, prospective and non-randomized trial.

Phytomedicine. 2002;9(2):85-92.

14. Albertazzi P, Pansini F, Bonaccorsi G, Zanotti L, Forini E, De Aloysio D. The effect of dietary soy supplementation on hot flashes. *Obstet Gynecol.* 1998;91(1):6-11.
15. Murkies AL, Lombard C, Strauss BJ, Wilcox G, Burger HG, Morton MS. Dietary flour supplementation decreases post-menopausal hot flashes: effect of soy and wheat. *Maturitas.* 2008;61(1-2):27-33.
16. Davinelli S, Scapagnini G, Marzatico F, Nobile V, Ferrara N, Corbi G. Influence of equol and resveratrol supplementation on health-related quality of life in menopausal women: A randomized, placebo-controlled study. *Maturitas.* 2017;96:77-83.
17. Azadbakht L, Kimiagar M, Mehrabi Y, Esmailzadeh A, Padyab M, Hu FB, et al. Soy inclusion in the diet improves features of the metabolic syndrome: a randomized crossover study in postmenopausal women. *Am J Clin Nutr.* 2007;85(3):735-41.
18. Jayagopal V, Albertazzi P, Kilpatrick ES, Howarth EM, Jennings PE, Hepburn DA, et al. Beneficial effects of soy phytoestrogen intake in postmenopausal women with type 2 diabetes. *Diabetes Care.* 2002;25(10):1709-14.
19. Goodman-Gruen D, Kritz-Silverstein D. Usual dietary isoflavone intake is associated with cardiovascular disease risk factors in postmenopausal women. *J Nutr.* 2001;131(4):1202-6.
20. Sathyapalan T, Aye M, Rigby AS, Thatcher NJ, Dargham SR, Kilpatrick E, et al. Soy isoflavones improve cardiovascular disease risk markers in women during the early menopause. *Nutr Metab Cardiovasc Dis.* 2018;28(7):691-7.
21. Hall WL, Formanuiik NL, Harnpanich D, Cheung M, Talbot D, Chowienczyk PJ, et al. A meal enriched with soy isoflavones increases nitric oxide-mediated vasodilation in healthy postmenopausal women. *J Nutr.* 2008;138(7):1288-92.
22. Sathyapalan T, Aye M, Rigby AS, Fraser WD, Thatcher NJ, Kilpatrick ES, et al. Soy reduces bone turnover markers in women during early menopause: a randomized controlled trial. *J Bone Miner Res.* 2017;32(1):157-64.
23. Kritz-Silverstein D, Von Mühlen D, Barrett-Connor E, Bressel MA. Isoflavones and cognitive function in older women: the soy and postmenopausal health in aging (SOPHIA) study. *Menopause.* 2003;10(3):196-202.
24. Messina M, Messina V. Provisional recommended soy protein and isoflavone intakes for healthy adults: rationale. *Nutr Today.* 2003;38(3):100-9.
25. ถั่วเหลืองกับโรคมะเร็ง. สมาคมรังสีรักษาและมะเร็งวิทยาแห่งประเทศไทย [อินเทอร์เน็ต]. [สืบค้นเมื่อวันที่ 8 มิ.ย. 2562]; จาก: <https://www.thastro.org/ถั่วเหลืองกับโรคมะเร็ง/>

26. Touillaud M, Gelot A, Mesrine S, Bennetau-Pelissero C, Clavel-Chapelon F, Arveux P, et al. Use of dietary supplements containing soy isoflavones and breast cancer risk among women aged >50 y: a prospective study. *Am J Clin Nutr.* 2019;109(3):597-605.
27. Messina MJ, Loprinzi CL. Soy for breast cancer survivors: a critical review of the literature. *J Nutr.* 2001;131(11Suppl):3095S-108S.
28. Dong JY, Qin LQ. Soy isoflavones consumption and risk of breast cancer incidence or recurrence: a meta-analysis of prospective studies. *Breast Cancer Res Treat.* 2011;125(2):315-23.
29. Nechuta SJ, Caan BJ, Chen WY, Lu W, Chen Z, Kwan ML, et al. Soy food intake after diagnosis of breast cancer and survival: an in-depth analysis of combined evidence from cohort studies of US and Chinese women. *Am J Clin Nutr.* 2012;96(1):123-32.
30. Shike M, Doane AS, Russo L, Cabal R, Reis-Filho JS, Gerald W, et al. The effects of soy supplementation on gene expression in breast cancer: a randomized placebo-controlled study. *J Natl Cancer Inst.* 2014;106(9):dju189.
31. Wu AH, Spicer D, Garcia A, Tseng CC, Hovanessian-Larsen L, Sheth P, et al. Double-blind randomized 12-month soy intervention had no effects on breast MRI fibroglandular tissue density or mammographic density. *Cancer Prev Res (Phila).* 2015;8(10):942-51.
32. Messina MJ, Wood CE. Soy isoflavones, estrogen therapy, and breast cancer risk: analysis and commentary. *Nutr J.* 2008;7:17.
33. Qiu S, Jiang C. Soy and isoflavones consumption and breast cancer survival and recurrence: a systematic review and meta-analysis. *Eur J Nutr.* 2018.doi:10.1007/s00394-018-1853-4.
34. Kang X, Zhang Q, Wang S, Huang X, Jin S. Effect of soy isoflavones on breast cancer recurrence and death for patients receiving adjuvant endocrine therapy. *CMAJ.* 2010;182(17):1857-62.
35. Ju YH, Doerge DR, Woodling KA, Hartman JA, Kwak J, Helferich WG. Dietary genistein negates the inhibitory effect of letrozole on the growth of aromatase-expressing estrogen-dependent human breast cancer cells (MCF-7Ca) *in vivo*. *Carcinogenesis.* 2008;29(11):2162-8.
36. Ju YH, Doerge DR, Allred KF, Allred CD, Helferich WG. Dietary genistein negates the inhibitory effect of tamoxifen on growth of estrogen-dependent human breast cancer (MCF-7) cells implanted in athymic mice. *Cancer Res.* 2002;62(9):2474-7.
37. Kudo T. Warfarin antagonism of natto and increase in serum vitamin K by intake of natto. *Artery.* 1990;17(4):189-201.
38. Cambria-Kiely JA. Effect of soy milk on warfarin efficacy. *Ann Pharmacother.* 2002;36(12):1893-6.

39. Schurgers LJ, Shearer MJ, Hamulyák K, Stöcklin E, Vermeer C. Effect of vitamin K intake on the stability of oral anticoagulant treatment: dose-response relationships in healthy subjects. *Blood*. 2004;104(9):2682-9.