

## เอกสารอ้างอิง\_การเกิดอันตรกิริยาของกระเทียมกับยาแผนปัจจุบัน\_37(1)

1. นันทวัน บุญยะประภัศร์ และอรนุช โชคชัยเจริญพร, บรรณาธิการ. สมุนไพร:ไม้พื้นบ้าน (1). กรุงเทพฯ: บริษัทประชาชนจำกัด; 2539.
2. นันทวัน บุญยะประภัศร์ และคณะ. ก้าวไปกับสมุนไพร เล่ม 1. กรุงเทพฯ: ธรรมกลการพิมพ์, 2529.
3. พนิดา ไทใหญ่ธรรมสาร. กระเทียมกับการลดระดับไขมันในเลือด. จุลสารข้อมูลสมุนไพร. 2559;33(2):3-11.
4. นันทวัน บุญยะประภัศร์. ผลิตกัณฑ์กระเทียม. จุลสารข้อมูลสมุนไพร. 2539;14(1):15- 21.
5. นันทวัน บุญยะประภัศร์. ผลิตกัณฑ์กระเทียม (ต่อ). จุลสารข้อมูลสมุนไพร. 2540;14(2):5- 7.
6. Vaes LP, Chyka PA. Interactions of warfarin with garlic, ginger, ginkgo, or ginseng: nature of the evidence. *Ann Pharmacother.* 2000;34(12):1478-82.
7. Rahman K, Billington D. Dietary supplementation with aged garlic extract inhibits ADP-induced platelet aggregation in humans. *J Nutr.* 2000;130(11):2662-5.
8. Hiyasat B, Sabha D, Grotzinger K, Kempfert J, Rauwald JW, Mohr FW, et al. Antiplatelet activity of *Allium ursinum* and *Allium sativum*. *Pharmacology.* 2009;83(4):197-204.
9. Wojcikowski K, Myers S, Brooks L. Effects of garlic oil on platelet aggregation: a double-blind placebo-controlled crossover study. *Platelets.* 2007;18(1):29-34.
10. Saw JT, Bahari MB, Ang HH, Lim YH. Potential drug-herb interaction with antiplatelet/ anticoagulant drugs. *Complement Ther Clin Pract.* 2006;12(4):236-41.
11. Bordia A. Effect of garlic on human platelet aggregation *in vitro*. *Atherosclerosis.* 1978; 30:355-60.
12. Cooperative group for essential oil of garlic. The effect of essential oil of garlic on hyperlipidemia and platelet aggregation: an analysis of 308 cases. *J Tradit Chin Med.* 1986;6:117-20.
13. Rose KD, Croissant PD, Parliament CF, Levin MP. Spontaneous spinal epidural hematoma with associated platelet dysfunction from excessive garlic ingestion: a case report. *Neurosurgery.* 1990;26:880-2.
14. German K, Kumar U, Blackford HN. Garlic and the risk of TURP bleeding. *Br J Urol.* 1995; 76:518.
15. Burnham BE. Garlic as a possible risk for postoperative bleeding (letter). *Plast Reconstr Surg.* 1995;95:213.
16. Tattelman E. Health effects of garlic. *Am Fam Physician.* 2005;72:103-106.
17. Mohammed Abdul MI, Jiang X, Williams KM, Day RO, Roufogalis BD, Liauw WS, et al. Pharmacodynamic interaction of warfarin with cranberry but not with garlic in healthy subjects. *Br J Pharmacol.* 2008;154(8):1691-700.
18. Macan H, Uykimpang R, Alconcel M, Takasu J, Razon R, Amagase H, et al. Aged garlic extract may be safe for patients on warfarin therapy. *J Nutr.* 2006;136:793S-5S.
19. Chen XW, Sneed KB, Pan SY, Cao C, Kanwar JR, Chew H, et al. Herb-drug interactions and mechanistic and clinical considerations. *Curr Drug Metab.* 2012;13(5):640-51.

20. Pathak A, Leger P, Bagheri H, Senard JM., Boccalon H, Montastruc JL. Garlic interaction with fluindione: a case report. *Therapie*. 2003;58:380-1.
21. Mateen AA, Rani PU, Naidu MU, Chandrashekar E. Pharmacodynamic interaction study of *Allium sativum* (garlic) with cilostazol in patients with type II diabetes mellitus. *Indian J Pharmacol*. 2011;43(3):270-4.
22. Wang Y, Zou M, Zhao N, Ren J, Zhou H, Cheng G. Effect of diallyl trisulfide on the pharmacokinetics of dipyridamole in rats. *Arch Pharm Res*. 2011;34(11):1957-64.
23. Asdaq SM, Inamdar MN. The potential for interaction of hydrochlorothiazide with garlic in rats. *Chem Biol Interact*. 2009;181(3):472-9.
24. Asdaq SM, Inamdar MN. Pharmacodynamic interaction of garlic with hydrochlorothiazide in rats. *Indian J Physiol Pharmacol*. 2009;53(2):127-36.
25. Asdaq SM, Inamdar MN. The potential benefits of a garlic and hydrochlorothiazide combination as antihypertensive and cardioprotective in rats. *J Nat Med*. 2011;65(1):81-8.
26. Asdaq SM, Inamdar MN. Interaction of propranolol with garlic on biochemical and histological changes in rat. *Iran J Pharm Res*. 2009;8(3):201-7.
27. Asdaq SM, Inamdar MN, Asad M. Pharmacodynamic interaction of garlic with propranolol in ischemia-reperfusion induced myocardial damage. *Pak J Pharm Sci*. 2010;23(1):42-7.
28. Avula PR, Asdaq SM, Asad M. Effect of aged garlic extract and S-allyl cysteine and their interaction with atenolol during isoproterenol induced myocardial toxicity in rats. *Indian J Pharmacol*. 2014;46(1):94-9.
29. Asdaq SM, Inamdar MN. Potential of garlic and its active constituent, S-allyl cysteine, as antihypertensive and cardioprotective in presence of captopril. *Phytomedicine*. 2010;17(13):1016-26.
30. Asdaq SM, Inamdar MN. Pharmacodynamic interaction of captopril with garlic in isoproterenol-induced myocardial damage in rat. *Phytother Res*. 2010;24(5):720-5.
31. Asdaq SMB, Dhamanigi SS, Nagpal S, Rawri RK. Pharmacodynamic interaction of calcium channel blockers with garlic during isoproterenol induced myocardial damage in rat. *RGUHS J Pharm Sci*. 2011;1(1):32-9.
32. Wang Y, Zou MJ, Zhao N, Ren JG, Zhou H, Cheng G. Effect of diallyl trisulfide on the pharmacokinetics of nifedipine in rats. *J Food Sci*. 2011;76(1):T30-4.
33. Chourey S, Narsinghani T, Soni LK. Effect of *Allium sativum* on the pharmacokinetic of metformin in rat plasma: A herb-drug interaction study. *Pharma Chemica*. 2011;3(2):287-91.
34. Poonam T, Prakash GP, Kumar LV. Influence of *Allium sativum* extract on the hypoglycemic activity of glibenclamide: an approach to possible herb-drug interaction. *Drug Metabol Drug Interact*. 2013;28(4):225-30.
35. Kushwaha S, Shah SK, Patel N Tyagi CK. Effects of hydroalcoholic extract of *Allium sativum* on STZ induce hyperglycemia. *Pharma Innovation*. 2016;5(8-B):106-10.

36. Reddy GD, Reddy AG, Rao GS, Kumar MV. Pharmacokinetic interaction of garlic and atorvastatin in dyslipidemic rats. *Indian J Pharmacol.* 2012;44(2):246-52.
37. Cox MC, Low J, Lee J, Walshe J, Denduluri N, Berman A, et al. Influence of garlic (*Allium sativum*) on the pharmacokinetics of docetaxel. *Clin Cancer Res.* 2006;12(15):4636-40.
38. Howard EW, Lee DT, Chiu YT, Chua CW, Wang X, Wong YC. Evidence of a novel docetaxel sensitizer, garlic-derived S-allylmercaptocysteine, as a treatment option for hormone refractory prostate cancer. *Int J Cancer.* 2008;122(9):1941-8.
39. Pan Y, Lin S, Xing R, Zhu M, Lin B, Cui J, et al. Epigenetic upregulation of metallothionein 2A by diallyl trisulfide enhances chemosensitivity of human gastric cancer cells to docetaxel through attenuating NF- $\kappa$ B activation. *Antioxid Redox Signal.* 2016;24(15): 839-54.
40. Shirin H, Pinto JT, Kawabata Y, Soh JW, Delohery T, Moss SF, et al. Antiproliferative effects of S-allylmercaptocysteine on colon cancer cells when tested alone or in combination with sulindac sulfide. *Cancer Res.* 2001;61(2):725-31.
41. Zhang C, Zeng T, Zhao X, Song F, Xie K, Combination effect of garlic oil and cisplatin on growth inhibition of human ovarian carcinoma cell line SKOV3. *Dulixue Zazhi.* 2010; 24(2):116-9.
42. Ebrahimpour S, Tabari MA, Youssefi MR, Aghajanzadeh H, Behzadi MY. Synergistic effect of aged garlic extract and naltrexone on improving immune responses to experimentally induced fibrosarcoma tumor in BALB/c mice. *Pharmacognosy Res.* 2013;5(3):189-94.
43. Gwilt PR, Lear CL, Tempero MA, Birt DD, Grandjean AC, Ruddon RW, et al. The effect of garlic extract on human metabolism of acetaminophen. *Cancer Epidemiol Biomarkers Prev.* 1994;3(2):155-60.
44. Turkanovic J, Ward MB, Gerber JP, Milne RW. Effect of garlic, ginkgo, and St. John's wort extracts on the pharmacokinetics of fexofenadine: A mechanistic study. *Drug Metab Dispos.* 2017;45(5):569-575.
45. Tsao S, Yin M. In vitro activity of garlic oil and four diallyl sulphides against antibiotic-resistant *Pseudomonas aeruginosa* and *Klebsiella pneumoniae*. *J Antimicrob Chemother.* 2001;47(5):665-70.
46. Maldonado PD, Cháñez-Cárdenas ME, Pedraza-Chaverrí J. Aged garlic extract, garlic powder extract, S-allylcysteine, diallyl sulfide and diallyl disulfide do not interfere with the antibiotic activity of gentamicin. *Phytother Res.* 2005;19(3):252-4.
47. Cai Y, Wang R, Pei F, Liang BB. Antibacterial activity of allicin alone and in combination with beta-lactams against *Staphylococcus* spp. and *Pseudomonas aeruginosa*. *J Antibiot (Tokyo).* 2007;60(5):335-8.
48. Nduka SO, Okonta JM, Esimone CO. In vivo evaluation of the effects of *Allium sativum* on the pharmacokinetic parameters of ciprofloxacin and isoniazid. *Int J Drug Discov.* 2012;4(1):123-7.

49. Sohn DW, Han CH, Jung YS, Kim SI, Kim SW, Cho YH. Anti-inflammatory and antimicrobial effects of garlic and synergistic effect between garlic and ciprofloxacin in a chronic bacterial prostatitis rat model. *Int J Antimicrob Agents*. 2009;34(3):215-9.
50. Thomaz L, Apitz-Castro R, Marques AF, Travassos LR, Taborda CP. Experimental paracoccidioidomycosis: alternative therapy with ajoene, compound from *Allium sativum*, associated with sulfamethoxazole/trimethoprim. *Med Mycol*. 2008;46(2):113-8.
51. An M, Shen H, Cao Y, Zhang J, Cai Y, Wang R, Jiang Y. Allicin enhances the oxidative damage effect of amphotericin B against *Candida albicans*. *Int J Antimicrob Agents*. 2009;33(3):258-63.
52. Aala F, Yusuf UK, Jamal F, Khodavandi A. In vitro antifungal activity of allicin alone and in combination with two medications against *Trichophyton rubrum*. *World J Microbiol Biotechnol*. 2010;26(12):2193-8.
53. Aala F, Yusuf UK, Khodavandi A, Jamal F. In vitro antifungal activity of allicin alone and in combination with two medications against six dermatophytic fungi. *Afr J Microbiol Res*. 2010;4(5):380-5.
54. Gallicano K, Foster B, Choudhri S. Effect of short-term administration of garlic supplements on single-dose ritonavir pharmacokinetics in healthy volunteers. *Br J Clin Pharmacol*. 2003;55:199-202.
55. Laroche M, Choudhri S, Gallicano K, Foster B. Severe gastrointestinal toxicity with concomitant ingestion of ritonavir and garlic. *Can J Infect Dis*. 1998;9(Suppl A):471P.
56. Zhou S, Lim LY, Chowbay B. Herbal modulation of P-glycoprotein. *Drug Metab Rev*. 2004;36:57-104.
57. Choudri SH, Gallicano K, Foster B, LeClaire T. A study of pharmacokinetics interactions between garlic supplements and ritonavir in healthy volunteers (abstract no. 1637). In: Program and Abstracts of the 40<sup>th</sup> Interscience Conference on Antimicrobial Agents and Chemotherapy, 2000 Toronto, Canada. p.332.
58. Piscitelli SC, Burstein AH, Welden N, Gallicano KD. The effect of garlic supplements on the pharmacokinetics of saquinavir. *Clin Infect Dis*. 2002;34(2):234-8.
59. Hajda J, Rentsch KM, Gubler C, Steinert H, Stieger B, Fattinger K. Garlic extract induces intestinal P-glycoprotein, but exhibits no effect on intestinal and hepatic CYP3A4 in humans. *Eur J Pharm Sci*. 2010;41(5):729-35.
60. Cloarec N, Solas C, Ladaique A, Tamalet C, Zaegel-Faucher O, Bregigeon S, et al. Sub-therapeutic darunavir concentration and garlic consumption; a «Mediterranean» drug-food interaction, about 2 cases. *Eur J Clin Pharmacol*. 2017;73(10):1331-3.