

เอกสารอ้างอิง: ดาวเรืองฝรั่งกับการรักษาแผล

1. Lim TK. Edible medicinal and non-medicinal plants: Volume 7, Flowers. [internet] London: Springer; 2014 [cited 2020 Jan 4]. Available from: <https://www.springer.com/gp/book/9789400773943>.
2. ก่องกานดา ชยามฤต. สมุนไพรไทย ตอนที่ 4. กรุงเทพฯ: หจก. ชูติมาการพิมพ์, 2528:515 หน้า.
3. Muley BP, Khadabadi SS, Banarase NB. Phytochemical constituents and pharmacological activities of *Calendula officinalis* Linn. (Asteraceae): A review. Trop J Pharm Res. 2009;8(5):455-65.
4. Nelofer J, Khurshid Ia, Riffat J. *Calendula officinalis* - an important medicinal plant with potential biological properties. Proc Indian Natn Sci Acad. 2017; 83(4):769-87.
5. นันทวัน บุญยะประภัศร์ อรณุช โชคชัยเจริญพร, บรรณาธิการ. สมุนไพรไม้พุ่มบ้าน เล่ม 2. กรุงเทพฯ: บริษัท ประชาชน จำกัด, 2541:640 หน้า.
6. Vitalini S, Iriti M, Puricelli C, Ciuchi D, Segale A, Fico G. Traditional knowledge on medicinal and food plants used in Val San Giacomo (Sondrio, Italy)-An alpine ethnobotanical study. J Ethnopharmacol. 2013;145:517-29.
7. Savikin K, Zdunic G, Menkovic N, Zivkovic J, Cujic N, Terescenko M, et al. Ethnobotanical study on traditional use of medicinal plants in South-Western Serbia, Zlatibor district. J Ethnopharmacol. 2013;146:803-10.
8. Leporatti ML, Corradi L. Ethnopharmacobotanical remarks on the Province of Chieti town (Abruzzo, Central Italy). J Ethnopharmacol. 2001;74:17-40.
9. Guarrera PM, Forti G, Marignoli S. Ethnobotanical and ethnomedicinal uses of plants in the district of Acquapendente (Latium, Central Italy). J Ethnopharmacol. 2005;96:429-44.
10. Leporatti ML, Ivancheva S. Preliminary comparative analysis of medicinal plants used in the traditional medicine of Bulgaria and Italy. J Ethnopharmacol. 2003;87:123-42.
11. European Medicines Agency. Assessment report on *Calendula officinalis* L., flos. Committee on herbal medicinal products. 2018:1-37.
12. Lievre M, Marichy J, Baux S, Foyatier JL, Perrot J, Boissel JP. Controlled study of three ointments for the local management of 2nd and 3rd degree burns. Clin Trials Meta-Anal. 1992;29:9-12.
13. Carvalho AFM, Feitosa MCP, Coelho NPMF, Rebelo VCN, Castro JG, Sousa PRG, et al. Low-level laser therapy and *Calendula officinalis* in repairing diabetic foot ulcers. Rev Esc Enferm USP. 2016;50(4):626-32.
14. Buzzi M, de Freitas F, Winter MB. A prospective, descriptive study to assess the clinical benefits of using *Calendula officinalis* hydroglycolic extract for the topical treatment of diabetic foot ulcers. Ostomy Wound Manag. 2016;62(3):8-24.
15. Duran V, Matic M, Jovanovc M, et al. Results of the clinical examination of an ointment with marigold (*Calendula officinalis*) extract in the treatment of venous leg ulcers. Int J Tissue React. 2005;27(3):101-6.

16. Buzzi M, de Freitas F. Therapeutic effectiveness of a *Calendula officinalis* extract in venous leg ulcer healing. *J Wound Care*. 2016;25(12):732-9.
17. Kundakovic T, Milenkovic M, Zlatkovic S, Nikolic V, Nikolic G, Binic I. Treatment of venous ulcers with the herbal-based ointment herbadermal®: a prospective non-randomized pilot study. *Forsch Komplementmed*. 2012;19:26-30.
18. Eghdampour F, Jahdie F, Kheyrkhah M, Taghizadeh M, Naghizadeh S, Hagani H. The impact of *Aloe vera* and *Calendula* on perineal healing after episiotomy in primiparous women: a randomized clinical trial. *J Caring Sci*. 2013;2(4):279-86.
19. Buzzi M, de Freitas F, Winter MB. Pressure ulcer healing with Plenusdermax® *Calendula officinalis* L. extract. *Rev Bras Enferm*. 2016;69(2):230-6.
20. ณิชกุลพัชร แสงเป็ลียน. การดูแลผู้ป่วยที่ได้รับรังสีรักษา. [internet] เข้าถึงเมื่อ 8 มกราคม 2563. เข้าถึงได้จาก <https://www.spr.go.th/images/anuch/nursing%20in%20radiation%20oncology%202017%20file%20%E0%B8%AA%E0%B9%88%E0%B8%87.pdf>.
21. Pommier P, Gomez F, Sunyach MP, D'Hombres A, Carrie C, Montbarbon X. Phase III randomized trial of *Calendula officinalis* compared with trolamine for the prevention of acute dermatitis during irradiation for breast cancer. *J Clin Oncol*. 2004;22(8):1447-53.
22. Sharp L, Finnila K, Johansson H, Abrahamsson M, Hatschek T, Bergenmar M. No differences between *Calendula* cream and aqueous cream in the prevention of acute radiation skin reactions-results from a randomised blinded trial. *Eur J Oncol Nurs*. 2013;17(4):429-35.
23. Schneider F, Danski MTR, Vayego SA. Usage of *Calendula officinalis* in the prevention and treatment of radiodermatitis: a randomized double-blind controlled clinical trial. *Rev Esc Enferm USP*. 2015;49(2):221-8.
24. Patrick KF, Kumar S, Edwardson PA, Hutchinson JJ. Induction of vascularisation by an aqueous extract of the flowers of *Calendula officinalis* L., the European marigold. *Phytomedicine*. 1996;3(1):11-8.
25. Parente LML, Andrade MA, Brito LAB, Moura VMDB, Miguel MP, Lino Junior RS, et al. Angiogenic activity of *Calendula officinalis* flowers L. in rats. *Acta Cirurgica Brasileira*. 2011;26:19-24.
26. Parente LML, Lino Junior RS, Tresvenzol LM, Vinaud MC, de Paula JR, Paulo NM. Wound healing and anti-inflammatory effect in animal models of *Calendula officinalis* L. growing in Brazil. *Evid Based Complement Alternat Med*. 2012;2012:375671. doi:10.1155/2012/375671.
27. Fronza M, Heinzmann B, Hamburger M, Laufer S, Merfort I. Determination of the wound healing effect of *Calendula* extracts using the scratch assay with 3T3 fibroblasts. *J Ethnopharmacol*. 2009;126(3):463-7.

28. Dinda M, Mazumdar S, Das S, Ganguly D, Dasgupta UB, Dutta A, et al. The water fraction of *Calendula officinalis* hydroethanol extract stimulates *in vitro* and *in vivo* proliferation of dermal fibroblasts in wound healing. *Phytother Res.* 2016;30:1696-707.
29. Dinda M, Dasgupta U, Namrata S, Bhattacharyya D, Karmakar P. PI3K-mediated proliferation of fibroblasts by *Calendula officinalis* tincture: implication in wound healing. *Phytother Res.* 2015;29:607-16.
30. Nicolaus C, Junghanns S, Hartmann A, Murillo R, Ganzera M, Merfort I. *In vitro* studies to evaluate the wound healing properties of *Calendula officinalis* extracts. *J Ethnopharmacol.* 2017;196:94-103.
31. Chandran PK, Kuttan R. Effect of *Calendula officinalis* flower extract on acute phase proteins, antioxidant defense mechanism and granuloma formation during thermal burns. *J Clin Biochem Nutr.* 2008;43:58-64.
32. Fonseca YM, Catini CD, Vicentini FT, Nomizo A, Gerlach RF, Fonseca MJ. Protective effect of *Calendula officinalis* extract against UVB-induced oxidative stress in skin: evaluation of reduced glutathione levels and matrix metalloproteinase secretion. *J Ethnopharmacol.* 2010;127:596-601.
33. Preethi KC, Kuttan R. Wound healing activity of flower extract of *Calendula officinalis*. *J Basic Clin Physiol Pharmacol.* 2009;20(1):73-9.
34. Klouček-Popova E, Popov A, Pavlova N, Krusteva S. Influence of the physiological regeneration and epithelialization using fractions isolated from *Calendula officinalis*. *Acta Physiol Pharmacol Bulg.* 1982;8(4):63-7.
35. Shafeie N, Naini AT, Jahromi HK. Comparison of different concentrations of *Calendula officinalis* gel on cutaneous wound healing. *Biomed Pharmacol J.* 2015;8:979-92.
36. Tanideh N, Jamshidzadeh A, Sepehrimanesh M, Hosseinzadeh M, Koochi-Hosseiniabadi O, Najibi A, et al. Healing acceleration of acetic acid-induced colitis by marigold (*Calendula officinalis*) in male rats. *Saudi J Gastroenterol.* 2016;22(1):50-6.
37. Dhar, ML, Dhar MM, Dhawan BN, Mehrotra BN, Ray C. Screening of Indian plants for biological activity: part I. *Indian J Exp Biol.* 1968;6:232-47.
38. Lagarto A, Bueno V, Guerra I, Valdes O, Vega Y, Torres L. Acute and subchronic oral toxicities of *Calendula officinalis* extract in Wistar rats. *Exp Toxicol Pathol.* 2011;63:387-91.
39. Silva EJR, Gonçalves ES, Aguiar F, Evencio LB, Lyra MMA, Coelho MCOC, et al. Toxicological studies on hydroalcohol extract of *Calendula officinalis* L. *Phytother Res.* 2007;21:332-6.
40. Reider N, Komericki P, Hausen BM, Fritsch P, Aberer W. The seamy side of natural medicines: contact sensitization to arnica (*Arnica montana* L.) and marigold (*Calendula officinalis* L.). *Contact Dermatitis.* 2001;45:269-72.

41. Bruynzeel DP, van Ketel WG, Young E, van Joost TH, Smeenk G. Contact sensitization by alternative topical medicaments containing plant extracts. *Contact Dermatitis*. 1992;27:278-9.
42. Paulsen E. Contact sensitization from Compositae-containing herbal remedies and cosmetics. *Contact Dermatitis*. 2002;77:189-98.
43. Wintzen M, Donker AS, Van Zuuren EJ. Recalcitrant atopic dermatitis due to allergy to Compositae. *Contact Dermatitis*. 2003;48:87-8.