

เอกสารอ้างอิง: อันตรกิริยาของฟ้าทะลายโจรกับยาแผนปัจจุบัน_37(3)

1. Jayakumar T, Hsieh CY, Lee JJ, Sheu JR. Experimental and clinical pharmacology of *Andrographis paniculata* and its major bioactive phytoconstituent andrographolide. Evid Based Complement Alternat Med. 2013;2013:846740.
2. บัญชียาหลักแห่งชาติ พ.ศ. 2562 [อินเทอร์เน็ต]. [สืบค้นเมื่อวันที่ 25 ม.ค. 2563]; จาก: http://www.ratchakitcha.soc.go.th/DATA/PDF/2562/E/095/T_0008.PDF
3. Tan ML, Lim LE. The effects of *Andrographis paniculata* (Burm.f.) Nees extract and diterpenoids on the CYP450 isoforms' activities, a review of possible herb-drug interaction risks. Drug Chem Toxicol. 2015;38(3):241-53.
4. Pekthong D, Martin H, Abadie C, Bonet A, Heyd B, Manton G, et al. Differential inhibition of rat and human hepatic cytochrome P450 by *Andrographis paniculata* extract and andrographolide. J Ethnopharmacol. 2008;115(3):432-40.
5. Pekthong D, Blanchard N, Abadie C, Bonet A, Heyd B, Manton G, et al. Effects of *Andrographis paniculata* extract and andrographolide on hepatic cytochrome P450 mRNA expression and monooxygenase activities after *in vivo* administration to rats and *in vitro* in rat and human hepatocyte cultures. Chem Biol Interact. 2009;179(2-3):247-55.
6. Chatuphonprasert W, Remsungnen T, Nemoto N, Jarukamjorn K. Different AhR binding sites of diterpenoid ligands from *Andrographis paniculata* caused differential CYP1A1 induction in primary culture in mouse hepatocytes. Toxicol In Vitro. 2011;25(8):1757-63.
7. Jaruchotikamol A, Jarukamjorn K, Sirisangtrakul W, Sakuma T, Kawasaki Y, Nemoto N. Strong synergistic induction of CYP1A1 expression by andrographolide plus typical CYP1A inducers in mouse hepatocytes. Toxicol Appl Pharmacol. 2007;224(2):156-62.
8. Chatuphonprasert W, Jarukamjorn K, Kondo S, Nemoto N. Synergistic increases of metabolism and oxidation-reduction genes on their expression after combined treatment with a CYP1A inducer and andrographolide. Chem Biol Interact. 2009;182(2-3):233-8.
9. Qiu F, Hou XL, Takahashi K, Chen LX, Azuma J, Kang N. Andrographolide inhibits the expression and metabolic activity of cytochrome P450 3A4 in the modified Caco-2 cells. J Ethnopharmacol. 2012;141(2):709-13.
10. Ooi JP, Kuroyanagi M, Sulaiman SF, Muhammad TS, Tan ML. Andrographolide and 14-deoxy-11, 12-didehydroandrographolide inhibit cytochrome P450s in HepG2 hepatoma cells. Life Sci. 2011;88(9-10):447-54.

11. Pan Y, Abd-Rashid BA, Ismail Z, Ismail R, Mak JW, Pook PC, et al. *In vitro* modulatory effects of *Andrographis paniculata*, *Centella asiatica* and *Orthosiphon stamineus* on cytochrome P450 2C19 (CYP2C19). *J Ethnopharmacol.* 2011;133(2):881-7.
12. Hanapi NA, Azizi J, Ismail S, Mansor SM. Evaluation of selected Malaysian medicinal plants on phase I drug metabolizing enzymes, CYP2C9, CYP2D6 and CYP3A4 activities *in vitro*. *Int J Pharmacol.* 2010;6(4):494-9.
13. Pan Y, Abd-Rashid BA, Ismail Z, Ismail R, Mak JW, Pook PC, et al. *In vitro* determination of the effect of *Andrographis paniculata* extracts and andrographolide on human hepatic cytochrome P450 activities. *J Nat Med.* 2011;65(3-4):440-7.
14. Kar A, Pandit S, Mukherjee K, Bahadur S, Mukherjee PK. Safety assessment of selected medicinal food plants used in Ayurveda through CYP450 enzyme inhibition study. *J Sci Food Agric.* 2017;97(1):333-40.
15. Jarukamjorn K, Don-in K, Makejaruskul C, Laha T, Daodee S, Pearaksa P, et al. Impact of *Andrographis paniculata* crude extract on mouse hepatic cytochrome P450 enzymes. *J Ethnopharmacol.* 2006;105(3):464-7.
16. Ismail S, Hanapi NA, Ab Halim MR, Uchaipichat V, Mackenzie PI. Effects of *Andrographis paniculata* and *Orthosiphon stamineus* extracts on the glucuronidation of 4-methylumbelliferone in human UGT isoforms. *Molecules.* 2010;15(5):3578-92.
17. Ma HY, Sun DX, Cao YF, Ai CZ, Qu YQ, Hu CM, et al. Herb-drug interaction prediction based on the high specific inhibition of andrographolide derivatives towards UDP-glucuronosyltransferase (UGT) 2B7. *Toxicol Appl Pharmacol.* 2014;277(1):86-94.
18. Uchaipichat V. *In vitro* inhibitory effects of major bioactive constituents of *Andrographis paniculata*, *Curcuma longa* and *Silybum marianum* on human liver microsomal morphine glucuronidation: a prediction of potential herb-drug interactions arising from andrographolide, curcumin and silybin inhibition in humans. *Drug Metab Pharmacokinet.* 2018;33(1):67-76.
19. Zhang X, Zhang X, Wang X, Zhao M. Influence of andrographolide on the pharmacokinetics of warfarin in rats. *Pharm Biol.* 2018;56(1):351-6.
20. Yang L, Wu D, Luo K, Wu S, Wu P. Andrographolide enhances 5-fluorouracil-induced apoptosis *via* caspase-8-dependent mitochondrial pathway involving p53 participation in hepatocellular carcinoma (SMMC-7721) cells. *Cancer Lett.* 2009;276(2):180-8.

21. Wang W, Guo W, Li L, Fu Z, Liu W, Gao J, et al. Andrographolide reversed 5-FU resistance in human colorectal cancer by elevating BAX expression. *Biochem Pharmacol.* 2016;121:8-17.
22. Yuan H, Sun B, Gao F, Lan M. Synergistic anticancer effects of andrographolide and paclitaxel against A549 NSCLC cells. *Pharm Biol.* 2016;54(11):2629-35.
23. Yunos NM, Mutalip SS, Jauri MH, Yu JQ, Huq F. Anti-proliferative and pro-apoptotic effects from sequenced combinations of andrographolide and cisplatin on ovarian cancer cell lines. *Anticancer Res.* 2013;33(10):4365-71.
24. Balap A, Atre B, Lohidasan S, Sinnathambi A, Mahadik K. Pharmacokinetic and pharmacodynamic herb-drug interaction of *Andrographis paniculata* (Nees) extract and andrographolide with etoricoxib after oral administration in rats. *J Ethnopharmacol.* 2016;183:9-17.
25. Balap A, Lohidasan S, Sinnathambi A, Mahadik K. Herb-drug interaction of *Andrographis paniculata* (Nees) extract and andrographolide on pharmacokinetic and pharmacodynamic of naproxen in rats. *J Ethnopharmacol.* 2017;195:214-21.
26. Balap A, Lohidasan S, Sinnathambi A, Mahadik K. Pharmacokinetic and pharmacodynamic interaction of andrographolide and standardized extract of *Andrographis paniculata* (Nees) with nabumetone in Wistar rats. *Phytother Res.* 2017;31(1):75-80.
27. Samala S, Veeresham C. Pharmacokinetic and pharmacodynamic Interaction of boswellic acids and andrographolide with glyburide in diabetic rats: including its PK/PD modeling. *Phytother Res.* 2016;30(3):496-502.
28. Chien CF, Wu YT, Lee WC, Lin LC, Tsai TH. Herb-drug interaction of *Andrographis paniculata* extract and andrographolide on the pharmacokinetics of theophylline in rats. *Chem Biol Interact.* 2010;184(3):458-65.