

เอกสารอ้างอิง : อะโวคาโด

1. กรมอนามัย กระทรวงสาธารณสุข. โรคอ้วนลงพุง (metabolic syndrome). [อินเทอร์เน็ต]. 2020. [cited 2020 April 1]. Available from: https://www.anamai.moph.go.th/ewt_news.php?
2. Alberti K, Eckel RH, Grundy SM, Zimmet PZ, Cleeman JI, Donato KA, et al. Harmonizing the metabolic syndrome a joint interim statement of the International Diabetes Federation Task Force on Epidemiology and Prevention; National Heart, Lung, and Blood Institute; American Heart Association; World Heart Federation; International Atherosclerosis Society; and International Association for the Study of Obesity. *Circulation*. 2009;20:1640-5.
3. วิชัย เอกพลากร. (บก.). การสำรวจสุขภาพประชาชนไทยโดยการตรวจร่างกาย ครั้งที่ 5 พ.ศ.2557. นนทบุรี: สถาบันวิจัยระบบสาธารณสุข; 2557.
4. The plant list. [Internet]. 2013 [cited 2020 April 1]. Available from: <http://www.theplantlist.org>.
5. กรมส่งเสริมการเกษตร กระทรวงเกษตรและสหกรณ์. อะโวคาโด. [อินเทอร์เน็ต]. 2020. [cited 2020 April 1]. Available from: http://www.doa.go.th/kasikorn/year-53/sep_oct_53/part-2.pdf.
6. สถาบันวิจัยและพัฒนาพื้นที่สูง (องค์การมหาชน). อะโวคาโด: องค์ความรู้เพื่อการพัฒนาพื้นที่สูงอย่างยั่งยืน. [อินเทอร์เน็ต]. 2020. [cited 2020 April 1]. Available from: <https://hkm.hrdi.or.th/knowledge/detail/101>
7. Dreher ML, Davenport AJ. Hass avocado composition and potential health effects. *Crit Rev Food Sci Nutr*. 2013;53(7):738-50.
8. USDA National Nutrient Database [Internet]. 2020. United States Department of Agriculture. [cited 2020 April 20]. Available from: [https:// https://fdc.nal.usda.gov](https://fdc.nal.usda.gov).
9. Lerman-Garber I, Ichazo-Cerro S, Zamora-González J, Cardoso-Saldaña G, Posadas-Romero C. Effect of a high monounsaturated fat diet enriched with avocado in NIDDM patients. *Diabetes Care*. 1994;017:311.
10. Park E, Edirisinghe I, Burton-Freeman B. Avocado fruit on postprandial markers of cardio-metabolic risk: a randomized controlled dose response trial in overweight and obese men and women. *Nutrients*. 2018;10(9):1287.
11. Furlan CPB, Valle SC, Östman E, Maróstica MR, Tovar J. Inclusion of Hass avocado-oil improves postprandial metabolic responses to a hypercaloric-hyperlipidic meal in overweight subjects. *J Funct Food*. 2017;38(A):349-54.
12. Carranza-Madrigal J, Herrera-Abarca JE, Alvizouri-Muñoz M, Alvarado-Jimenez MR, Chavez-Carbajal F. Effects of a vegetarian diet vs. a vegetarian diet enriched with avocado in hypercholesterolemic patients. *Arch Med Res*. 1997;28:537-41.

13. López LR, Frati Munari AC, Hernández Domínguez BC, Cervantes Montalvo S, Hernández Luna MH, Juárez C, et al. Monounsaturated fatty acid (avocado) rich diet for mild hypercholesterolemia. *Arch Med Res.* 1996;27(4):519-23.
14. Alvizouri-Muñoz M, Carranza-Madrigal J, Herrera-Abarca JE, Chávez-Carbajal F, Amezcua-Gastelum JL. Effects of avocado as a source of monounsaturated fatty acids on plasma lipid levels. *Arch Med Res.* 1992;23:163–7.
15. Colquhoun DM, Moores D, Somerset SM, Humphries JA. Comparison of the effects on lipoproteins and apolipoproteins of a diet high in monounsaturated fatty acids, enriched with avocado, and a high-carbohydrate diet. *Am J Clin Nutr.* 1992;56:671–7.
16. Wang L, Bordi PL, Fleming JA, Hill AM, Kris-Etherton PM. Effect of a moderate fat diet with and without avocados on lipoprotein particle number, size and subclasses in overweight and obese adults: a randomized, controlled trial. *J Am Heart Assoc.* 2015;4:e001355.
17. Wang L, Tao L, Hao L, Stanley TH, Huang KH, Lambert JD, et al. A moderate-fat diet with one avocado per day increases plasma antioxidants and decreases the oxidation of small, dense LDL in adults with overweight and obesity: a randomized controlled trial. *J Nutr.* 2020;150(2):276-84.
18. Li Z, Wong A, Henning SM, Zhang Y, Jones A, Zerlin A, et al. Hass avocado modulates postprandial vascular reactivity and postprandial inflammatory responses to a hamburger meal in healthy volunteers. *Food Funct.* 2013;4(3):384-91.
19. Fulgoni VL, Dreher M, Davenport AJ. Avocado consumption is associated with better diet quality and nutrient intake, and lower metabolic syndrome risk in US adults: results from the National Health and Nutrition Examination Survey (NHANES) 2001-2008. *Nutr J.* 2013;12:1-6.
20. Heskey C, Oda K, Sabaté J. Avocado intake, and longitudinal weight and body mass index changes in an adult cohort. *Nutrients.* 2019;11(3):691.
21. Henning SM, Yang J, Woo SL, Lee RP, Huang J, Rasmusen A, et al. Hass avocado inclusion in a weight-loss diet supported weight loss and altered gut microbiota: a 12-week randomized, parallel-controlled trial. *Curr Dev Nutr.* 2019;3(8):nzz068.
22. Haddad E, Wien M, Oda K, Sabaté J. Postprandial gut hormone responses to Hass avocado meals and their association with visual analog scores in overweight adults: A randomized 3□×□3 crossover trial. *Eat Behav.* 2018;31:35-40.
23. Sabaté J, Wien M, Haddad E. Post-ingestive effects of avocados in meals on satiety and gastric hormone blood levels. *Human Health Nut.* 2015;1:459–61.

24. Wien M, Haddad E, Oda K, Sabaté J. A randomized 3x3 crossover study to evaluate the effect of Hass avocado intake on post-ingestive satiety, glucose and insulin levels, and subsequent energy intake in overweight adults. *Nutr J*. 2013;12:155-63.
25. Zhu L, Huang Y, Edirisinghe I, Park E, Burton-Freeman B. Using the avocado to test the satiety effects of a fat-fiber combination in place of carbohydrate energy in a breakfast meal in overweight and obese men and women: a randomized clinical trial. *Nutrients*. 2019;11(5):952.
26. Isaac AT, Oboh G, Akinyemi AJ, Ajani RA, Olanrewaju BO. Avocado pear fruits and leaves aqueous extracts inhibit α -amylase, α -glucosidase and snp induced lipid peroxidation—an insight into mechanisms involve in management of type 2 diabetes. *Int J Appl Nat Sci*. 2014;3:21–34.
27. Oboh G, Isaac AT, Akinyemi AJ, Ajani RA. Inhibition of key enzymes linked to type 2 diabetes and sodium nitroprusside induced lipid peroxidation in rats' pancreas by phenolic extracts of avocado pear leaves and fruit. *Int J Biomed Sci*. 2014;10(3):208-16.
28. Carvajal-Zarrabal O, Nolasco-Hipolito C, Aguilar-Uscanga MG, Melo Santiesteban G, Hayward-Jones PM, Barradas-Dermitz DM. Effect of dietary intake of avocado oil and olive oil on biochemical markers of liver function in sucrose-fed rats. *Biomed Res Int*. 2014:1–8. Article ID 595479.
29. Gallagher AM, Flatt PR, Duffy G, Abdel-Wahab YHA. The effects of traditional antidiabetic plants on *in vitro* glucose diffusion. *Nutr Res*. 2033;23:413–24.
30. Rao USM, Adinew B. Remnant β -cell-stimulative and antioxidative effects of *Persea americana* fruit extract studied in rats introduced into streptozotocin-induced hyperglycaemic state. *Afr J Tradit Complement Altern Med*. 2011;8:210–7.
31. Rao USM. Salutary potential of ethanolic extract of avocado fruit on anomalous carbohydrate metabolic key enzymes in hepatic and renal tissues of hyperglycaemic albino rats. *Chin J Integr Med*. 2017;doi: 10.1007/s11655-017-2784-2.
32. Thenmozhi A, Shanmugasundaram C, Rao UM. Biochemical evaluation of anti-diabetic phytomolecule through bioactivity guided solvent fractionation and sub-fractionation from hydromethanolic (2:3) extract of alligator pear fruit in streptozotocin induced diabetic rats. *J Appl Pharm Sci*. 2012;2:61-9.
33. Ahmed N, Tchong M, Roma A, Buraczynski M, Jayanth P, Rea K, et al. Avocatin B protects against lipotoxicity and improves insulin sensitivity in diet-induced obesity. *Mol Nutr Food Res*. 2019;63(24):e1900688.

34. Del Toro-Equihua M, Velasco-Rodríguez R, López-Ascencio R, Vásquez C. Effect of an avocado oil-enhanced diet (*Persea americana*) on sucrose-induced insulin resistance in Wistar rats. *J Food Drug Anal.* 2016;24:350–7.
35. Ortiz-Avila O, Esquivel-Martínez M, Olmos-Orizaba BE, Saavedra-Molina A, Rodríguez-Orozco AR, et al. Avocado oil improves mitochondrial function and decreases oxidative stress in brain of diabetic rats. *J Diabetes Res.* 2015:1–9.
36. Ortiz-Avila O, Sámano-García CA, Calderón-Cortés E, Pérez-Hernández IH, Mejía-Zepeda R, Rodríguez-Orozco AR, et al. Dietary avocado oil supplementation attenuates the alterations induced by type I diabetes and oxidative stress in electron transfer at the complex II-complex III segment of the electron transport chain in rat kidney mitochondria. *J Bioenerg Biomembr.* 2013;45(3):271-87.
37. Ortiz-Avila O, Gallegos-Corona MA, Sánchez-Briones LA, Calderón-Cortés E, Montoya-Pérez R, Rodríguez-Orozco AR, et al. Protective effects of dietary avocado oil on impaired electron transport chain function and exacerbated oxidative stress in liver mitochondria from diabetic rats. *J Bioenerg Biomembr.* 2015;47:337–53.
38. Elbadrawy E, Shelbaya L. Hypolipidemic activities of hydroalcoholic extract of avocado fruit on high cholesterol fed diet in rats and its antioxidant effect *in vitro*. *J Am Sci.* 2013;9:337–43.
39. Al-Dosari MS. Hypolipidemic and antioxidant activities of avocado fruit pulp on high cholesterol fed diet in rats. *Afr J Pharm Pharmacol.* 2011;5:1475–83.
40. Pádua-Ramos ME, Garduño-Siciliano L, Dorantes-Alvarez L, Chamorro-Cevallos G, Herrera-Martínez J, et al. Reduced-calorie avocado paste attenuates metabolic factors associated with a hypercholesterolemic-high fructose diet in rats. *Plant Foods Hum Nutr.* 2014;69:18–24.
41. Ortiz Moreno A, Hernández Navarro M, Dorantes Alvarez L, Chamorro Cevallos G, Hernández Ortega M. Comparative study of the hypolipidemic effect induced by different monounsaturated avocado oils, Proceedings VI World Avocado Congress (Acts VI Congreso Mundial del Aguacate). Vina Del Mar, Chile. 2007. pp. 12–6.
42. Tan CX, Chong GH, Hamzah H, Ghazali HM. Effect of virgin avocado oil on diet-induced hypercholesterolemia in rats via ¹H NMR-based metabolomics approach. *Phytother Res.* 2018;32(11):2264-74.
43. Monika P, Geetha A. Effect of *Persea americana* (avocado) fruit extract on the level of expression of adiponectin and PPAR- γ in rats subjected to experimental hyperlipidemia and obesity. *J Complement Integr Med.* 2014;11:107–19.

44. Monika P, Geetha A. Effect of hydroalcoholic fruit extract of *Persea americana* Mill. on high fat diet induced obesity: a dose response study in rats. *Indian J Exp Biol.* 2016;54:370–8.
45. Kritchevsky D, Tepper SA, Wright S, Czarnecki SK, Wilson TA, Nicolosi RJ. Cholesterol vehicle in experimental atherosclerosis 24: avocado oil. *J Am Coll Nutr.* 2003 22: 52–55.
46. Monika P, Geetha A. The modulating effect of *Persea americana* fruit extract on the level of expression of fatty acid synthase complex, lipoprotein lipase, fibroblast growth factor-21 and leptin–A biochemical study in rats subjected to experimental hyperlipidemia and obesity. *Phytomedicine.* 2015;22:939–45.
47. Márquez-Ramírez CA, Hernández de la Paz JL, Ortiz-Avila O, Raya-Farias A, González-Hernández JC, et al. Comparative effects of avocado oil and losartan on blood pressure, renal vascular function, and mitochondrial oxidative stress in hypertensive rats. *Nutrition.* 2018;54:60-67.
48. Rodriguez J, Crespo JF, Burks W, Rivas-Plata C, Fernandez-Anaya S, Vives R, et al. Randomized, double-blind, crossover challenge study in 53 subjects reporting adverse reactions to melon (*Cucumis melo*). *J Allergy Clin Immunol.* 2000;106(5):968-72.
49. Lavaud F, Prevost A, Cossart C, Guerin L, Bernard J, Kochman S. Allergy to latex, avocado pear, and banana: evidence for a 30 kd antigen in immunoblotting. *J Allergy Clin Immunol.* 1995;95(2):557-64.
50. Blackman AC, Anvari S, Davis CM, Anagnostou A. Emerging triggers of food protein-induced enterocolitis syndrome: Lessons from a pediatric cohort of 74 children in the United States. *Ann Allergy Asthma Immunol.* 2019;122(4):407-11.