

เอกสารอ้างอิง_ผักข้าว 38(1)

1. The plant list. [Internet]. [cited 2020 March 7]. Available from: <http://www.Theplantlist.org>.
2. นันทวัน บุญยะประภัศร อรณูช โชคชัยเจริญพร, บรรณาธิการ. สมุนไพรไม้พุ่มบ้าน เล่ม 3. กรุงเทพฯ: บริษัทประชาชน จำกัด, 2543:823 หน้า.
3. ผักข้าว อาหารต้านมะเร็ง. [อินเทอร์เน็ต]. [เข้าถึงเมื่อ 6 มีนาคม 2563]. เข้าถึงจาก: <https://www.doctor.or.th/article/detail/1060>.
4. Aoki H, Kieu NTM, Kuze N, Tomisaka K, Chuyen NV. Carotenoid pigments in Gac fruit (*Momordica cochinchinensis* Spreng.). *Biosci Biotechnol Biochem*. 2002;66(11):2479-82.
5. กองโภชนาการ กรมอนามัย กระทรวงสาธารณสุข. ตารางแสดงคุณค่าทางโภชนาการของอาหารไทย. กรุงเทพฯ: โรงพิมพ์องค์การทหารผ่านศึก, 2544: 132 หน้า.
6. Chuyen HV, Nguyen MH, Roach PD, Golding JB, Parks SE. Gac fruit (*Momordica cochinchinensis* Spreng.): a rich source of bioactive compounds and its potential health benefits. *Int J Food Sci Tech*. 2015;50:567-77.
7. Kha TC, Nguyen MH, Roach PD, Parks SE, Stathopoulos C. Gac fruit: nutrient and phytochemical composition, and options for processing. *Food Rev Int*. 2013;29:92-106.
8. Abdulqader A, Ali F, Ismail A, Esa NM. Gac (*Momordica cochinchinensis* Spreng.) fruit and its potentiality and superiority in - health benefits. *J Contemp Med Sci*. 2018;4(4):179-86
9. Ishida BK, Turner C, Chapman MH, McKeon TA. Fatty acid and carotenoid composition of Gac (*Momordica cochinchinensis* Spreng.) fruit. *J Agri Food Chem*. 2004;52:274-9.
10. Kubola J, Siriamornpun S. Phytochemicals and antioxidant activity of different fruit fractions (peel, pulp, aril and seed) of Thai gac (*Momordica cochinchinensis* Spreng.). *Food Chem*. 2011;127:1138-45.
11. Hernandez J-F, Gagnon J, Chiche L, Nguyen TM, Andrieu J-P, Heitz A, et al. Squash trypsin inhibitors from *Momordica cochinchinensis* exhibit an atypical macrocyclic structure. *Biochem*. 2000;39:5722-30.
12. Heitz A, Hernandez J-F, Gagnon J, Hong TT, Pham TTC, Nguyen TM, et al. Solution structure of the squash trypsin inhibitor MCoTI-II. A new family for cyclic knottins. *Biochem*. 2001;40:7973-83.
13. Le AV, Huynh TT, Parks SE, Nguyen MH, Roach PD. Bioactive composition, antioxidant activity, and anticancer potential of freeze-dried extracts from defatted Gac (*Momordica cochinchinensis* Spreng.) seeds. *Medicines*. 2018;5,104; doi:10.3390/medicines5030104.
14. Le AV, Parks SE, Nguyen MH, Roach PD. Optimised extraction of trypsin inhibitors from defatted Gac (*Momordica cochinchinensis* Spreng.) seeds for production of a trypsin inhibitor-enriched freeze dried powder. *Separations*. 2019;6,8; doi:10.3390/separations6010008

15. Chuethong J, Oda K, Sakurai H, Saiki I, Leelamanit W. Cochinin B, a novel ribosome-inactivating protein from the seeds of *Momordica cochinchinensis*. Biol Pharm Bull. 2007;30(3):428-32.
16. Tsoi AY, Wong RC, Ng TB, Fong WP. First report on a potato I family chymotrypsin inhibitor from the seeds of a Cucurbitaceous plant, *Momordica cochinchinensis*. Biol Chem. 2004;385(2):185-9.
17. Tsoi AY, Ng TB, Fong WP. Antioxidative effect of a chymotrypsin inhibitor from *Momordica cochinchinensis* (Cucurbitaceae) seeds in a primary rat hepatocyte culture. J Pept Sci. 2005;11:665-8.
18. Chan LY, Wang CK, Major JM, Greenwood KP, Lewis RJ, Craik DJ, et al. Isolation and characterization of peptides from *Momordica cochinchinensis* seeds. J Nat Prod. 2009;72:1453-8.
19. Chan LY, He W, Tan N, Zeng G, Craik DJ, Daly NL. A new family of cystine knot peptides from the seeds of *Momordica cochinchinensis*. Peptides. 2013;39:29-35.
20. Iwamoto M, Okabe H, Yamauchi T, Tanaka M, Rokutani Y, Hara S, et al. Studies on the constituents of *Momordica cochinchinensis* Spreng. I. Isolation and characterization of the seed saponins, Momordica saponins I and II. Chem Pharm Bull. 1985;33(2):464-78.
21. Jung K, Lee D, Yu JS, Namgung H, Kang KS, Kim KH. Protective effect and mechanism of action of saponins isolated from the seeds of gac (*Momordica cochinchinensis* Spreng.) against cisplatin induced damage in LLC-PK1 kidney cells. Bioorg Med Chem Lett. 2016;26:1466-70.
22. Yu JS, Roh HS, Lee S, Jung K, Baek KH, Kim KH. Antiproliferative effect of *Momordica cochinchinensis* seeds on human lung cancer cells and isolation of the major constituents. Revista Brasileira de Farmacognosia. 2017;27:329-33.
23. Vuong LT, King JC. A method of preserving and testing the acceptability of gac fruit oil, a good source of β -carotene and essential fatty acids. Food Nutri Bull. 2003;24:224-30.
24. Vuong LT, Dueker SR, Murphy SP. Plasma β -carotene and retinol concentrations in children increase after a 30-d supplementation with the fruit *Momordica cochinchinensis* (gac). Am J Clin Nutr. 2002;75:872-9.
25. Leevutinun P, Krisadaphong P, Petsom A. Clinical evaluation of Gac extract (*Momordica cochinchinensis*) in an antiwrinkle cream formulation. J Cosmet Sci. 2015;66:1-13.
26. ณัฐริณี นันทาลิต. การพัฒนาเครื่องสำอางลดเลือนริ้วรอยจากน้ำมันของเยื่อหุ้มเมล็ดผักข้าวในอนุภาคไขมันระดับนาโน. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต. มหาวิทยาลัยเชียงใหม่; 2554.
27. Bharathi LK, Singh HS, Shivashankar S, Ganeshamurthy AN, Sureshkumar P. Assay of nutritional composition and antioxidant activity of three dioecious *Momordica* species of South East Asia. Proc Natl Acad Sci India Sec B. 2014;84:31-6.

28. Chuyen HV, Roach PD, Golding JB, Parks SE, Nguyen MH. Optimisation of extraction conditions for recovering carotenoids and antioxidant capacity from Gac peel using response surface methodology. *Int J Food Sci Technol.* 2017;52:972-80.
29. Tinrat S, Akkarachaneeyakorn S, Singhapol C. Evaluation of antioxidant and antimicrobial activities of *Momordica cochinchinensis* Spreng. (Gac fruit) ethanolic extract. *Int J Pharm Sci Res.* 2014;5(8):3163-9.
30. Klungsupaya P, Tiatragoon W, Muangman T, Eiamwat J, Laovithayangoon S, Thongdo-A J, et al. Investigation on phytochemical, antioxidant and cytotoxic properties of *Momordica cochinchinensis* (gac) fruit extracted by supercritical fluid carbon dioxide (SCF-CO₂) method. *Thai J Pharm Sci.* 2013;38(Suppl.):29-32.
31. Fang QM, Zhang H, Cao Y, Wang C. Anti-inflammatory and free radical scavenging activities of ethanol extracts of three seeds used as “Bolenguazi”. *J Ethnopharmacol.* 2007;114:61-5.
32. Phan-Thi H, Wache Y. Isomerization and increase in the antioxidant properties of lycopene from *Momordica cochinchinensis* (gac) by moderate heat treatment with UV-Vis spectra as a marker. *Food Chem.* 2014;156:58-63.
33. Jan-on G, Kukongviriyapan U, Pakdeechote P, Kukongviriyapan V, Kongsaktrakoon B, Boonla O. Alleviation of hypertension and oxidative stress by *Momordica cochinchinensis* aril extract in rats with nitric oxide deficiency. *Srinagarind Med J.* 2015;30(3):229-35.
34. ปิยนุสรณ์ น้อยดวง ญัฐพร ตะเกาทอง เกศรินทร์ มาลีรังสี. การใช้ผงเยื่อฟักข้าวแห้งเป็นสารกันหืนในผลิตภัณฑ์มายองเนส. *วารสารเทคโนโลยีการอาหาร มหาวิทยาลัยสยาม.* 2558;10(1):9-18.
35. Kha TC, Nguyen MH, Roach PD. Effects of spray drying conditions on the physicochemical and antioxidant properties of the Gac (*Momordica cochinchinensis*) fruit aril powder. *J Food Eng.* 2010;98:385-92.
36. Angkananon W. Effects of spray drying conditions on characteristics, nutritional value and antioxidant activity of gac fruit aril powder. *Rev Integr Bus Econ Res.* 2015;4:1-11.
37. Kha TC, Nguyen MH, Roach PD. Effects of pretreatments and air drying temperatures on colour and antioxidant properties of Gac fruit powder. *Inter J Food Eng.* 2011;7(3), Article 7, doi:10.2202/1556-3758.1926.
38. Mai HC, Truong V, Haut B, Debaste F. Impact of limited drying on *Momordica cochinchinensis* Spreng. aril carotenoids content and antioxidant activity. *J Food Eng.* 2013;118:358-64.
39. Meng LY, Liu HR, Shen Y, Yu YQ, Tao X. *Cochinchina momordica* seed extract induces G2/M arrest and apoptosis in human breast cancer MDA-MB-231 cells by modulating the PI3K/Akt pathway. *Asian Pacific J Cancer Prev.* 2012;13:3483-8.

40. Zheng L, Zhang Y, Liu Y, Yang XO, Zhan Y. *Momordica cochinchinensis* Spreng. seed extract suppresses breast cancer growth by inducing cell cycle arrest and apoptosis. *Mol Med Rep.* 2015;12(4):6300-10.
41. Zheng L, Zhang YM, Zhan YZ, Liu CX. *Momordica cochinchinensis* seed extracts suppress migration and invasion of human breast cancer ZR-75-30 cells via down-regulating MMP-2 and MMP-9. *Asian Pac J Cancer Prev.* 2014;15:1105-10.
42. Wimalasiri D, Piva T, Huynh T. Diversity in nutrition and bioactivity of *Momordica cochinchinensis*. *Int J Adv Sci Eng Inf Technol.* 2016;6:378-80.
43. Petchsak P, Sripanidkulchai B. *Momordica cochinchinensis* aril extract induced apoptosis in human MCF-7 breast cancer cells. *Asian Pac J Cancer Prev.* 2015;16:5507-13.
44. Zhao LM, Han LN, Ren FZ, Chen SH, Liu LH, Wang MX, et al. An ester extract of *Cochinchina momordica* seeds induces differentiation of melanoma B16 F1 cells via MAPKs signaling. *Asian Pac J Cancer Prev.* 2012;13:3795-802.
45. Zhao LM, Sun GG, Han LN, Liu LH, Ren FZ, Li L, et al. *p*-hydroxycinnamaldehyde induces B16-F1 melanoma cell differentiation via the RhoA-MAPK signaling pathway. *Cell Physiol Biochem.* 2016;38:2247-60.
46. Shen Y, Meng L, Sun H, Zhu Y, Liu H. *Cochinchina momordica* seed suppresses proliferation and metastasis in human lung cancer cells by regulating multiple molecular targets. *Am J Chin Med.* 2015;43:149-66.
47. Ma M, Zhao LM, Yang XX, Shan Y, Cui W, Chen L, et al. *p*-hydroxycinnamaldehyde induces the differentiation of oesophageal carcinoma cells via the cAMP-RhoA-MAPK signalling pathway. *Sci Rep.* 2016;6:31315, doi: 10.1038/srep31315
48. Tien PG, Kayama F, Konishi F, Tamemoto H, Kasano K, Hung NT, et al. Inhibition of tumor growth and angiogenesis by water extract of Gac fruit (*Momordica cochinchinensis* Spreng.). *Int J Oncol.* 2005;26(4):881-9.
49. Liu HR, Meng LY, Lin ZY, Shen Y, Yu YQ, Zhu YZ. *Cochinchina momordica* seed extract induces apoptosis and cell cycle arrest in human gastric cancer cells via PARP and p53 signal pathway. *Nutr Cancer.* 2012;64(7):1070-7.
50. Innun A. Antimicrobial activity of Gac fruit (*Momordica cochinchinensis*). *Proceeding-Science and Engineering.* 4th International Science, Social-Science, Engineering and Energy Conference (I-SEEC 2012), Petchburi, 11-14 December 2012, 2013:1-6.
51. Nguyen TP, Nguyen NH, Thai TTN. Study on the isolation, chemical structure elucidation and biological activities of saponins from roots of *Momordica cochinchinensis* Spreng.. *Tap Chi Duoc Hoc.* 2005;45(12):14-6, 28.
52. Alkhafaji Q, Mohammed I, Saadedin S, Al-Awadei S, Abedulhussein T, AL-Jussani G. Antimicrobial activity of *Momordica cochinchinensis* seeds and seeds aril extract. *JJEES.* 2019;10(4):252-5.

53. จันทร์เพ็ญ วิวัฒน์ วีณา ศิลปอาษา.ฤทธิ์ในการต้านเชื้อจุลินทรีย์ของพืชวงศ์ควิเคอร์บิตาซี.วารสารเภสัชศาสตร์ มหาวิทยาลัยมหิดล. 2527;11(1):12-8.
54. พวงน้อย โลหะขจรพันธ์. การศึกษาฤทธิ์การฆ่าเชื้อแบคทีเรียและเชื้อราของสมุนไพรบางชนิด. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต. จุฬาลงกรณ์มหาวิทยาลัย, 2521.
55. Prapaitrakul S, Thongpraditchote S, Wongkrajang Y, Pongpan A, Leelamanit W. Biochemical properties and toxicity of proteins from *Momordica* species cultivated in Thailand. The fifth joint seminar natural medicines: NRCT-JSPS. 15-17 Nov 2000, Bangkok, 2000:152.
56. Sukboon P, Tuntipopipat S, Praengam K. Ethanol extract of aril and pulp from *Momordica cochinchinensis* fruit exhibits antiinflammatory effect in LPS-induced macrophage RAW264.7 cells. Thai J Toxicol. 2019;34(1):71-90.
57. Hong CH, Hur SK, Oh O-J, Kim SS, Nam KA, Lee SK. Evaluation of natural products on inhibition of inducible cyclooxygenase (COX-2) and nitric oxide synthase (iNOS) in cultured mouse macrophage cells. J Ethnopharmacol. 2002;83:153-9.
58. Jung K, Chin YW, Yoon K, Chae HS, Kim CY, Yoo H, et al. Anti-inflammatory properties of a triterpenoidal glycoside from *Momordica cochinchinensis* in LPS-stimulated macrophages. Immunopharmacol Immunotoxicol. 2013;35(1):8-14.
59. Kang JM, Kim N, Kim B, Kim JH, Lee BY, Park JH, et al. Enhancement of gastric ulcer healing and angiogenesis by *Cochinchina momordica* seed extract in rats. J Korean Med Sci. 2010;25:875-81.
60. Jung K, Chin YW, Chung YH, Park YH, Yoo H, Min DS, et al. Anti-gastritis and wound healing effects of *Momordicae Semen* extract and its active component. Immunopharmacol Immunotoxicol. 2013;35(1):126-32.
61. Apiboon P, Senggunprai L, Prajaney P, Kongyingyoes B, Pannangpetch P. Effect of aril extract of *Momordica cochinchinensis* Spreng. on glucose and fat metabolism in high fat and high fructose diet induced insulin resistant rats. Thai J Pharmacol. 2017;39(1):38-47.
62. Sukhorum W, Sampanang A, Sripanidkulchai B, Iamsaard S. *Momordica cochinchinensis* (L.) Spreng. aril extract prevents adverse reproductive parameters of male rats induced with valproic acid. Int J Morphol. 2016;34:870-7.
63. Zheng L, Yang R, Yang F, Li M. Experimental study on acute toxicity of *Momordica cochinchinensis* in mice. China Pharmacist. 2017;20(12):2242-3, 2290.
64. Xu XR, Luo CH, Cao B, Xu RC, Wang F, Wei XC, et al. A potential anti-tumor herb bred in a tropical fruit: insight into the chemical components and pharmacological effects of *Momordicae Semen*. Molecules. 2019;24:3949; doi: 10.3390/molecules24213949.
65. มงคล โมกขะสมิต กมล สวัสดิ์มงคล ประยูทธ สาตราวาหะ. การศึกษาพิษของสมุนไพรไทย.วารสารของกรมวิทยาศาสตร์การแพทย์. 2514;13(1):36-66.

66. อภิจักรรจ์ สัมปัญนัง สุภัจฉรี อรัญ จาตุรนต์ บุรวัดน์ วรรณิศา สุโขรัมย์ สิทธิชัย เอี่ยมสะอาด. ผลปลด
พิษต่อระบบสืบพันธุ์ของสารสกัดจากเยื่อหุ้มเมล็ดฟักข้าวในหนูไมซ์เพศผู้. ศรีนครินทร์เวชสาร. 2560;
32(1):52-7.