

เอกสารอ้างอิง : 38(3) เสวี่ยเหลียนกว่าอ...บัวหิมะชนิดกินหัว

1. *Smallanthus sonchifolius* (Poepp.) H. Rob. The plant list. [Internet]. 2012 [cited 2020 Apr 15]. Available from: <http://www.theplantlist.org/tpl1.1/record/gcc-3810>
2. Ojansivu I, Ferreira CL, Salminen S. Yacon, a new source of prebiotic oligosaccharides with a history of safe use. *Trends Food Sci Technol*. 2011;22(1):40-6.
3. de Almeida Paula HA, Abranches MV, de Lucas Fortes Ferreira CL. Yacon (*Smallanthus sonchifolius*): a food with multiple functions. *Crit Rev Food Sci Nutr*. 2015;55(1):32-40.
4. Caetano BF, de Moura NA, Almeida AP, Dias MC, Sivieri K, Barbisan LF. Yacon (*Smallanthus sonchifolius*) as a food supplement: health-promoting benefits of fructooligosaccharides. *Nutrients*. 2016;8(7):436.
5. Lock O, Perez E, Villar M, Flores D, Rojas R. Bioactive compounds from plants used in Peruvian traditional medicine. *Nat Prod Commun*. 2016;11(3):315-37.
6. Delgado GT, Tamashiro WM, Maróstica Junior MR, Pastore GM. Yacon (*Smallanthus sonchifolius*): a functional food. *Plant Foods Hum Nutr*. 2013;68(3):222-8.
7. Lachman J, Fernandez EC, Orsak M. Yacon [*Smallanthus sonchifolia* (Poepp. et Endl.) H. Robinson] chemical composition and use - a review. *Plant Soil Environ*. 2003;49(6):283-90.
8. Valentova K, Ulrichova J. *Smallanthus sonchifolius* and *Lepidium meyenii* - prospective Andean crops for the prevention of chronic diseases. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub*. 2003;147(2):119-30.
9. Cao Y, Ma ZF, Zhang H, Jin Y, Zhang Y, Hayford F. Phytochemical properties and nutrigenomic implications of yacon as a potential source of prebiotic: Current evidence and future directions. *Foods*. 2018;7(4). pii: E59.
10. Yan MR, Welch R, Rush EC, Xiang X, Wang X. A sustainable wholesome foodstuff; health effects and potential dietotherapy applications of yacon. *Nutrients*. 2019;11(11):2632.
11. Pedreschi R, Campos D, Noratto G, Chirinos R, Cisneros-Zevallos L. Andean yacon root (*Smallanthus sonchifolius* Poepp. Endl) fructooligosaccharides as a potential novel source of prebiotics. *J Agric Food Chem*. 2003;51(18):5278-84.
12. Sousa S, Pinto J, Pereira C, Xavier Malcata F, Bertoldo Pacheco MT, Gomes AM, et al. *In vitro* evaluation of yacon (*Smallanthus sonchifolius*) tuber flour prebiotic potential. *Food and Bioproducts Processing*. 2015;95:96-105.
13. Villarreal AS, Porras DPN, Jimenez JAS. Spray drying effect on the viability of *Lactococcus lactis* in presence of yacon (*Smallanthus sonchifolius*) as a prebiotic. *Am J Food Technol*. 2018;13(2):57-65.
14. Paredes LLR, Smiderle FR, Santana-Filho AP, Kimura A, Iacomini M, Sasaki GL. Yacon fructans (*Smallanthus sonchifolius*) extraction, characterization and activation of macrophages to phagocyte yeast cells. *Int J Biol Macromol*. 2018;108:1074-81.
15. Bibas Bonet ME, Meson O, de Moreno de LeBlanc A, Dogi CA, Chaves S, Kortsarz A, et al. Prebiotic effect of yacon (*Smallanthus sonchifolius*) on intestinal mucosa using a mouse model. *Food Agr Immunol*. 2010;21(2):175-89.

16. Miyaguchi Y, Tomatsuri T, Toyoda A, Inoue E, Ogawa Y. Effect of yacon tuber (*Smallanthus sonchifolius*)-derived fructooligosaccharides on the intestinal flora and immune system of OVA-sensitized BALB/c mice. *Food Sci Technol Res.* 2015;21(2):255-62.
17. Jimenez ME, Rossi A, Sammán N. Health properties of oca (*Oxalis tuberosa*) and yacon (*Smallanthus sonchifolius*). *Food Funct.* 2015;6(10):3266-74.
18. Utami NW, Sone T, Tanaka M, Nakatsu CH, Saito A, Asano K. Comparison of yacon (*Smallanthus sonchifolius*) tuber with commercialized fructo-oligosaccharides (FOS) in terms of physiology, fermentation products and intestinal microbial communities in rats. *Biosci Microbiota Food Health.* 2013;32(4):167-78.
19. de Souza Lima Sant'Anna M, Rodrigues VC, Araujo TF, de Oliveira TT, Peluzio MCG, Ferreira CLLF. Yacon product (PBY) modulates intestinal constipation and protects the integrity of crypts in Wistar rats. *Food Nutr Sci.* 2018;9(12):1391-407.
20. Abrao de Oliveira L, Braga Costa TM, Alves de Oliveira LR, Ferreira JF, Navarro AM. Glycemic responses in diabetic rats given aqueous yacon solution. *Aliment Nutr.* 2009;20(1):61-7.
21. Oliveira GO, Braga CP, Fernandes AA. Improvement of biochemical parameters in type 1 diabetic rats after the roots aqueous extract of yacon [*Smallanthus sonchifolius* (Poepp.& Endl.)] treatment. *Food Chem Toxicol.* 2013;59:256-60.
22. Horbulinska AV, Khokhla MR, Hachkova HY, Sybirna NO. Yacon's (*Smallanthus sonchifolius* Poepp. & Endl.) effects on postprandial glucose under experimental diabetes mellitus. *Ukr Biopharm J.* 2016;3(44):63-9.
23. Park JS, Yang JS, Hwang BY, Yoo BK, Han K. Hypoglycemic effect of Yacon tuber extract and its constituent, chlorogenic acid, in streptozotocin-induced diabetic rats. *Biomol Ther.* 2009;17(3):256-62.
24. Biazon ACB, Wendt MMN, Moreira JR, Ghizoni CVC, Soares AA, Silveira SS, et al. The *in vitro* antioxidant capacities of hydroalcoholic extracts from roots and leaves of *Smallanthus sonchifolius* (Yacon) do not correlate with their *in vivo* antioxidant action in diabetic rats. *JBM.* 2016;4(2):15-27.
25. Lee M-K, Choi S-R, Lee J, Choi Y-H, Lee J-H, Park K-U, et al. Quality characteristics and anti-diabetic effect of yacon vinegar. *Han'guk Sikp'um Yongyang Kwahak Hoechi.* 2012;41(1):79-86.
26. Satoh H, Audrey Nguyen MT, Kudoh A, Watanabe T. Yacon diet (*Smallanthus sonchifolius*, Asteraceae) improves hepatic insulin resistance via reducing Trb3 expression in Zucker fa/fa rats. *Nutr Diabetes.* 2013;3:e70.
27. Roselino MN, Pauly-Silveira ND, Cavallini DC, Celiberto LS, Pinto RA, Vendramini RC, et al. A potential synbiotic product improves the lipid profile of diabetic rats. *Lipids Health Dis.* 2012;11:114.
28. Kim AR, Lee JJ, Lee YM, Jung HO, Lee MY. Cholesterol-lowering and anti-obesity effects of *Polymnia sonchifolia* Poepp. Endl. powder in rats fed a high fat-high cholesterol diet. *Han'guk Sikp'um Yongyang Kwahak Hoechi.* 2010;39(2):210-8.
29. Habib NC, Honoré SM, Genta SB, Sánchez SS. Hypolipidemic effect of *Smallanthus sonchifolius* (yacon) roots on diabetic rats: biochemical approach. *Chem Biol Interact.* 2011;194(1):31-9.

30. Oliveira PM, Maurer P, Pilar BC, Coelho RP, da Costa Gullich AA, Nunes VT, et al. Evaluation of hypoglycemic, hypolipidemic and antioxidant effects *in vivo* of extracts hydroalcoholic of Yacon (*Smallanthus sonchifolius*). Diabetol Metab Syndr. 2015;7(Suppl 1):A64.
31. Oliveira PM, Coelho RP, Pilar BC, Golke AM, Gullich AA, Costa Escobar Piccoli J, et al. Supplementation with the yacon root extract (*Smallanthus sonchifolius*) improves lipid, glycemic profile and antioxidant parameters in Wistar rats hypercholesterolemic. World J Pharm Pharm Sci. 2016;5(9):2284-300.
32. Honore SM, Grande MV, Rojas JG, Sanchez SS. *Smallanthus sonchifolius* (Yacon) flour improves visceral adiposity and metabolic parameters in high-fat-diet-fed rats. J Obes. 2018;5341384.
33. Delgado GT, Thomé R, Gabriel DL, Tamashiro WM, Pastore GM. Yacon (*Smallanthus sonchifolius*)-derived fructooligosaccharides improves the immune parameters in the mouse. Nutr Res. 2012;32(11):884-92.
34. Topolska K, Radzki RP, Filipiak-Florkiewicz A, Florkiewicz A, Leszczynska T, Cieslik E. Fructan-enriched diet increases bone quality in female growing rats at calcium deficiency. Plant Foods Hum Nutr. 2018;73(3):172-9.2007
35. Lobo AR, Colli C, Alvares EP, Filisetti TM. Effects of fructans-containing yacon (*Smallanthus sonchifolius* Poepp and Endl.) flour on caecum mucosal morphometry, calcium and magnesium balance, and bone calcium retention in growing rats. Br J Nutr. 2007;97(4):776-85.
36. Rodrigues FC, Castro ASB, Rodrigues VC, Fernandes SA, Fontes EAF, Toledo de Oliveira T, et al. Yacon flour and *Bifidobacterium longum* modulate bone health in rats. J Med Food. 2012;15(7):664-70.
37. Grancieri M, Costa NMB, Vaz Tostes MG, de Oliveira DS, Nunes LC, Marcon LN, et al. Yacon flour (*Smallanthus sonchifolius*) attenuates intestinal morbidity in rats with colon cancer. J Funct Foods. 2017;37:666-75.
38. de Moura NA, Caetano BF, Sivieri K, Urbano LH, Cabello C, Rodrigues MA, et al. Protective effects of yacon (*Smallanthus sonchifolius*) intake on experimental colon carcinogenesis. Food Chem Toxicol. 2012;50(8):2902-10.
39. Silva Almeida AP, Avi CM, Barbisan LF, de Moura NA, Caetano BFR, Romualdo GR, et al. Yacon (*Smallanthus sonchifolius*) and *Lactobacillus acidophilus* CRL 1014 reduce the early phases of colon carcinogenesis in male Wistar rats. Food Res Int. 2015;74:48-54.
40. Yan X, Suzuki M, Ohnishi-Kameyama M, Sada Y, Nakanishi T, Nagata T. Extraction and identification of antioxidants in the roots of yacon (*Smallanthus sonchifolius*). J Agric Food Chem. 1999;47(11):4711-3.
41. Pereira JAR, Teixeira MC, Saczk AA, Fatima Piccolo Barcelos M, Oliveira MF, Abreu WC. Total antioxidant activity of yacon tubers cultivated in Brazil. Cienc Agrotec. 2016;40(5):596-605.
42. Khajehei F, Merkt N, Claupein W, Graeff-Hoenninger S. Yacon (*Smallanthus sonchifolius* Poepp. & Endl.) as a novel source of health promoting compounds: antioxidant activity, phytochemicals and sugar content in flesh, peel, and whole tubers of seven cultivars. Molecules. 2018;23(2):278/1-18.

43. Khajehei F, Hartung J, Graeff-Hoenninger S. Total phenolic content and antioxidant activity of yacon (*Smallanthus sonchifolius* Poepp. and Endl.) chips: effect of cultivar, pre-treatment and drying. *Agriculture*. 2018;8(12):183.
44. Habib NC, Serra-Barcellona C, Honoré SM, Genta SB, Sánchez SS. Yacon roots (*Smallanthus sonchifolius*) improve oxidative stress in diabetic rats. *Pharm Biol*. 2015;53(8):1183-93.
45. Yang S, Song Y, Wang J, Ji J. *In vitro* antioxidant and free radical scavenging activities of yacon (*Smallanthus sonchifolius*) tubers. *Shipin Kexue*. 2010;31(17):166-9.
46. Kim YJ, Choi IH. Evaluation of yacon (*Smallanthus sonchifolius*) extracts as a potential antioxidant source in emulsion-type sausage during refrigerated storage. *Afr J Biotechnol*. 2014;13(42):4136-40.
47. Lu M, Wang S, Xu X, Pan S, Liu S, Zhang Z. Study on the extraction technology of polysaccharide from yacon and the scavenging effect on the hydroxyl free radical. *Shipin Gongye Keji*. 2011;32(6):270-2.
48. Lu M, Wang S, Fang Y, Liu S, Xu X, Li Q. Polysaccharides from yacon: optimization of ultrasound-assisted extraction and hydroxyl free radical scavenging evaluation. *Shipin Kexue*. 2011;32(2):24-7.
49. Park JS, Hwang SY, Hwang BY, Han K. The spermatogenic effect of 50% ethanol extracts of Yacon and its ameliorative effect against 2,3,7,8-tetrachlorodibenzo-*p*-dioxin induced testicular toxicity in the rat. *Nat Prod Sci*. 2008;14(2):73-80.
50. Park JS, Han K. The spermatogenic effect of yacon extract and its constituents and their inhibition effect of testosterone metabolism. *Biomol Ther (Seoul)*. 2013;21(2):153-60.
51. An L, Yang JC, Yin H, Xue R, Wang Q, Sun YC, et al. Inulin-type oligosaccharides extracted from yacon produce antidepressant-like effects in behavioral models of depression. *Phytother Res*. 2016;30(12):1937-42.
52. Cocato ML, Lobo AR, Azevedo-Martins AK, Filho JM, de Sa LRM, Colli C. Effects of a moderate iron overload and its interaction with yacon flour, and/or phytate, in the diet on liver antioxidant enzymes and hepatocyte apoptosis in rats. *Food Chem*. 2019;285:171-9.
53. Genta S, Cabrera W, Habib N, Pons J, Carillo IM, Grau A, et al. Yacon syrup: beneficial effects on obesity and insulin resistance in humans. *Clin Nutr*. 2009;28(2):182-7.
54. Adriano LS, Dionísio AP, Abreu FAP, Carioca AAF, Zocolo GJ, Wurlitzer NJ, et al. Yacon syrup reduces postprandial glycemic response to breakfast: A randomized, crossover, double-blind clinical trial. *Food Res Int*. 2019;126:108682.
55. Scheid MM, Genaro PS, Moreno YM, Pastore GM. Freeze-dried powdered yacon: effects of FOS on serum glucose, lipids and intestinal transit in the elderly. *Eur J Nutr*. 2014;53(7):1457-64.
56. Rocha DMUP, Ribeiro PVM, Caldas APS, Pereira B, Silva A, Almeida AP, et al. Acute consumption of yacon shake did not affect glycemic response in euglycemic, normal weight, healthy adults. *J Funct Foods*. 2018;44:58-64.
57. Silva MFGD, Dionísio AP, Ferreira Carioca AA, Silveira Adriano L, Pinto CO, Pinto de Abreu FA, et al. Yacon syrup: Food applications and impact on satiety in healthy volunteers. *Food Res Int*. 2017;100:460-7.

58. Kamezaki S, Kurozawa Y, Kotani K, Itakura K, Kagawa E, Ayaki Y. Effects of intake of the butter roll containing dried powder of *Smallanthus sonchifolius* (yacon) roots on the defecation frequency in healthy young women. *Yonagolgaku Zasshi*. 2006;57(4):162-8.
59. Geyer M, Manrique I, Degen L, Beglinger C. Effect of yacon (*Smallanthus sonchifolius*) on colonic transit time in healthy volunteers. *Digestion*. 2008;78(1):30-3.
60. de Souza Lima Sant'Anna M, Rodrigues VC, Araújo TF, de Oliveira TT, do Carmo Gouveia Peluzio M, de Lucas Fortes Ferreira CL. Yacon-based product in the modulation of intestinal constipation. *J Med Food*. 2015;18(9):980-6.
61. Vaz-Tostes M, Viana ML, Grancieri M, Luz TC, Paula H, Pedrosa RG, et al. Yacon effects in immune response and nutritional status of iron and zinc in preschool children. *Nutrition*. 2014;30(6):666-72.
62. Park JS, Hwang SY, Han K. The spermatogenic effect of 50% ethanol extracts of Yacon in healthy male volunteers. *YakhakHoechi*. 2009;53(5):250-8.
63. Valentova K, Stejskal D, Bartek J, Dvorackova S, Kren V, Ulrichova J, et al. Maca (*Lepidium meyenii*) and yacon (*Smallanthus sonchifolius*) in combination with silymarin as food supplements: in vivo safety assessment. *Food Chem Toxicol*. 2008;46(3):1006-13.
64. วรณคค เข้มมคค. ประโยชน์ของฟรุคโตโอลิโกแซคคาไรด์ในอาหารทางการแพทย์. วารสารไทยเภสัชศาสตร์และวิทยาการสุขภาพ. 2556;8(3):122-8.
65. Genta SB, Cabrera WM, Grau A, Sánchez SS. Subchronic 4-month oral toxicity study of dried *Smallanthus sonchifolius* (yacon) roots as a diet supplement in rats. *Food Chem Toxicol*. 2005;43(11):1657-65.
66. Cummings JH, Macfarlane GT. Gastrointestinal effects of prebiotics. *Br J Nutr*. 2002;87(suppl 2):S145-51.
67. Yun EY, Kim HS, Kim YE, Kang MK, Ma JE, Lee GD, et al. A case of anaphylaxis after the ingestion of yacon. *Allergy Asthma Immunol Res*. 2010;2(2):149-52.