

เอกสารอ้างอิง : 39(1)_ชาเขียวกับประโยชน์เพื่อการรักษาสุขภาพในช่องปาก

1. ราชนันท์ ภูมา, สมราน สุคติ, บรรณาธิการ. ชื่อพรรณไม้แห่งประเทศไทย เต็ม สมิตินันท์ ฉบับแก้ไขเพิ่มเติม พ.ศ. 2557. กรุงเทพฯ: สำนักงานหอพรรณไม้ สำนักวิจัยการอนุรักษ์ป่าไม้และพันธุ์พืช กรมอุทยานแห่งชาติ สัตว์ป่า และพันธุ์พืช; 2557.
2. *Camellia sinensis* (L.) Kuntze. The Plant List. [Internet]. 2012 [cited 2020 Dec 7]. Available from: <http://www.theplantlist.org/tpl1.1/record/kew-2694880>.
3. ดาเรศ บันเทิงจิตร. ชาเขียว. วารสารกรมวิทยาศาสตร์บริการ. 2547;52(164):10-4.
4. van der Vossen HAM, Wessel M (editors). ทรัพยากรพืชในภูมิภาคเอเชียตะวันออกเฉียงใต้ ลำดับที่ 16 พืชที่ให้สารกระตุ้น (ฉบับแปลภาษาไทย). เลเดน, เนเธอร์แลนด์: Backhuys Publishers; 2000.
5. Kochman J, Jakubczyk K, Antoniewicz J, Mruk H, Janda K. Health benefits and chemical composition of matcha green tea: a review. *Molecules*. 2020;26(1):85.
6. ภาณุพงษ์ กุศลรัตน์, นงนภัส ดวงดี, นพมาศ ศุภรพันธ์, เอกเธระ ประทีปทองคำ. การเปรียบเทียบปริมาณฟลูออไรด์และคาเทชินในสารสกัดชาเขียวตามแต่ละพื้นที่ในประเทศไทย. *วารสารกรมการแพทย์*. 2562;44(2):114-20.
7. Ferrazzano GF, Roberto L, Amato I, Cantile T, Sangianantoni G, Ingenito A. Antimicrobial properties of green tea extract against cariogenic microflora: an *in vivo* study. *J Med Food*. 2011;14(9):907-11.
8. Salama MT, Alsughier ZA. Effect of green tea extract mouthwash on salivary *Streptococcus mutans* counts in a group of preschool children: an *in vivo* study. *Int J Clin Pediatr Dent*. 2019;12(2):133-8.
9. Ahmadi MH, Sarrami L, Yegdaneh A, Homayoni A, Bakhtiyari Z, Danaeifar N, Akhlaghi N. Comparative evaluation of efficacy of green tea mouth rinse and green tea gel on the salivary *Streptococcus mutans* and *Lactobacillus* colony count in 12-18-year-old teenagers: a randomized clinical trial. *Contemp Clin Dent*. 2019;10(1):81-5.
10. Hegde RJ, Kamath S. Comparison of the *Streptococcus mutans* and *Lactobacillus* colony count changes in saliva following chlorhexidine (0.12%) mouth rinse, combination mouth rinse, and green tea extract (0.5%) mouth rinse in children. *J Indian Soc Pedod Prev Dent*. 2017;35(2):150-5.
11. Thomas A, Thakur SR, Shetty SB. Anti-microbial efficacy of green tea and chlorhexidine mouth rinses against *Streptococcus mutans*, *Lactobacilli* spp. and *Candida albicans* in children with severe early childhood caries: a randomized clinical study. *J Indian Soc Pedod Prev Dent*. 2016;34(1):65-70.

12. Vilela MM, Salvador SL, Teixeira IGL, Del Arco MCG, De Rossi A. Efficacy of green tea and its extract, epigallocatechin-3-gallate, in the reduction of cariogenic microbiota in children: a randomized clinical trial. *Arch Oral Biol.* 2020;114:104727.
13. Esimone CO, Adikwu MU, Nwafor SV, Okolo CO. Potential use of tea extract as a complementary mouthwash: comparative evaluation of two commercial samples. *J Altern Complement Med.* 2001;7(5):523-7.
14. Agarwal S, Tyagi P, Deshpande A, Yadav S, Jain V, Rana KS. Comparison of antimicrobial efficacy of aqueous ozone, green tea, and normal saline as irrigants in pulpectomy procedures of primary teeth. *J Indian Soc Pedod Prev Dent.* 2020;38(2):164-70.
15. Sarin S, Marya C, Nagpal R, Oberoi SS, Rekhi A. Preliminary clinical evidence of the antiplaque, antigingivitis efficacy of a mouthwash containing 2% green tea - a randomised clinical trial. *Oral Health Prev Dent.* 2015;13(3):197-203.
16. Kaur H, Jain S, Kaur A. Comparative evaluation of the antiplaque effectiveness of green tea catechin mouthwash with chlorhexidine gluconate. *J Indian Soc Periodontol.* 2014;18(2):178-82.
17. Radafshar G, Ghotbizadeh M, Saadat F, Mirfarhadi N. Effects of green tea (*Camellia sinensis*) mouthwash containing 1% tannin on dental plaque and chronic gingivitis: a double-blinded, randomized, controlled trial. *J Investig Clin Dent.* 2017;8(1):1-7.
18. Hambire CU, Jawade R, Patil A, Wani VR, Kulkarni AA, Nehete PB. Comparing the antiplaque efficacy of 0.5% *Camellia sinensis* extract, 0.05% sodium fluoride, and 0.2% chlorhexidine gluconate mouthwash in children. *J Int Soc Prev Community Dent.* 2015;5(3):218-26.
19. Taleghani F, Rezvani G, Birjandi M, Valizadeh M. Impact of green tea intake on clinical improvement in chronic periodontitis: a randomized clinical trial. *J Stomatol Oral Maxillofac Surg.* 2018;119(5):365-8.
20. Rattanasuwan K, Rassameemasmaung S, Sangalungkarn V, Komoltri C. Clinical effect of locally delivered gel containing green tea extract as an adjunct to non-surgical periodontal treatment. *Odontology.* 2016;104(1):89-97.
21. Chava VK, Vedula BD. Thermo-reversible green tea catechin gel for local application in chronic periodontitis: a 4-week clinical trial. *J Periodontol.* 2013;84(9):1290-6.
22. Mustafa SQ, Baban DA. Efficacy of green tea mouth wash as an adjunct to non-surgical periodontal treatment in patients with chronic periodontitis. *EDJ.* 2019;2(1):180-7.
23. Hrishi TS, Kundapur PP, Naha A, Thomas BS, Kamath S, Bhat GS. Effect of adjunctive use of green tea dentifrice in periodontitis patients - a randomized controlled pilot study. *Int J Dent Hyg.* 2016;14(3):178-83.

24. Priya BM, Anitha V, Shanmugam M, Ashwath B, Sylva SD, Vigneshwari SK. Efficacy of chlorhexidine and green tea mouthwashes in the management of dental plaque-induced gingivitis: a comparative clinical study. *Contemp Clin Dent*. 2015;6(4):505-9.
25. Wang Y, Zeng J, Yuan Q, Luan Q. Efficacy of (-)-epigallocatechin gallate delivered by a new-type scaler tip during scaling and root planing on chronic periodontitis: a split-mouth, randomized clinical trial. *BMC Oral Health*. 2021;21(1):79.
26. Magalhães AC, Wiegand A, Rios D, Hannas A, Attin T, Buzalaf MA. Chlorhexidine and green tea extract reduce dentin erosion and abrasion in situ. *J Dent*. 2009;37(12):994-8.
27. Kato MT, Magalhães AC, Rios D, Hannas AR, Attin T, Buzalaf MA. Protective effect of green tea on dentin erosion and abrasion. *J Appl Oral Sci*. 2009;17(6):560-4.
28. Suyama E, Tamura T, Ozawa T, Suzuki A, Iijima Y, Saito T. Remineralization and acid resistance of enamel lesions after chewing gum containing fluoride extracted from green tea. *Aust Dent J*. 2011;56(4):394-400.
29. Manikandan S, Behera S, Karthikeyan R, Niranjana A, Bharathan R, Mohammed OFB. Effect of green tea extract mouthrinse and probiotic mouthrinse on salivary pH in a group of schoolchildren: an in vivo study. *J Pharm Bioallied Sci*. 2020;12(Suppl 1):S404-9.
30. Kamalaksharappa SK, Rai R, Babaji P, Pradeep MC. Efficacy of probiotic and green tea mouthrinse on salivary pH. *J Indian Soc Pedod Prev Dent*. 2018;36(3):279-82.
31. Eshghpour M, Mortazavi H, Rezaei NM, Nejat A. Effectiveness of green tea mouthwash in postoperative pain control following surgical removal of impacted third molars: double blind randomized clinical trial. *Daru*. 2013;21(1):59.
32. Shahakbari R, Eshghpour M, Rajaei A, Rezaei NM, Golfakhrabadi P, Nejat A. Effectiveness of green tea mouthwash in comparison to chlorhexidine mouthwash in patients with acute pericoronitis: a randomized clinical trial. *Int J Oral Maxillofac Surg*. 2014;43(11):1394-8.
33. Tsao AS, Liu D, Martin J, Tang XM, Lee JJ, El-Naggar AK, et al. Phase II randomized, placebo-controlled trial of green tea extract in patients with high-risk oral premalignant lesions. *Cancer Prev Res (Phila)*. 2009;2(11):931-41.
34. Ide R, Fujino Y, Hoshiyama Y, Mizoue T, Kubo T, Pham TM, et al. A prospective study of green tea consumption and oral cancer incidence in Japan. *Ann Epidemiol*. 2007;17(10):821-6.
35. Schwartz JL, Baker V, Larios E, Chung FL. Molecular and cellular effects of green tea on oral cells of smokers: a pilot study. *Mol Nutr Food Res*. 2005;49(1):43-51.
36. Yoon AJ, Shen J, Santella RM, Philipone EM, Wu HC, Eisig SB, et al. Topical application of green tea polyphenol (-)-epigallocatechin-3-gallate (EGCG) for prevention of recurrent oral neoplastic lesions. *J Orolfac Sci*. 2012;4(10):43-50.

37. ยุทธนา ปัญญางาม, พรศรี ปฏิมานุเกษม, ระวีวรรณ ปัญญางาม. ปริมาณฟลูออไรด์ในเครื่องดื่มชาเขียวสำเร็จรูปที่มีจำหน่ายในกรุงเทพมหานคร. วิทยาสารทันตสาธารณสุข. 2548;10(1-2):61-72.