

## เอกสารอ้างอิง : กระชาย\_39(2)

1. *Boesenbergia rotunda* (L.) Mansf. World flora online. [Internet]. 2018. [cited 2021 Dec 20]. Available from: <http://www.worldfloraonline.org/taxon/wfo-0000341663>.
2. นันทวัน บุญยะประภัศร, อรุณช โชคชัยเจริญพร (บรรณาธิการ). สมุนไพรไม้พุ่มบ้าน เล่ม 1. กรุงเทพฯ: บริษัท ประชาชน จำกัด, 2541.
3. ปัจจุบัน เหมหงษา, พรรณิฉิมสวัสดิ์, รุจินาถ อรรถสิขฐ, อรุณลักษณ์รัตนสาลี, บรรณาธิการ. สมุนไพรในงานสาธารณสุขมูลฐาน. พิมพ์ครั้งที่ 3. กรุงเทพฯ: สำนักงานคณะกรรมการการสาธารณสุขมูลฐาน, 2542.
4. บัญชียาจากสมุนไพรในบัญชียาหลักแห่งชาติ พ.ศ. 2556. [Internet]. 2021. [cited 2021 Dec 20]. Available from: [http://ndi.fda.moph.go.th/uploads/main\\_drug\\_file/20171021185635.pdf](http://ndi.fda.moph.go.th/uploads/main_drug_file/20171021185635.pdf).
5. Kanjanasirirat P, Suksatu A, Manopwisedjaroen S, Munyoo B, Tuchinda P, Jearawuttanakul K, et al. High-content screening of Thai medicinal plants reveals *Boesenbergia rotunda* extract and its component panduratin A as anti-SARS-CoV-2 agents. *Sci Rep.* 2020;10(1):19963. doi: 10.1038/s41598-020-77003-3.
6. Bahadur GA, Ajmal AM, Al-Hemaid F, El-Zaidy M, Lee J. *In silico* analyses of major active constituents of fingerroot (*Boesenbergia rotunda*) unveils inhibitory activities against SARS-CoV-2 main protease enzyme. *Saudi J Biol Sci.* 2022;29(1):65-74. doi: 10.1016/j.sjbs.2021.11.053.
7. A two-stage adaptive randomized controlled trial of *Andrographis paniculata* extract, *Boesenbergia rotunda* extract, and standard treatment in asymptomatic COVID-19 patients. (NCT05019326). Available from: <https://clinicaltrials.gov/ct2/show/NCT05019326>.
8. Chitapanarux T, Lertprasertsuke N, Toworakul C. Efficacy and safety of fingerroot (*Boesenbergia rotunda*) extract in patients with functional dyspepsia: a randomized, placebo-controlled trial. *Digestion.* 2021;102(4):599-606. doi: 10.1159/000510220.
9. Yoshikawa M, Morikawa T, Funakoshi K, Ochi M, Pongpiriyadacha Y, Matsuda H. Medicinal Foodstuffs. XXXIII. Gastroprotective principles from *Boesenbergia rotunda* (Zingiberaceae) - absolute stereostructures of diels-alder type addition prenylchalcones. *Heterocycles.* 2008;75(7):1639-50. doi: 10.3987/COM-08-11332.
10. Rosdianto AM, Puspitasari IM, Lesmana R, Levita J. Inhibitory activity of *Boesenbergia rotunda* (L.) Mansf. rhizome towards the expression of Akt and NF- $\kappa$ B p65 in acetic acid-induced wistar rats. *Evid Based Complement Alternat Med.* 2020;2020:6940313. doi: 10.1155/2020/6940313.
11. Abdelwahab SI, Mohan S, Abdulla MA, Sukari MA, Abdul AB, Taha MM, et al. The methanolic extract of *Boesenbergia rotunda* (L.) Mansf. and its major compound

- pinostrobin induces anti-ulcerogenic property *in vivo*: possible involvement of indirect antioxidant action. *J Ethnopharmacol.* 2011;137(2):963-70. doi: 10.1016/j.jep.2011.07. 010.
12. Mohan S, Hobani YH, Shaheen E, Abou-Elhamd AS, Abdelhaleem A, Alhazmi HA, et al. Ameliorative effect of boesenbergin A, a chalcone isolated from *Boesenbergia rotunda* (Fingerroot) on oxidative stress and inflammation in ethanol-induced gastric ulcer *in vivo*. *J Ethnopharmacol.* 2020;261:113104. doi: 10.1016/j.jep.2020.113104.
  13. Yang L, Luo W, Zhang Q, Hong S, Wang Y, Samorodov AV, et al. Cardamonin inhibits LPS-induced inflammatory responses and prevents acute lung injury by targeting myeloid differentiation factor 2. *Phytomedicine.* 2021;93:153785. doi: 10.1016/j.phymed.2021.153785.
  14. Voon FL, Sulaiman MR, Akhtar MN, Idris MF, Akira A, Perimal EK, et al. Cardamonin (2',4'-dihydroxy-6'-methoxychalcone) isolated from *Boesenbergia rotunda* (L.) Mansf. inhibits CFA-induced rheumatoid arthritis in rats. *Eur J Pharmacol.* 2017;794:127-134. doi: 10.1016/j.ejphar.2016.11.009.
  15. Kim MS, Pyun HB, Hwang JK. Effects of orally administered fingerroot (*Boesenbergia pandurata*) extract on oxazolone-induced atopic dermatitis-like skin lesions in hairless mice. *Food Sci Biotechnol.* 2013;22(S): 257-64. doi:10.1007/s10068-013-0075-z.
  16. Kim MS, Pyun HB, Hwang JK. Panduratin A, an activator of PPAR- $\alpha/\delta$ , suppresses the development of oxazolone-induced atopic dermatitis-like symptoms in hairless mice. *Life Sci.* 2014;100(1):45-54. doi: 10.1016/j.lfs.2014.01.076.
  17. Isa NM, Abdelwahab SI, Mohan S, Abdul AB, Sukari MA, Taha MM, et al. *In vitro* anti-inflammatory, cytotoxic and antioxidant activities of boesenbergin A, a chalcone isolated from *Boesenbergia rotunda* (L.) (fingerroot). *Braz J Med Biol Res.* 2012;45(6):524-30. doi: 10.1590/s0100-879x2012007500022.
  18. Tewtrakul S, Subhadhirasakul S, Karalai C, Ponglimanont C, Cheenpracha S. Anti-inflammatory effects of compounds from *Kaempferia parviflora* and *Boesenbergia pandurate*. *Food Chem.* 2009;115(2):534-8. doi: 10.1016/j.foodchem.2008.12.057.
  19. Yun JM, Kwon H, Hwang JK. *In vitro* anti-inflammatory activity of panduratin A isolated from *Kaempferia pandurata* in RAW264.7 cells. *Planta Med.* 2003;69(12):1102-8. doi: 10.1055/s-2003-45190.
  20. Tuchinda P, Reutrakul V, Claeson P, Pongprayoon U, Sematong T, Santisuk T, et al. Anti-inflammatory cyclohexenyl chalcone derivatives in *Boesenbergia pandurata*. *Phytochemistry.* 2002;59(2):169-73. doi: 10.1016/s0031-9422(01)00451-4.
  21. Ping CP, Tengku Mohamad TAS, Akhtar MN, Perimal EK, Akira A, Israf Ali DA, et al. Antinociceptive effects of cardamonin in mice: possible involvement of TRPV1,

- glutamate, and opioid receptors. *Molecules*. 2018;23(9):2237. doi: 10.3390/molecules23092237.
22. Ping PC, Akhtar MN, Israf DA, Perimal EK, Sulaiman MR. Possible participation of ionotropic glutamate receptors and L-arginine-nitric oxide-cyclic guanosine monophosphate-ATP-sensitive K<sup>+</sup> channel pathway in the antinociceptive activity of cardamonin in acute pain animal models. *Molecules*. 2020;25(22):5385. doi: 10.3390/molecules25225385.
  23. Salama SM, Bilgen M, Al Rashdi AS, Abdulla MA. Efficacy of *Boesenbergia rotunda* treatment against thioacetamide-induced liver cirrhosis in a rat model. *Evid Based Complement Alternat Med*. 2012;2012:137083. doi: 10.1155/2012/137083.
  24. Salama SM, Abdulla MA, Alrashdi AS, Hadi AH. Mechanism of hepatoprotective effect of *Boesenbergia rotunda* in thioacetamide-induced liver damage in rats. *Evid Based Complement Alternat Med*. 2013;2013:157456. doi: 10.1155/2013/157456.
  25. Salama SM, Ibrahim IAA, Shahzad N, Al-Ghamdi S, Ayoub N, AlRashdi AS, et al. Hepatoprotectivity of panduratin A against liver damage: *in vivo* demonstration with a rat model of cirrhosis induced by thioacetamide. *APMIS*. 2018 Sep;126(9):710-721. doi: 10.1111/apm.12878.
  26. Boonjaraspinyo S, Boonmars T, Aromdee C, Kaewsamut B. Effect of fingerroot on reducing inflammatory cells in hamster infected with *Opisthorchis viverrini* and *N*-nitrosodimethylamine administration. *Parasitol Res*. 2010;106(6):1485-9. doi: 10.1007/s00436-010-1809-y.
  27. Thongnuanjan P, Soodvilai S, Fongsupa S, Chabang N, Vivithanaporn P, Tuchinda P, et al. Protective effect of panduratin A on cisplatin-induced apoptosis of human renal proximal tubular cells and acute kidney injury in mice. *Biol Pharm Bull*. 2021;44(6):830-837. doi: 10.1248/bpb.b21-00036.
  28. Worakajit N, Thongnuanjan P, Chabang N, Soodvila S, Tuchinda P, Soodvilai S. Pinostrobin attenuates colistin-induced apoptosis of human renal proximal tubular cells. *Pharm Sci Asia* 2021;48(6):549-56. doi: 10.29090/psa.2021.06.21.008.
  29. Kim DU, Chung HC, Kim C, Hwang JK. Oral intake of *Boesenbergia pandurata* extract improves skin hydration, gloss, and wrinkling: a randomized, double-blind, and placebo-controlled study. *J Cosmet Dermatol*. 2017;16(4):512-9. doi: 10.1111/jocd.12343.
  30. Woo SW, Rhim DB, Kim C, Hwang JK. Effect of standardized *Boesenbergia pandurata* extract and its active compound panduratin A on skin hydration and barrier function in human epidermal keratinocytes. *Prev Nutr Food Sci*. 2015;20(1):15-21. doi: 10.3746/pnf.2015.20.1.15

31. Yoon JH, Shim JS, Cho Y, Baek NI, Lee CW, Kim HS, et al. Depigmentation of melanocytes by isopanduratin A and 4-hydroxypanduratin A isolated from *Kaempferia pandurata* Roxb. *Biol Pharm Bull.* 2007;30(11):2141-5. doi: 10.1248/bpb.30.2141.
32. Lee CW, Kim HS, Kim HK, Kim JW, Yoon JH, Cho Y, et al. Inhibitory effect of panduratin A isolated from *Kaempferia pandurata* Roxb. on melanin biosynthesis. *Phytother Res.* 2010;24(11):1600-4. doi: 10.1002/ptr.3163.
33. Song MS, Shim JS, Gwon SH, Lee CW, Kim HS, Hwang JK. Antibacterial activity of panduratin A and isopanduratin A isolated from *Kaempferia pandurata* Roxb. against acne-causing microorganisms. *Food Sci Biotechnol.* 2008;17(6):1357-60.
34. Listyawati S, Sisindari S, Mubarika S, Murti YB. Protective effect ethanolic extract of *Boesenbergia pandurata* (Roxb.) Schlecht. against UVB-induced DNA damages in balb/c mice. *Indonesian J Pharm.* 2015;26Z2X:108-13. doi: 10.14499/indonesianjpharm26iss2pp108.
35. Shim JS, Choi EJ, Lee CW, Kim HS, Hwang JK. Matrix metalloproteinase-1 inhibitory activity of *Kaempferia pandurata* Roxb. *J Med Food.* 2009;12(3):601-7. doi: 10.1089/jmf.2007.1041.
36. Shim JS, Kwon YY, Hwan JK. The effects of panduratin A isolated from *Kaempferia pandurata* on the expression of matrix metalloproteinase-1 and type-1 procollagen in human skin fibroblasts. *Planta Med.* 2008;74(3):239-44. doi: 10.1055/s-2008-1034297.
37. Shim JS, Han YS, Hwang JK. The effect of 4-hydroxypanduratin A on the mitogen-activated protein kinase-dependent activation of matrix metalloproteinase-1 expression in human skin fibroblasts. *J Dermatol Sci.* 2009;53(2):129-34. doi: 10.1016/j.jdermsci.2008.09.002.
38. Shim JS, Kwon YY, Han YS, Hwang JK. Inhibitory effect of panduratin A on UV-induced activation of mitogen-activated protein kinases (MAPKs) in dermal fibroblast cells. *Planta Med.* 2008;74(12):1446-50. doi: 10.1055/s-2008-1081352.
39. Ajmala Shireen P, Abdul Mujeeb VM, Muraleedharan K. Theoretical insights on flavanones as antioxidants and UV filters: A TDDFT and NLMO study. *J Photochem Photobiol B.* 2017;170:286-294. doi: 10.1016/j.jphotobiol.2017.04.021.
40. Saraithong P, Saenphet S, Seanphet K. Safety evaluation of ethanol extracts from *Boesenbergia rotunda* (L.) Mansf. in male rats. *Trends Food Sci Technol.* 2010;2(1):19-22.
41. Charoensin S, Punvittayagul C, Pompimon W, Mevatee U, Wongpoomchai R. Toxicological and clastogenic evaluation of pinocembrin and pinostrobin isolated from *Boesenbergia pandurata* in Wistar rats. *Thai J Toxicology.* 2010;25(1)29-40.

42. Choi S, Kim C, Son H, Hwang JK, Kang W. Estimation of an appropriate human dose of *Boesenbergia pandurata* extracts based on allometric scaling data of panduratin A in mice, rats, and dogs. *J Med Food*. 2020;23(4):453-458. doi: 10.1089/jmf.2019.4564.