

เอกสารอ้างอิง : แครนเบอร์รี่

1. เมธินี คุปพิทยานันท์, สุพรรณณี ศรีวิริยกุล, บรรณาธิการ. การสร้างเสริมสุขภาพช่องปาก ประดู...สู่สุขภาพที่ดีในทุกช่วงวัยของชีวิต. กรุงเทพฯ: สำนักงานกิจการโรงพยาบาลโพธิ์องค์การสงเคราะห์ทหารผ่านศึก; 2555.
2. Mabberley DJ. The plant-book: A portable dictionary of the vascular plants, 2nd ed. Cambridge: Cambridge university press; 1997:p. 740.
3. *Vaccinium macrocarpon* Aiton. Flora of North America. [Internet]. 2023 [cited 2023 Jan 25]. Available from: http://www.efloras.org/florataxon.aspx?flora_id=1&taxonid=2500657 05.
4. Wikipedia. Cranberry. [Internet]. 2023 [cited 2023 Jan 15]. Available from: <https://en.wikipedia.org/wiki/Cranberry>.
5. Cesoniene L, Daubaras R. Phytochemical composition of the large cranberry (*Vaccinium macrocarpon*) and the small cranberry (*Vaccinium oxycoccos*). In: Simmonds MSJ, Preedy VR (eds.). Nutritional composition of fruit cultivars. Academic Press, 2016:173-94. doi: 10.1016/B978-0-12-408117-8.00008-8.
6. Nemzer BV, Al-Taher F, Yashin A, Revelsky I, Yashin Y. Cranberry: chemical composition, antioxidant activity and impact on human health: Overview. *Molecules*. 2022;27(5):1503. doi: 10.3390/molecules27051503.
7. United states department of agriculture. Food Data Central. Cranberries, raw. [Internet]. 2023 [cited 2023 Jan 25]. Available from: <https://fdc.nal.usda.gov/fdc-app.html#/?query=cranberry>.
8. Oszmianski J, Lachowicz S, Gorzelany J, Matlok N. The effect of different maturity stages on phytochemical composition and antioxidant capacity of cranberry cultivars. *Eur Food Res Technol*. 2018;244:705-19. doi: 10.1007/s00217-017-2994-z.
9. Viskelis P, Rubinskiene M, Jasutiene I, Sarkinas A, Daubaras R, Cesoniene L. Anthocyanins, antioxidative, and antimicrobial properties of American cranberry (*Vaccinium macrocarpon* Ait.) and their press cakes. *J Food Sci*. 2009;74(2):C157-61. doi: 10.1111/j. 1750-3841.2009.01066.x.
10. Cesoniene L, Daubaras R, Jasutiene I, Miliauskiene I, Zych M. Investigations of anthocyanins, organic acids, and sugars show great variability in nutritional and medicinal value of European cranberry (*Vaccinium oxycoccos*) fruit. *J Appl Bot Food Qual*. 2015;88: 295-9. doi: 10.5073/JABFQ.2015.088.042.
11. Abeywickrama G, Debnath SC, Ambigaipalan P, Shahidi F. Phenolics of selected cranberry genotypes (*Vaccinium macrocarpon* Ait.) and their antioxidant efficacy. *J Agric Food Chem*. 2016;64:9342-9351. doi: 10.1021/acs.jafc.6b 04291.

12. Diaconeasa Z, Florica R, Rugina D, Lucian C, Socaciu C. HPLC/PDA–ESI/MS identification of phenolic acids, flavonol glycosides and antioxidant potential in blueberry, blackberry, raspberries and cranberries. *J Food Nutr Res.* 2014; 11(2):781-5. doi: 10.12691/jfnr-2-11-4.
13. Oszmianski J, Kolniak-Ostek J, Lachowicz S, Gorzelany J, Matlok N. Phytochemical compounds and antioxidant activity in different cultivars of cranberry (*Vaccinium macrocarpon* L). *J Food Sci.* 2017;82(11):2569-75. doi: 10.1111/1750-3841.13924.
14. Jungfer E, Zimmermann BF, Ruttkat A, Galensa R. Comparing procyanidins in selected *Vaccinium* species by UHPLC-MS² with regard to authenticity and health effects. *J Agric Food Chem.* 2012;60:9688-96. doi: 10.1021/jf303100q.
15. La VD, Howell AB, Grenier D. Anti-*Porphyromonas gingivalis* and anti-inflammatory activities of A-type cranberry proanthocyanidins. *Antimicrob Agents Chemother.* 2010;54 (5):1778-84. doi: 10.1128/AAC.01432-09.
16. La VD, Howell AB, Grenier D. Cranberry proanthocyanidins inhibit MMP production and activity. *J Dent Res.* 2009;88(7):627-32. doi: 10.1177/0022034509339487.
17. Feldman M, Grenier D. Cranberry proanthocyanidins act in synergy with licochalcone A to reduce *Porphyromonas gingivalis* growth and virulence properties, and to suppress cytokine secretion by macrophages. *J Appl Microbiol.* 2012;113(2):438-47. doi: 10.1111/ j.1365-2672.2012.05329.x.
18. Kylli P, Nohynek L, Puupponen-Pimiä R, Westerlund-Wikström B, Leppänen T, Welling J, et al. Lingonberry (*Vaccinium vitis-idaea*) and European cranberry (*Vaccinium microcarpon*) proanthocyanidins: isolation, identification, and bioactivities. *J Agric Food Chem.* 2011;59:3373-84. doi: 10.1021/jf104621e.
19. Borges G, Degeneve A, Mullen W, Crozier A. Identification of flavonoid and phenolic antioxidants in black currants, blueberries, raspberries, red currants, and cranberries. *J Agric Food Chem.* 2010;58:3901-9. doi: 10.1021/jf902263n.
20. Blumberg JB, Camesano TA, Cassidy A, Kris-Etherton P, Howell A, Manach C, et al. Cranberries and their bioactive constituents in human health. *Adv Nutr.* 2013;4:618-32. doi: 10.3945/an.113.004473.
21. Kalin P, Gulçin I, Goren AC. Antioxidant activity and polyphenol content of cranberries (*Vaccinium macrocarpon*). *Rec Nat Prod.* 2015;9(4):496-502.
22. Wu X, Xue L, Tata A, Song M, Neto CC, Xiao H. Bioactive components of polyphenol-rich and non-polyphenol-rich cranberry fruit extracts and their chemo preventive effects on colitis-associated colon cancer. *J Agric Food Chem.* 2020;68:6845-53. doi: 10.1021/acs. jafc.0c02604.

23. Bodet C, Chandad F, Grenier D. Cranberry components inhibit interleukin-6, interleukin-8, and prostaglandin E production by lipopolysaccharide-activated gingival fibroblasts. *Eur J Oral Sci.* 2007;115(1):64-70. doi: 10.1111/j.1600-0722.2007.00415.x.
24. Polak D, Naddaf R, Shapira L, Weiss EI, Houry-Haddad Y. Protective potential of non-dialyzable material fraction of cranberry juice on the virulence of *P. gingivalis* and *F. nucleatum* mixed infection. *J Periodontol.* 2013;84(7):1019-25. doi: 10.1902/jop.2012.120331.
25. Tipton DA, Babu JP, Dabbous MK. Effects of cranberry components on human aggressive periodontitis gingival fibroblasts. *J Periodontal Res.* 2013;48(4):433-42. doi: 10.1111/jre. 12023.
26. Tipton DA, Cho S, Zacharia N, Dabbous MK. Inhibition of interleukin-17-stimulated interleukin-6 and -8 production by cranberry components in human gingival fibroblasts and epithelial cells. *J Periodontal Res.* 2013;48(5):638-46. doi: 10.1111/jre.12050.
27. Tipton DA, Carter TB, Dabbous MK. Inhibition of interleukin 1 β -stimulated interleukin-6 production by cranberry components in human gingival epithelial cells: effects on nuclear factor κ B and activator protein 1 activation pathways. *J Periodontal Res.* 2014; 49(4):437-47. doi: 10.1111/jre.12122.
28. Preethy NA, Somasundaram S. Antimicrobial efficacy of *Vaccinium macrocarpon* mouthwash against *Streptococcus mutans* in dental plaque of caries active children - A randomized controlled trial. *Int J Res Pharm Sci.* 2021;12(1):12-6. doi: 10.26452/ijrps.v 12i1.3906.
29. Khairnar MR, Karibasappa GN, Dodamani AS, Vishwakarma P, Naik RG, Deshmukh MA. Comparative assessment of cranberry and chlorhexidine mouthwash on streptococcal colonization among dental students: A randomized parallel clinical trial. *Contemp Clin Dent.* 2015;6(1):35-9. doi: 10.4103/0976-237X.149289.
30. Weiss EI, Kozlovsky A, Steinberg D, Lev-Dor R, Bar Ness Greenstein R, Feldman M, et al. A high molecular mass cranberry constituent reduces mutans streptococci level in saliva and inhibits *in vitro* adhesion to hydroxyapatite. *FEMS Microbiol Lett.* 2004;232(1):89-92. doi: 10.1016/S0378-1097(04)00035-7.
31. Gupta A, Bansal K, Marwaha M. Effect of high-molecular-weight component of cranberry on plaque and salivary *Streptococcus mutans* counts in children: an *in vivo* study. *J Indian Soc Pedod Prev Dent.* 2015;33(2):128-33. doi: 10.4103/0970-4388.155125.
32. Philip N, Leishman SJ, Bandara HMHN, Healey DL, Walsh LJ. Randomized controlled study to evaluate microbial ecological effects of CPP-ACP and cranberry on dental plaque. *JDR Clin Trans Res.* 2020;5(2):118-126. doi: 10.1177/2380084419859871.
33. Wozniewicz M, Nowaczyk PM, Kurhanska-Flisykowska A, Wyganowska-Swiatkowska M, Lasik-Kurdys M, Walkowiak J, et al. Consumption of cranberry functional beverage reduces gingival

index and plaque index in patients with gingivitis. *Nutr Res.* 2018;58:36-45. doi: 10.1016/j.nutres.2018.06.011.

34. Kharche A, Kurhade S, Sarkate P, Khond M, Kotalwar G, Gelda A. Comparative efficacy of four fruit extract mouthrinses on gingivitis in orthodontic patients : A randomised clinical trial. *J Pharm Res Int.* 2021;33(41A):268-74. doi: 10.9734/jpri/2021/v33i41A32326.
35. Javid AZ, Maghsoumi-Norouzabad L, Ashrafzadeh E, Yousefimanesh HA, Zakerkish M, Ahmadi Angali K, et al. Impact of cranberry juice enriched with omega-3 fatty acids adjunct with nonsurgical periodontal treatment on metabolic control and periodontal status in type 2 patients with diabetes with periodontal disease. *J Am Coll Nutr.* 2018;37 (1):71-9. doi: 10.1080/07315724.2017.1357509.
36. Sumathi S, Suganya K, Vishali A, Padma PR. Anticariogenic effect of *Vaccinium macrocarpon* Aiton against causative organisms of dental caries. *Ann Phytomed.* 2019; 8(2):99-104. doi: 10.21276/ap.2019.8.2.11.
37. Singhal R, Patil P, Siddibhavi M, Ankola AV, Sankeshwari R, Kumar V. Antimicrobial and antibiofilm effect of cranberry extract on *Streptococcus mutans* and *Lactobacillus acidophilus*: An *in vitro* study. *Int J Clin Pediatr Dent.* 2020;13(1):11-5.
38. Sanchez MC, Ribeiro-Vidal H, Bartolome B, Figuero E, Moreno-Arribas MV, Sanz M, et al. New evidences of antibacterial effects of cranberry against periodontal pathogens. *Foods.* 2020;9,246. doi: 10.3390/foods9020246.
39. Philip N, Bandara HMHN, Leishman SJ, Walsh LJ. Effect of polyphenol-rich cranberry extracts on cariogenic biofilm properties and microbial composition of polymicrobial biofilms. *Arch Oral Biol.* 2019;102:1-6. doi: 10.1016/j.archoralbio.2019.03.026.
40. Philip N, Bandara HMHN, Leishman SJ, Walsh LJ. Inhibitory effects of fruit berry extracts on *Streptococcus mutans* biofilms. *Eur J Oral Sci.* 2019;127:122-9. doi: 10.1111/eos. 12602.
41. Nowaczyk PM, Bajerska J, Lasik-Kurdys M, Radziejewska-Kubzdela E, Szwengiel A, Wozniewicz M. The effect of cranberry juice and a cranberry functional beverage on the growth and metabolic activity of selected oral bacteria. *BMC Oral Health.* 2021;21,660. doi: 10.1186/s12903-021-02025-w.
42. Wu CD, Huang E, Li W, White M, Jung S, Xie Q. Beverages containing plant-derived polyphenols inhibit growth and biofilm formation of *Streptococcus mutans* and children's supragingival plaque bacteria. *Beverages.* 2021;7,43. doi: 10.3390/beverages 7030043.
43. Labrecque J, Bodet C, Chandad F, Grenier D. Effects of a high-molecular-weight cranberry fraction on growth, biofilm formation and adherence of *Porphyromonas gingivalis*. *J Antimicrob Chemother.* 2006;58(2):439-43. doi: 10.1093/jac/dkl220.

44. Yamanaka A, Kimizuka R, Kato T, Okuda K. Inhibitory effects of cranberry juice on attachment of oral streptococci and biofilm formation. *Oral Microbiol Immunol.* 2004; 19(3):150-4. doi: 10.1111/j.0902-0055.2004.00130.x.
45. Bowen WH, Koo H. Biology of *Streptococcus mutans*-derived glucosyltransferases: role in extracellular matrix formation of cariogenic biofilms. *Caries Res.* 2011;45(1):69-86. doi: 10.1159/000324598.
46. Steinberg D, Feldman M, Ofek I, Weiss EI. Effect of a high-molecular-weight component of cranberry on constituents of dental biofilm. *J Antimicrob Chemother.* 2004;54(1):86-9. doi: 10.1093/jac/dkh254.
47. Feldman M, Weiss E, Shemesh M, Ofek I, Bachrach G, Rozen R, et al. Cranberry constituents affect fructosyltransferase expression in *Streptococcus mutans*. *Altern Ther Health Med.* 2009;15(2):32-8.
48. Bodet C, Piche M, Chandad F, Grenier D. Inhibition of periodontopathogen-derived proteolytic enzymes by a high-molecular-weight fraction isolated from cranberry. *J Antimicrob Chemother.* 2006;57(4):685-90. doi: 10.1093/jac/dkl 031.
49. Galarraga-Vinueza ME, Dohle E, Ramanauskaite A, Al-Maawi S, Obreja K, Magini R, et al. Anti-inflammatory and macrophage polarization effects of cranberry proanthocyanidins (PACs) for periodontal and peri-implant disease therapy. *J Periodont Res.* 2020;55:821-9. doi: 10.1111/jre.12773.