

## เอกสารอ้างอิง : หล่อหังกวย 40(4)

1. รณรงค์ลดหวาน ลดโรค สั่งหวานน้อยไม่เกิน 2 ช้อนชา ปรับพฤติกรรมใหม่ ลดเสี่ยงป่วยโรค NCDs. สำนักงานกองทุนสนับสนุนการสร้างเสริมสุขภาพ. [อินเทอร์เน็ต]. 2565 [เข้าถึงเมื่อ 21 มิถุนายน 2566. Available from <https://www.thaihealth.or.th/?p=314094>.
2. *Siraitia grosvenorii* Swingle. Flora of China. [Internet]. 2023 [cited 2023 June 16]. Available from: [http://www.efloras.org/florataxon.aspx?flora\\_id=2&taxon\\_id=200022720](http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=200022720).
3. Chinese Pharmacopoeia Commission. Fructus Momordicae. In: Pharmacopoeia of the People's Republic of China. Beijing, China: China Medical Science Press; 2010.
4. Kasai R, Nie RL, Nashi K, Ohtani K, Zhou J, Tao Gd, et al. Sweet Cucurbitane glycosides from fruits of *Siraitia siamensis* (chi-zi luo-han-guo), a Chinese folk medicine. Agri Biol Chem. 1989;53(12): 3347–9. doi: 10.1080/00021369.1989.10869815
5. Monk fruit. USDA National Nutrient Database for Standard References. [Internet]. 2023 [cited 2023 June 16]. Available from <https://fdc.nal.usda.gov/fdc-app.html#/food-details/2345826/nutrients>
6. Li C, Lin LM, Sui F, Wang ZM, Huo HR, Dai L, Jiang TL. Chemistry and pharmacology of *Siraitia grosvenorii*: a review. Chin J Nat Med. 2014;12(2):89-102. doi: 10.1016/S1875-5364(14)60015-7.
7. FDA GRAS notices page. [Internet]. 2019. [cited 2023 June 16]. Available from [https://www.accessdata.fda.gov/scripts/fdcc/index.cfm?set=GRASNotices&sort=GRN\\_Noℴder=DESC&start row=1&type=basic &searc h=monk%20 fruit](https://www.accessdata.fda.gov/scripts/fdcc/index.cfm?set=GRASNotices&sort=GRN_Noℴder=DESC&start row=1&type=basic &searc h=monk%20 fruit).
8. U.S. Food and Drug Administration. [Internet]. 2014. [cited 2023 June 16]. High-Intensity Sweeteners. Available from <http://www.fda.gov/Food/IngredientsPackagingLabeling/FoodAdditivesIngredients/ucm397716.htm>.
9. Kinghora AD, Soejarto DD, Inglett GE. Sweetening agents of plant origin. Crit Rev Plant Sci. 1986;4(2):79-120. doi: 10.1080/07352688609382220
10. Thakur K, Partap M, Kumar P, Sharma R, Warghat AR. Understandings of bioactive composition, molecular regulation, and biotechnological interventions in the development and usage of specialized metabolites as health-promoting substances in *Siraitia grosvenorii* (Swingle) C. Jeffrey. J Food Comp Anal. 2023;116:105070. doi: 10.1016/j.jfca.2022.105070.

11. Murata Y, Ogawa T, Suzuki YA, Yoshikawa S, Inui H, Sugiura M, Nakano Y. Digestion and absorption of *Siraitia grosvenori* triterpenoids in the rat. *Biosci Biotechnol Biochem.* 2010;74(3):673-6. doi: 10.1271/bbb.90832.
12. Xu F, Li DP, Huang ZC, Lu FL, Wang L, Huang YL, Wang RF, Liu GX, Shang MY, Cai SQ. Exploring *in vitro, in vivo* metabolism of mogroside V and distribution of its metabolites in rats by HPLC-ESI-IT-TOF-MS(n). *J Pharm Biomed Anal.* 2015;115:418-30. doi: 10.1016/j.jpba.2015.07.024.
13. Zhou G, Peng Y, Zhao L, Wang M, Li X. Biotransformation of total saponins in *Siraitia Fructus* by human intestinal microbiota of normal and type 2 diabetic patients: comprehensive metabolite identification and metabolic profile elucidation using LC-Q-TOF/MS. *J Agric Food Chem.* 2017;65(8):1518-1524. doi: 10.1021/acs.jafc.6b04498.
14. Zhou G, Zhang Y, Li Y, Wang M, Li X. The metabolism of a natural product mogroside V, in healthy and type 2 diabetic rats. *J Chromatogr B Analyt Technol Biomed Life Sci.* 2018;1079:25-33. doi: 10.1016/j.jchromb.2018.02.002.
15. Guo Y, Chen X, Gong P, Wang M, Yao W, Yang W, et al. Effects of simulated saliva-gastrointestinal digestion on the physicochemical properties and bioactivities of *Siraitia grosvenorii* polysaccharides. *Int J Food Sci Technol.* 2022;57:4495-506. doi:10.1111/ijfs.15783
16. Gong P, Guo Y, Chen X, Cui D, Wang M, Yang W, Chen F. Structural characteristics, antioxidant and hypoglycemic activities of polysaccharide from *Siraitia grosvenorii*. *Molecules.* 2022;27(13):4192. doi: 10.3390/molecules27134192.
17. Lin GP, Jiang T, Hu XB, Qiao XH, Tuo QH. Effect of *Siraitia grosvenorii* polysaccharide on glucose and lipid of diabetic rabbits induced by feeding high fat/high sucrose chow. *Exp Diabetes Res.* 2007;2007:67435. doi: 10.1155/2007/67435.
18. Liu H, Wang C, Qi X, Zou J, Sun Z. Antiglycation and antioxidant activities of mogroside extract from *Siraitia grosvenorii* (Swingle) fruits. *J Food Sci Technol.* 2018;55(5):1880-8. doi: 10.1007/s13197-018-3105-2.
19. Li F, Yang F, Liu X, Wang L, Chen B, Li L, Wang M. Cucurbitane glycosides from the fruit of *Siraitia grosvenori* and their effects on glucose uptake in human HepG2 cells *in vitro*. *Food Chem.* 2017;228:567-573. doi: 10.1016/j.foodchem.2017.02.018.
20. Liu X, Zhang J, Li Y, Sun L, Xiao Y, Gao W, Zhang Z. Mogroside derivatives exert hypoglycemics effects by decreasing blood glucose level in HepG2 cells and alleviates

- insulin resistance in T2DM rats. *J Funct Foods.* 2019;63:103566. doi:10.1016/j.jff.2019.103566.
21. Zhou Y, Zheng Y, Ebersole J, Huang CF. Insulin secretion stimulating effects of mogroside V and fruit extract of luo han kuo (*Siraitia grosvenori* Swingle) fruit extract. *Yao Xue Xue Bao.* 2009;44(11):1252-7. PMID: 21351724.
  22. Suzuki YA, Murata Y, Inui H, Sugiura M, Nakano Y. Triterpene glycosides of *Siraitia grosvenori* inhibit rat intestinal maltase and suppress the rise in blood glucose level after a single oral administration of maltose in rats. *J Agric Food Chem.* 2005;53(8):2941-6. doi: 10.1021/jf0478105.
  23. Suzuki YA, Tomoda M, Murata Y, Inui H, Sugiura M, Nakano Y. Antidiabetic effect of long-term supplementation with *Siraitia grosvenori* on the spontaneously diabetic Goto-Kakizaki rat. *Br J Nutr.* 2007;97(4):770-5. doi: 10.1017/S0007114507381300.
  24. Zhang Y, Zhou G, Peng Y, Wang M, Li X. Anti-hyperglycemic and anti-hyperlipidemic effects of a special fraction of Luohanguo extract on obese TDM rats. *J Ethnopharmacol.* 2020;247:112273. doi: 10.1016/j.jep.2019.112273.
  25. Liu H , Qi X , Yu K , Lu A , Lin K , Zhu J , Zhang M , Sun Z . AMPK activation is involved in hypoglycemic and hypolipidemic activities of mogroside-rich extract from *Siraitia grosvenorii* (Swingle) fruits on high-fat diet/streptozotocin-induced diabetic mice. *Food Funct.* 2019;10(1):151-162. doi: 10.1039/c8fo01486h.
  26. Zhou T, Fu X, Li H, Yin Y. Mogroside V attenuates gestational diabetes mellitus via SIRT1 pathway in a rat model. *Trop J Pharm Res* 2021; 20(12):2533-2538 doi: 10.4314/tjpr.v20i12.11.
  27. Qi XY, Chen WJ, Zhang LQ, Xie BJ. Mogrosides extract from *Siraitia grosvenori* scavenges free radicals in vitro and lowers oxidative stress, serum glucose, and lipid levels in alloxan-induced diabetic mice. *Nutr Res.* 2008;28(4):278-84. doi: 10.1016/j.nutres.2008.02.008.
  28. Xiangyang Q, Weijun C, Liegang L, Ping Y, Bijun X. Effect of a *Siraitia grosvenori* extract containing mogrosides on the cellular immune system of type 1 diabetes mellitus mice. *Mol Nutr Food Res.* 2006;50(8):732-8. doi: 10.1002/mnfr.200500252.
  29. Song F, Chen W, Jia W, Yao P, Nussler AK, Sun X, Liu L. A natural sweetener, *Momordica grosvenori*, attenuates the imbalance of cellular immune functions in alloxan-induced diabetic mice. *Phytother Res.* 2006;20(7):552-60. doi: 10.1002/ptr.1903.

30. Song F, Qi X, Chen W, Jia W, Yao P, Nussler AK, Sun X, Liu L. Effect of *Momordica grosvenori* on oxidative stress pathways in renal mitochondria of normal and alloxan-induced diabetic mice. Involvement of heme oxygenase-1. *Eur J Nutr.* 2007;46(2):61-9. doi: 10.1007/s00394-006-0632-9.
31. Larsen N, Vogensen FK, van den Berg FW, Nielsen DS, Andreasen AS, Pedersen BK, et al. Gut microbiota in human adults with type 2 diabetes differs from non-diabetic adults. *PLoS One.* 2010;5(2):e9085. doi: 10.1371/journal.pone.0009085.
32. Bäckhed F, Ding H, Wang T, Hooper LV, Koh GY, Nagy A, et al. The gut microbiota as an environmental factor that regulates fat storage. *Proc Natl Acad Sci U S A.* 2004;101(44): 15718-23. doi: 10.1073/pnas.0407076101.
33. Bäckhed F, Manchester JK, Semenkovich CF, Gordon JL. Mechanisms underlying the resistance to diet-induced obesity in germ-free mice. *Proc Natl Acad Sci U S A.* 2007;104 (3): 979-84. doi: 10.1073/pnas.0605374104.
34. Zhang Y, Peng Y, Zhao L, Zhou G, Li X. Regulating the gut microbiota and SCFAs in the faeces of T2DM rats should be one of antidiabetic mechanisms of mogrosides in the fruits of *Siraitia grosvenorii*. *J Ethnopharmacol.* 2021;274:114033. doi: 10.1016/j.jep.2021.114033.
35. Ban Q, Cheng J, Sun X, Jiang Y, Zhao S, Song X, Guo M. Effects of a synbiotic yogurt using monk fruit extract as sweetener on glucose regulation and gut microbiota in rats with type 2 diabetes mellitus. *J Dairy Sci.* 2020;103(4):2956-2968. doi: 10.3168/jds.2019-17700.
36. Wang S, Cui K, Liu J, Hu J, Yan K, Xiao P, Lu Y, Yang X, Liang X. Mogroside-rich extract from *Siraitia grosvenorii* fruits ameliorates high-fat diet-induced obesity associated with the modulation of gut microbiota in mice. *Front Nutr.* 2022;9:870394. doi: 10.3389/fnut.2022.870394.
37. Lü K, Song X, Zhang P, et al. Effects of *Siraitia grosvenorii* extracts on high fat diet-induced obese mice: a comparison with artificial sweetener aspartame. *Food Sci Hum Wellness.* 2022;11(4):865-73. doi: 10.1016/j.fshw.2022.03.009.
38. Hussain RA, Lin YM, Poveda LJ, Bordas E, Chung BS, Pezzuto JM, Soejarto DD, Kinghorn AD. Plant-derived sweetening agents: saccharide and polyol constituents of some sweet-tasting plants. *J Ethnopharmacol.* 1990;28(1):103-15. doi: 10.1016/0378-8741(90)90067-4.
39. Marone PA, Borzelleca JF, Merkel D, Heimbach JT, Kennepohl E. Twenty eight-day dietary toxicity study of Luo Han fruit concentrate in Hsd:SD rats. *Food Chem Toxicol.* 2008;46(3):910-9. doi: 10.1016/j.fct.2007.10.013.

40. Jin M, Muguruma M, Moto M, Okamura M, Kashida Y, Mitsumori K. Thirteen-week repeated dose toxicity of *Siraitia grosvenori* extract in Wistar Hannover (GALAS) rats. Food Chem Toxicol. 2007;45(7):1231-7. doi: 10.1016/j.fct.2006.12.030.
41. Qin X, Xiaojian S, Ronggan L, Yuxian W, Zhunian T, Shouji G, Heimbach J. Subchronic 90-day oral (Gavage) toxicity study of a Luo Han Guo mogroside extract in dogs. Food Chem Toxicol. 2006;44(12):2106-9. doi: 10.1016/j.fct.2006.07.023.
42. Younes M, Aquilina G, Engel KH, Fowler P, Frutos Fernandez MJ, Fürst P, et al. Safety of use of monk fruit extract as a food additive in different food categories. EFSA J. 2019 Dec 11;17(12):e05921. doi: 10.2903/j.efsa.2019.5921.