

## เอกสารอ้างอิง : ขิง 41(2)

1. นพมาศ สุนทรเจริญนนท์, นงลักษณ์ เรืองวิเศษ, บรรณาธิการ. คุณภาพเครื่องยาไทยจากงานวิจัยสู่การพัฒนอย่างยั่งยืน. กรุงเทพฯ: สำนักงานคณะกรรมการวิจัยแห่งชาติ; 2551.
2. คู่มือบัญชียาหลักแห่งชาติด้านสมุนไพร พ.ศ. 2566 กองผลิตภัณฑ์สมุนไพร. [อินเทอร์เน็ต]. [เข้าถึงเมื่อ 19 กันยายน 2566]. เข้าถึงจาก: <https://herbal.fda.moph.go.th/drug-list/category/ann-drug02>
3. Kiyama R. Nutritional implications of ginger: chemistry, biological activities and signaling pathways. J Nutr Biochem. 2020;86:108486. doi: 10.1016/j.jnutbio.2020.108486.
4. Semwal RB, Semwal DK, Combrinck S, Viljoen AM. Gingerols and shogaols: important nutraceutical principles from ginger. Phytochemistry. 2015;117:554-68. doi: 10.1016/j.phytochem.2015.07.012.
5. Kim S, Cheon C, Kim B, Kim W. The effect of ginger and its sub-components on pain. Plants (Basel). 2022;11(17):2296. doi: 10.3390/plants11172296.
6. Rondanelli M, Fossari F, Vecchio V, Gasparri C, Peroni G, Spadaccini D, et al. Clinical trials on pain lowering effect of ginger: a narrative review. Phytother Res. 2020;34(11):2843-56. doi: 10.1002/ptr.6730.
7. Terry R, Posadzki P, Watson LK, Ernst E. The use of ginger (*Zingiber officinale*) for the treatment of pain: a systematic review of clinical trials. Pain Med. 2011;12(12):1808-18. doi: 10.1111/j.1526-4637.2011.01261.x.
8. Negi R, Sharma SK, Gaur R, Bahadur A, Jelly P. Efficacy of ginger in the treatment of primary dysmenorrhea: a systematic review and meta-analysis. Cureus. 2021;13(3):e13743. doi: 10.7759/cureus.13743.
9. Gurung A, Khatiwada B, Kayastha B, Parsekar S, Mistry SK, Yadav UN. Effectiveness of *Zingiber Officinale* (ginger) compared with non-steroidal anti-inflammatory drugs and complementary therapy in primary dysmenorrhoea: a systematic review. Clin Epidemiology Glob Health. 2022;18:101152. doi: 10.1016/j.cegh.2022.101152.
10. Araya-Quintanilla F, Gutierrez-Espinoza H, Munoz-Yanez MJ, Sanchez-Montoya U, Lopez-Jeldes J. Effectiveness of ginger on pain and function in knee osteoarthritis: a prisma systematic review and meta-analysis. Pain Physician. 2020;23(2):E151-E161.
11. Chen L, Cai Z. The efficacy of ginger for the treatment of migraine: a meta-analysis of randomized controlled studies. Am J Emerg Med. 2021;46:567-71. doi: 10.1016/j.ajem.2020.11.030.

12. Rahnama P, Montazeri A, Huseini HF, Kianbakht S, Naseri M. Effect of *Zingiber officinale* R. rhizomes (ginger) on pain relief in primary dysmenorrhea: a placebo randomized trial. *BMC Complement Altern Med*. 2012;12:92. doi: 10.1186/1472-6882-12-92.
13. Ozgoli G, Goli M, Moattar F. Comparison of effects of ginger, mefenamic acid, and ibuprofen on pain in women with primary dysmenorrhea. *J Altern Complement Med*. 2009;15(2):129-32. doi: 10.1089/acm.2008.0311.
14. Kashefi F, Khajehei M, Tabatabaeichehr M, Alavinia M, Asili J. Comparison of the effect of ginger and zinc sulfate on primary dysmenorrhea: a placebo-controlled randomized trial. *Pain Manag Nurs*. 2014;15(4):826-33. doi: 10.1016/j.pmn.2013.09.001.
15. Adib Rad H, Basirat Z, Bakouei F, Moghadamnia AA, Khafri S, Farhadi Kotenaei Z, et al. Effect of ginger and novafen on menstrual pain: a cross-over trial. *Taiwan J Obstet Gynecol*. 2018;57(6):806-9. doi: 10.1016/j.tjog.2018.10.006.
16. Jenabi E. The effect of ginger for relieving of primary dysmenorrhoea. *J Pak Med Assoc*. 2013;63(1):8-10. PMID: 23865123.
17. Halder A. Effect of progressive muscle relaxation versus intake of ginger powder on dysmenorrhoea amongst the nursing students in Pune. *Nurs J India*. 2012;103(4):152-6.
18. Shirvani MA, Motahari-Tabari N, Alipour A. Use of ginger versus stretching exercises for the treatment of primary dysmenorrhea: a randomized controlled trial. *J Integr Med*. 2017;15(4):295-301. doi: 10.1016/S2095-4964(17)60348-0.
19. Matsumura MD, Zavorsky GS, Smoliga JM. The effects of pre-exercise ginger supplementation on muscle damage and delayed onset muscle soreness. *Phytother Res*. 2015;29(6):887-93. doi: 10.1002/ptr.5328.
20. Mashhadi NS, Ghiasvand R, Askari G, Feizi A, Hariri M, Darvishi L, et al. Influence of ginger and cinnamon intake on inflammation and muscle soreness endured by exercise in Iranian female athletes. *Int J Prev Med*. 2013;4(Suppl 1):S11-5.
21. Black CD, Herring MP, Hurley DJ, O'Connor PJ. Ginger (*Zingiber officinale*) reduces muscle pain caused by eccentric exercise. *J Pain*. 2010;11(9):894-903. doi: 10.1016/j.jpain.2009.12.013.
22. Black CD, Oconnor PJ. Acute effects of dietary ginger on quadriceps muscle pain during moderate-intensity cycling exercise. *Int J Sport Nutr Exerc Metab*. 2008;18(6):653-64. doi: 10.1123/ijsnem.18.6.653.

23. Naderi Z, Mozaffari-Khosravi H, Dehghan A, Nadjarzadeh A, Huseini HF. Effect of ginger powder supplementation on nitric oxide and C-reactive protein in elderly knee osteoarthritis patients: a 12-week double-blind randomized placebo-controlled clinical trial. *J Tradit Complement Med*. 2015;6(3):199-203. doi: 10.1016/j.jtcme.2014.12.007.
24. Zakeri Z, Izadi S, Bari Z, Soltani F, Narouie B, Ghasemirad M. Evaluating the effects of ginger extract on knee pain, stiffness and difficulty in patients with knee osteoarthritis. *J Med Plant Res* 2011;5:3375-9.
25. Altman RD, Marcussen KC. Effects of a ginger extract on knee pain in patients with osteoarthritis. *Arthritis Rheum*. 2001;44(11):2531-8. doi: 10.1002/1529-0131(200111)44:11<2531::aid-art433>3.0.co;2-j.
26. Paramdeep G. Efficacy and tolerability of ginger (*Zingiber officinale*) in patients of osteoarthritis of knee. *Indian J Physiol Pharmacol*. 2013;57(2):177-83.
27. Afshar F, Abdolahi N, Amin G, Esmaily H, Ziayie S, Azimi S, et al. A randomized, double-blind placebo-controlled phase I clinical study on safety and efficacy of the G-Rup<sup>®</sup> syrup (a mixture of ginger extract and honey) in symptomatic treatment of knee osteoarthritis. *J Clin Pharm Ther*. 2022;47(12):2295-301. doi: 10.1111/jcpt.13812.
28. Niempoog S, Siriarchavatana P, Kajsongkram T. The efficacy of Plygersic gel for use in the treatment of osteoarthritis of the knee. *J Med Assoc Thai*. 2012;95 Suppl 10:S113-9.
29. Tosun B, Unal N, Yigit D, Can N, Aslan O, Tunay S. Effects of self-knee massage with ginger oil in patients with osteoarthritis: an experimental study. *Res Theory Nurs Pract*. 2017;31(4):379-92. doi: 10.1891/1541-6577.31.4.379.
30. Niempoog S, Pawa KK, Amatyakul C. The efficacy of powdered ginger in osteoarthritis of the knee. *J Med Assoc Thai*. 2012;95 Suppl 1:S59-64.
31. Martins LB, Rodrigues AMDS, Rodrigues DF, Dos Santos LC, Teixeira AL, Ferreira AVM. Double-blind placebo-controlled randomized clinical trial of ginger (*Zingiber officinale* Rosc.) addition in migraine acute treatment. *Cephalalgia*. 2019;39(1):68-76. doi: 10.1177/0333102418776016.
32. Andrade C. Ginger for migraine. *J Clin Psychiatry*. 2021;82(6):21f14325. doi: 10.4088/JCP.21f14325.
33. Martins LB, Rodrigues AMDS, Monteze NM, Tibaes JRB, Amaral MHA, Gomez RS, et al. Double-blind placebo-controlled randomized clinical trial of ginger (*Zingiber officinale*

- Rosc.) in the prophylactic treatment of migraine. *Cephalalgia*. 2020;40(1):88-95. doi: 10.1177/0333102419869319.
34. Cady RK, Goldstein J, Nett R, Mitchell R, Beach ME, Browning R. A double-blind placebo-controlled pilot study of sublingual feverfew and ginger (LipiGesic™ M) in the treatment of migraine. *Headache*. 2011;51(7):1078-86. doi: 10.1111/j.1526-4610.2011.01910.x.
35. Cady RK, Schreiber CP, Beach ME, Hart CC. Gelstat migraine® (sublingually administered feverfew and ginger compound) for acute treatment of migraine when administered during the mild pain phase. *Med Sci Monit*. 2005;11(9):PI65-9.
36. Aryaeian N, Mahmoudi M, Shahram F, Poursani S, Jamshidi F, Tavakoli H. The effect of ginger supplementation on IL2, TNF $\alpha$ , and IL1 $\beta$  cytokines gene expression levels in patients with active rheumatoid arthritis: a randomized controlled trial. *Med J Islam Repub Iran*. 2019;33:154. doi: 10.34171/mjiri.33.154.
37. Mozafari S, Esmaeili S, Momenyan S, Zadeh Modarres S, Ozgoli G. Effect of *Zingiber officinale* Roscoe rhizome (ginger) capsule on postpartum pain: double-blind randomized clinical trial. *J Res Med Sci*. 2021;26:105. doi: 10.4103/jrms.JRMS\_544\_20.
38. Menon P, Perayil J, Fenol A, Rajan Peter M, Lakshmi P, Suresh R. Effectiveness of ginger on pain following periodontal surgery - a randomized cross-over clinical trial. *J Ayurveda Integr Med*. 2021;12(1):65-69. doi: 10.1016/j.jaim.2020.05.003.