

เอกสารอ้างอิง : ผักชีลาว 41(3)

1. *Anethum graveolens* L. World Flora Online. [Internet]. 2024. [cited 2024 Jan 10]. Available from: <https://wfoplantlist.org/taxon/wfo-0000536042-2023-12?page=1>
2. ชัยนัต พิเชียรสุนทร, วิเชียร จีรวงส์. คู่มือเภสัชกรรมแผนไทย เล่ม 5 คณาเภสัช. กรุงเทพมหานคร : อมรินทร์พริ้นติ้งแอนด์พับลิชชิ่ง, 2556: 352 หน้า.
3. *Anethum graveolens* L. Flora of China online. [Internet]. 2024. [cited 2024 Jan 10]. Available from: http://www.efloras.org/florataxon.aspx?flora_id=&taxon_id=200015349.
4. Rana VS, Blazquez MA. Chemical composition of the essential oil of *Anethum graveolens* aerial parts. J Essent Oil-Bear Plants. 2014;17(6):1219-23. doi: 10.1080/0972060X.2014.894894.
5. Noumi E, Ahmad I, Adnan M, Merghni A, Patel H, Haddaji N, et al. GC/MS Profiling, antibacterial, anti-quorum sensing, and antibiofilm properties of *Anethum graveolens* L. essential oil: molecular docking study and *in-silico* adme profiling. Plants (Basel). 2023;12(10):1997. doi: 10.3390/plants12101997.
6. Kazemi M. Phenolic profile, antioxidant capacity and anti-inflammatory activity of *Anethum graveolens* L. essential oil. Nat Prod Res. 2015;29(6):551-3. doi: 10.1080/14786419.2014.951934.
7. Jana S, Shekhawat GS. *Anethum graveolens*: An Indian traditional medicinal herb and spice. Pharmacogn Rev. 2010;4(8):179-84. doi: 10.4103/0973-7847.70915.
8. Danesi F, Govoni M, D'Antuono LF, Bordoni A. The molecular mechanism of the cholesterol-lowering effect of dill and kale: The influence of the food matrix components. Electrophoresis. 2016;37(13):1805-13. doi: 10.1002/elps.201600033.
9. Oshaghi AE, Khodadadi I, Saidijam M, Yadegarazari R, Shabab N, Tavilani H, et al. Lipid lowering effects of hydroalcoholic extract of *Anethum graveolens* L. and dill tablet in high cholesterol fed hamsters. Cholesterol. 2015;2015:958560. doi: 10.1155/2015/958560.
10. Oshaghi AE, Khodadadi I, Tavilani H, Mirzaei F, Goodarzi MT. Dill-normalized liver lipid accumulation, oxidative stress, and low-density lipoprotein receptor levels in high cholesterol fed hamsters. ARYA Atheroscler. 2018;14(5):218-24. doi: 10.22122/arya.v14i5.1546.
11. Oshaghi EA, Goodarzi MT, Tayebinia H, Saidijam M, Khodadadi I. Favorable effects of *Anethum graveolens* on liver oxidative stress and cholesterol 7 alpha-hydroxylase levels in non-alcoholic fatty liver disease (NAFLD) rat models. Metabol Open. 2021;12:100140. doi: 10.1016/j.metop.2021.100140.

12. Bahramikia S, Yazdanparast R. Efficacy of different fractions of *Anethum graveolens* leaves on serum lipoproteins and serum and liver oxidative status in experimentally induced hypercholesterolaemic rat models. *Am J Chin Med*. 2009;37(4):685-99. doi: 10.1142/S0192415X09007168.
13. Hajhashemi V, Abbasi N. Hypolipidemic activity of *Anethum graveolens* in rats. *Phytother Res*. 2008;22(3):372-5. doi: 10.1002/ptr.2329.
14. Yazdanparast R, Bahramikia S. Evaluation of the effect of *Anethum graveolens* L. crude extracts on serum lipids and lipoproteins profiles in hypercholesterolaemic rats. *DARU*. 2008;16(2):88-94.
15. Kareem Shati ZR, Mulakhudair AR, Khalaf MN. Studying the effect of *Anethum graveolens* extract on parameters of lipid metabolism in white rat males. *Ann Trop Med Public Health*. 2020;23(S16):SP231601. doi: 10.36295/ASRO.2020.231601.
16. Setorkil M, Shahinfard N, Ansari R, Foronzandeh Z, Asgharzadeh S, Rafieian-Kopaei M. Comparison between the effects of hydroalcoholic extract of dill and statins on lipid profile. *JKMU*. 2013;20(2):158-68.
17. Setorki M, Rafieian-Kopaei M, Merikhi A, Heidarian E, Shahinfard N, Ansari R, et al. Suppressive impact of *Anethum graveolens* consumption on biochemical risk factors of atherosclerosis in hypercholesterolemic rabbits. *Int J Prev Med*. 2013;4(8):889-95.
18. Al-Fartosy A, Sameerah A, Zearah S, Alwan N. Total antioxidant capacity and antihyperlipidemic activity of alkaloid extract from aerial part of *Anethum graveolens* L. *Plant. Eur Sci J*. 2013;9(33):413-23. doi: 10.13140/RG.2.2.34420.81284.
19. Sahib AM, Hashim AA. Effects of *Anethum graveolens* leave powder on lipid profile in hyperlipidemic patients. *Spatula DD*. 2012;2:153-2. doi: 10.5455/spatula.20120907123553.
20. Mirhosseini M, Baradaran A, Rafieian-Kopaei M. *Anethum graveolens* and hyperlipidemia: A randomized clinical trial. *J Res Med Sci*. 2014;19(8):758-61.
21. Kojuri J, Vosoughi AR, Akrami M. Effects of *Anethum graveolens* and garlic on lipid profile in hyperlipidemic patients. *Lipids Health Dis*. 2007;6:5. doi: 10.1186/1476-511X-6-5.
22. Mansouri M, Nayebi N, Keshtkar A, Hasani-Ranjbar S, Taheri E, Larijani B. The effect of 12 weeks *Anethum graveolens* (dill) on metabolic markers in patients with metabolic syndrome; a randomized double blind controlled trial. *Daru*. 2012;20(1):47. doi: 10.1186/2008-2231-20-47.

23. Mobasser M, Payahoo L, Ostadrahimi A, Khaje Bishak Y, Asghari Jafarabadi M, Mahluji S. *Anethum graveolens* supplementation improves insulin sensitivity and lipid abnormality in type 2 diabetic patients. *J Pharm Sci.* 2014;20(2):40-5.
24. Rashid LA, Gholamian S, Javaheri AH, Dastani M. The effect of 4-weeks aerobic training according with the usage of *Anethum Graveolens* on blood sugar and lipoproteins profile of diabetic women. *Ann Biol Res.* 2012;3(9):4313-9.
25. Haidari F, Zakerkish M, Borazjani F, Ahmadi Angali K, Amoochi Foroushani G. The effects of *Anethum graveolens* (dill) powder supplementation on clinical and metabolic status in patients with type 2 diabetes. *Trials.* 2020;21(1):483. doi: 10.1186/s13063-020-04401-3.
26. Kumar R, Kumar S, Shashidhara S, Anitha S. *In-vitro*, anti-oxidant, anti-amylase, anti-arthritic and cytotoxic activity of important commonly used green leafy vegetables. *Int J Pharm Tech Res.* 2011;3:2096-103.
27. Numer A, Khaga S. Estimation of phenolic content, flavonoid content, antioxidant, and alpha-amylase inhibitory activity of some selected plants from Siraha district Nepal. *Asian J Pharm Clin Res.* 2020;13:28-35. doi: 10.22159/ajpcr.2020.v13i4.36734
28. Oshaghi EA, Khodadadi I, Mirzaei F, Khazaei M, Tavilani H, Goodarzi MT. Methanolic extract of dill leaves inhibits AGEs formation and shows potential hepatoprotective effects in CCl₄ induced liver toxicity in rat. *J Pharm (Cairo).* 2017;2017:6081374. doi: 10.1155/2017/6081374.
29. Oshaghi EA, Khodadadi I, Tavilani H, Goodarzi MT. Aqueous extract of *Anethum graveolens* L. has potential antioxidant and antiglycation effects. *Iran J Med Sci.* 2016; 41(4):328-33.
30. Oshaghi EA, Tavilani H, Khodadadi I, Taghi Goodarzi M. Dill tablet: a potential antioxidant and anti-diabetic medicine. *Asian Pac J Trop Biomed.* 2015;5(9):720-7. doi: 10.1016/j.apjtb. 2015.06.012.
31. Panda S. The effect of *Anethum graveolens* L. (dill) on corticosteroid induced diabetes mellitus: involvement of thyroid hormones. *Phytother Res.* 2008;22(12): 1695-7. doi: 10.1002/ptr.2553.
32. Eissa A, Hafez S, Hassanen N, Mosa E. Effect of dill (*Anethum graveolens*) and parsley (*Petroselinum crispum*) essential oils on diabetic rats. *Egypt J Agric Res.* 2012;90(1): 219-35. doi: 10.21608/ejar.2012.159740.
33. Rashid Lamir A., Hashemi Javaheri S. A. A. The effect of 4-weeks aerobic training according with the usage of *Anethum graveolens* on blood sugar and lipoproteins profile of diabetic women. *Ann Biol Res.* 2012;3(9):4313-9.

34. Sabzevari F, Mogharnasi M, Golestani F. Effect of 6 weeks Pilates training along with dill supplementation on serum concentrations of nesfatin-1, lipocalin-2, and insulin resistance in females with overweight and obesity: a randomized controlled trial. *J Res Med Sci.* 2022;27:59. doi: 10.4103/jrms.JRMS_612_20.
35. Mohammad IH. Use of *Anethum graveolens* in the management of patients with irritable bowel syndrome. *Mustansiriyah Med J.* 2012;22(1):94-8.
36. Tuntipopipat S, Muangnoi C, Failla ML. Anti-inflammatory activities of extracts of Thai spices and herbs with lipopolysaccharide-activated RAW 264.7 murine macrophages. *J Med Food.* 2009;12(6):1213-20. doi: 10.1089/jmf.2009.1118.
37. Li Z, Xue Y, Li M, Guo Q, Sang Y, Wang C, et al. The antioxidation of different fractions of dill (*Anethum graveolens*) and their influences on cytokines in macrophages RAW264.7. *J Oleo Sci.* 2018;67(12):1535-41. doi: 10.5650/jos.ess18134.
38. Kazemi M. Phenolic profile, antioxidant capacity and anti-inflammatory activity of *Anethum graveolens* L. essential oil. *Nat Prod Res.* 2015;2(6): 551-3. doi: 10.1080/14786419.2014.951934.
39. Naseri M, Mojab F, Khodadoost M, Kamalinejad M, Davati A, Choopani R, et al. The study of anti-inflammatory activity of oil-based dill (*Anethum graveolens* L.) extract used topically in formalin-induced inflammation male rat paw. *Iran J Pharm Res.* 2012;11(4): 1169-74.
40. Payahoo L, Khaje-Bishak Y, Mobasser M, Ostadrahimi A, Asghari-Jafarabadi M. The effects of *Anethum graveolens* L. supplementation on the insulin resistance and inflammatory biomarkers in patients with type 2 diabetes. *JIMS.* 2015;32(320):2473–83.
41. Oshaghi EA, Khodadadi I, Tavilani H, Goodarzi MT. Effect of dill tablet (*Anethum graveolens* L) on antioxidant status and biochemical factors on carbon tetrachloride-induced liver damage on rat. *Int J Appl Basic Med Res.* 2016;6(2):111-4. doi: 10.4103/2229-516X.179019.
42. Tamilarasi R, Sivanesan D, Kanimozhi P. Hepatoprotective and antioxidant efficacy of *Anethum graveolens* Linn in carbon tetrachloride induced hepatotoxicity in albino rats. *J Chem Pharm Res.* 2012;4(4):1885-8.
43. Thupia A, Jitvaropas R, Saenthaweesuk S, Somparn N, Kaulpiboon J. Hepatoprotective effect of the ethanolic extract of *Anethum graveolens* L. on paracetamol-induced hepatic damage in rats. *Planta Med.* 2011;77. doi: 10.1055/s-0031-1282406.

44. MahmobeH H, Durdi Q, Ahmad T, Mohammad R, Karimollah. HT. Effects of *Anethum graveolens*, *Urtica dioica*, milk thistle aqueous extract and deferoxamine on total iron binding capacity, iron and ferritin levels. *Int J Res Appl Basic Med Sci*. 2019;(1):36-43.
45. Arbabi BS, Taheri E, Baher H, Ziarati P. Safety evaluation of oral *Anethum graveolens* L. total hydroalcoholic extract in mice. *J Pharm Health Sci*. 2011;1(2):61-7.
46. Bampidis V, Azimonti G, Bastos ML, Christensen H, Fašmon Durjava M, Kouba M, et al. Safety and efficacy of a feed additive consisting of an essential oil from the aerial parts of *Anethum graveolens* L. (dill herb oil) for use in dogs and cats (FEFANA asbl). *EFSA J*. 2022;20(12):e07689. doi: 10.2903/j.efsa.2022.7689.
47. Rangecroft A, Prabhu SS, Huang CC. Pickles and warfarin interaction: a case-based review. *Clin Rheumatol*. 2021;40(4):1621-1624. doi: 10.1007/s10067-020-05324-9.
48. Udomsak W, Chatuphonprasert W, Jarukamjorn K. Dill shows potential for herb-drug interactions via up-regulation of CYP1A2, CYP2C19, SULT1A1, NAT2 and ABCB1 in Caco-2 Cells. *Pak J Biol Sci*. 2022;25(1):56-66. doi: 10.3923/pjbs.2022.56.66.
49. Udomsak W, Chatuphonprasert W, Jarukamjorn K. Risk of *Anethum graveolens* on cancer progression through up-regulation of tumorrelated metabolizing enzymes and transporters in HepG2 and Caco-2 Cells. *Proceeding of 23rd National Graduate Research Conference; 2022 March 25; Khon Kaen: Thailand*. p 430.
50. Udomsak W, Chatuphonprasert W, Tukum-Mee W, Wattanathor J, Jarukamjorn K. Potential of *Anethum graveolens* L. to up-regulate the expression of phase I and II metabolizing genes in HepG2 cells. *Trop J Pharm Res*. 2020;20:2519-25. doi: 10.4314/tjpr.v20i12.9.
51. Chiu AM, Zacharisen MC. Anaphylaxis to dill. *Ann Allergy Asthma Immunol*. 2000; 84(5):559-60. doi: 10.1016/S1081-1206(10)62523-9.