

#### เอกสารอ้างอิง : ทับทิม 41(4)

1. *Punica granatum* L. World flora online. [Internet]. [cited 2024 June 6]. Available from: <http://www.worldfloraonline.org>.
2. ราชนันย์ ภูมา, สมราน สุดดี, บรรณาธิการ. ชื่อพรรณไม้แห่งประเทศไทย เต็ม สมิตินันท์ ฉบับแก้ไขเพิ่มเติม พ.ศ. 2557. กรุงเทพฯ: สำนักงานหอพรรณไม้ สำนักวิจัยการอนุรักษ์ป่าไม้และพันธุ์พืช กรมอุทยานแห่งชาติ สัตว์ป่า และพันธุ์พืช; 2557.
3. Verheij EWM, Coronel RE, eds. Plant Resources of South-East Asia No 2: Edible fruits and nuts. Bogor: PROSEA, 1992.
4. Sreekumar S, Sithul H, Muraleedharan P, Azeez JM, Sreeharshan S. Pomegranate fruit as a rich source of biologically active compounds. Biomed Res Int. 2014;686921. doi: 10.1155/2014/686921.
5. United states department of agriculture. FoodData Central. Pomegranate juice, bottled. [Internet]. 2024 [cited 2024 Jun 26]. Available from: <https://fdc.nal.usda.gov/fdc-app.html#/food-details/167787/nutrients>.
6. Prakash CVS, Prakash I. Bioactive chemical constituents from pomegranate (*Punica granatum*) juice, seed and peel-a review. Int J Res Chem Environ. 2011;1(1):1-18.
7. Seeram NP, Aviram M, Zhang Y, Henning SM, Feng L, Dreher M, et al. Comparison of antioxidant potency of commonly consumed polyphenol-rich beverages in the United States. J Agric Food Chem. 2008;56(4):1415-22. doi: 10.1021/jf073035s.
8. Moga MA, Dimienescu OG, Balan A, Dima L, Toma SI, Bişiu NF, et al. Pharmacological and therapeutic properties of *Punica granatum* phytochemicals: Possible roles in breast cancer. Molecules. 2021;26(4):1054. doi: 10.3390/molecules26041054.
9. Shahkoomahally S, Doosan S, Habibi F, Kim J, Sarkhosh A. Profiling phenolic compounds in juice and peel of fourteen pomegranate (*Punica granatum* L.) varieties grown in Florida, USA. 2. Food Chemistry Advances 2. 2023;100225. doi: 10.1016/j.focha.2023.100225.
10. Fahmy H, Hegazi N, El-Shamy S, Farag MA. Pomegranate juice as a functional food; A comprehensive review of its polyphenols, therapeutic merits, and recent patents. Food Funct. 2020;11:5768 doi: 10.1039/d0fo01251c.
11. Vučić V, Grabež M, Trchounian A, Arsić A. Composition and potential health benefits of pomegranate: A review. Curr Pharm Des. 2019;25(16):1817-27. doi: 10.2174/1381612825666190708183941.
12. Labbe M, Ulloa PA, Lopez F, Saenz C, Pena A, Salazar FN. Characterization of chemical compositions and bioactive compounds in juices from pomegranates ('Wonderful', 'Chaca' and 'Codpa') at different maturity stages. Chil J Agric Res. 2016;76(4):479-86.

13. Gil MI, Tomás-Barberán FA, Hess-Pierce B, Holcroft DM, Kader AA. Antioxidant activity of pomegranate juice and its relationship with phenolic composition and processing. *J Agric Food Chem.* 2000;48(10):4581-9. doi: 10.1021/jf000404a.
14. Basu A, Penugonda K. Pomegranate juice: a heart-healthy fruit juice. *Nutr Rev.* 2009;67(1):49-56. doi: 10.1111/j.1753-4887.2008.00133.x.
15. Aviram M, Dornfeld L. Pomegranate juice consumption inhibits serum angiotensin converting enzyme activity and reduces systolic blood pressure. *Atherosclerosis.* 2001;158(1):195-8. doi: 10.1016/s0021-9150(01)00412-9.
16. Asgary S, Sahebkar A, Afshani MR, Keshvari M, Haghjooyjavanmard S, Rafieian-Kopaei M. Clinical evaluation of blood pressure lowering, endothelial function improving, hypolipidemic and anti-inflammatory effects of pomegranate juice in hypertensive subjects. *Phytother Res.* 2014;28(2):193-9. doi: 10.1002/ptr.4977.
17. Asgary S, Keshvari M, Sahebkar A, Hashemi M, Rafieian-Kopaei M. Clinical investigation of the acute effects of pomegranate juice on blood pressure and endothelial function in hypertensive individuals. *ARYA Atheroscler.* 2013;9(6):326-31.
18. Abedini M, Ghasemi-Tehrani H, Tarrahi MJ, Amani R. The effect of concentrated pomegranate juice consumption on risk factors of cardiovascular diseases in women with polycystic ovary syndrome: A randomized controlled trial. *Phytother Res.* 2021;35(1):442-51. doi: 10.1002/ptr.6820.
19. Abedini M, Ramezani-Jolfaie N, Ghasemi-Tehrani H, Tarrahi MJ, Amani R. The effect of concentrated pomegranate juice on biomarkers of inflammation, oxidative stress, and sex hormones in overweight and obese women with polycystic ovary syndrome: A randomized controlled trial. *Phytother Res.* 2023;37(6):2255-61. doi: 10.1002/ptr.7731.
20. Esmailinezhad Z, Barati-Boldaji R, Brett NR, de Zepetnek JOT, Bellissimo N, Babajafari S, et al. The effect of synbiotics pomegranate juice on cardiovascular risk factors in PCOS patients: A randomized, triple-blinded, controlled trial. *J Endocrinol Invest.* 2020;43(4):539-48.
21. Shema-Didi L, Kristal B, Sela S, Geron R, Ore L. Does pomegranate intake attenuate cardiovascular risk factors in hemodialysis patients? *Nutr J.* 2014;13:18. doi: 10.1186/1475-2891-13-18.
22. Barati Boldaji R, Akhlaghi M, Sagheb MM, Esmailinezhad Z. Pomegranate juice improves cardiometabolic risk factors, biomarkers of oxidative stress and inflammation in hemodialysis patients: A randomized crossover trial. *J Sci Food Agric.* 2020;100(2):846-54. doi: 10.1002/jsfa.10096.

23. Sohrab G, Roshan H, Ebrahimof S, Nikpayam O, Sotoudeh G, Siasi F. Effects of pomegranate juice consumption on blood pressure and lipid profile in patients with type 2 diabetes: A single-blind randomized clinical trial. *Clin Nutr ESPEN*. 2019;29:30-5. doi: 10.1016/j.clnesp.2018.11.013.
24. Banihani SA, Makahleh SM, El-Akawi Z, Al-Fashtaki RA, Khabour OF, Gharibeh MY, et al. Fresh pomegranate juice ameliorates insulin resistance, enhances  $\beta$ -cell function, and decreases fasting serum glucose in type 2 diabetic patients. *Nutr Res*. 2014;34(10):862-7. doi: 10.1016/j.nutres.2014.08.003.
25. Shishehbor F, Mohammad Shahi M, Zarei M, Saki A, Zakerkish M, Shirani F, et al. Effects of concentrated pomegranate juice on subclinical inflammation and cardiometabolic risk factors for type 2 diabetes: A Quasi-experimental study. *Int J Endocrinol Metab*. 2016;14(1):e33835. doi: 10.5812/ijem.33835.
26. Kojadinovic MI, Arsic AC, Debeljak-Martacic JD, Konic-Ristic AI, Kardum ND, Popovic TB, et al. Consumption of pomegranate juice decreases blood lipid peroxidation and levels of arachidonic acid in women with metabolic syndrome. *J Sci Food Agric*. 2017;97(6):1798-804. doi: 10.1002/jsfa.7977.
27. Razani Z, Dastani M, Kazerani HR. Cardioprotective effects of pomegranate (*Punica granatum*) juice in patients with ischemic heart disease. *Phytother Res*. 2017;31(11):1731-8. doi: 10.1002/ptr.5901.
28. Sumner MD, Elliott-Eller M, Weidner G, Daubenmier JJ, Chew MH, Marlin R, et al. Effects of pomegranate juice consumption on myocardial perfusion in patients with coronary heart disease. *Am J Cardiol*. 2005;96(6):810-4. doi: 10.1016/j.amjcard.2005.05.026.
29. Moazzen H, Alizadeh M. Effects of pomegranate juice on cardiovascular risk factors in patients with metabolic syndrome: A double-blinded, randomized crossover controlled trial. *Plant Foods Hum Nutr*. 2017;72(2):126-33. doi: 10.1007/s11130-017-0605-6.
30. Kojadinovic MI, Arsic AC, Debeljak-Martacic JD, Konic-Ristic AI, Kardum ND, Popovic TB, et al. Consumption of pomegranate juice decreases blood lipid peroxidation and levels of arachidonic acid in women with metabolic syndrome. *J Sci Food Agric*. 2017;97(6):1798-804. doi: 10.1002/jsfa.7977.
31. Aviram M, Rosenblat M, Gaitini D, Nitecki S, Hoffman A, Dornfeld L, et al. Pomegranate juice consumption for 3 years by patients with carotid artery stenosis reduces common carotid intima-media thickness, blood pressure and LDL oxidation. *Clin Nutr*. 2004;23(3):423-33. doi: 10.1016/j.clnu.2003.10.002.
32. Tsang C, Smail NF, Almoosawi S, Davidson I, Al-Dujaili EA. Intake of polyphenol-rich pomegranate pure juice influences urinary glucocorticoids, blood pressure and homeostasis

- model assessment of insulin resistance in human volunteers. *J Nutr Sci.* 2012;1:e9. doi: 10.1017/jns.2012.10.
33. Lynn A, Hamadeh H, Leung WC, Russell JM, Barker ME. Effects of pomegranate juice supplementation on pulse wave velocity and blood pressure in healthy young and middle-aged men and women. *Plant Foods Hum Nutr.* 2012;67(3):309-14. doi: 10.1007/s11130-012-0295-z.
  34. Manthou E, Georgakouli K, Deli CK, Sotiropoulos A, Fatouros IG, Kouretas D, Haroutounian S, et al. Effect of pomegranate juice consumption on biochemical parameters and complete blood count. *Exp Ther Med.* 2017;14(2):1756-62. doi: 10.3892/etm.2017.4690.
  35. Wu PT, Fitschen PJ, Kistler BM, Jeong JH, Chung HR, Aviram M, et al. Effects of pomegranate extract supplementation on cardiovascular risk factors and physical function in hemodialysis patients. *J Med Food.* 2015;18(9):941-9. doi: 10.1089/jmf.2014.0103.
  36. Rivara MB, Mehrotra R, Linke L, Ruzinski J, Alp Ikizler T, Himmelfarb J. A pilot randomized crossover trial assessing the safety and short-term effects of pomegranate supplementation in hemodialysis patients. *J Ren Nutr.* 2015;25(1):40-9. doi: 10.1053/j.jrn.2014.07.006.
  37. Grabez M, Skrbic R, Stojiljkovic MP, Rudic-Grujic V, Paunovic M, Arsic A, et al. Beneficial effects of pomegranate peel extract on plasma lipid profile, fatty acids levels and blood pressure in patients with diabetes mellitus type-2: A randomized, double-blind, placebo-controlled study. *J Funct Foods.* 2020;64:103692. doi: 10.1016/j.jff.2019.103692.
  38. Haghghian MK, Rafraf M, Moghaddam A, Hemmati S, Asghari Jafarabadi, M, Pourghassem GB. Pomegranate (*Punica granatum* L.) peel hydro alcoholic extract ameliorates cardiovascular risk factors in obese women with dyslipidemia: A double blind, randomized, placebo controlled pilot study. *Eur J Integr Med.* 2016;8:676-82. doi: 10.1016/j.eujim.2016.06.010.
  39. Goodarzi R, Jafarirad S, Mohammadtaghvaei N, Dastoorpoor M, Alavinejad P. The effect of pomegranate extract on anthropometric indices, serum lipids, glycemic indicators, and blood pressure in patients with nonalcoholic fatty liver disease: A randomized doubleblind clinical trial. *Phytother Res.* 2021;35(10):5871-82. doi: 10.1002/ptr.7249.
  40. Jafarirad S, Goodarzi R, Mohammadtaghvaei N, Dastoorpoor M, Alavinejad P. Effectiveness of the pomegranate extract in improving hepatokines and serum biomarkers of non-alcoholic fatty liver disease: A randomized double blind clinical trial. *Diabetes Metab Syndr.* 2023; 17(1):102693. doi: 10.1016/j.dsx.2022.102693.
  41. Barghchi H, Milkarizi N, Belyani S, Norouzian Ostad A, Askari VR, Rajabzadeh F, et al. Pomegranate (*Punica granatum* L.) peel extract ameliorates metabolic syndrome risk factors in patients with non-alcoholic fatty liver disease: A randomized double-blind clinical trial. *Nutr J.* 2023;22(1):40. doi: 10.1186/s12937-023-00869-2.

42. Mathew AS, Capel-Williams GM, Berry SE, Hall WL. Acute effects of pomegranate extract on postprandial lipaemia, vascular function and blood pressure. *Plant Foods Hum Nutr.* 2012; 67(4):351-7. doi: 10.1007/s11130-012-0318-9.
43. Al-Dujaili EAS, Casey C, Stockton A. Antioxidant properties and beneficial cardiovascular effects of a natural extract of pomegranate in healthy volunteers: A randomized preliminary single-blind controlled study. *Antioxidants.* 2022;11:2124 doi: 10.3390/antiox 11112124.
44. Stockton A, Farhat G, McDougall GJ, Al-Dujaili EAS. Effect of pomegranate extract on blood pressure and anthropometry in adults: a double-blind placebo-controlled randomised clinical trial. *J Nutr Sci.* 2017;6:e39. doi: 10.1017/jns.2017.36.
45. Usia T, Iwata H, Hiratsuka A, Watabe T, Kadota S, Tezuka Y. CYP3A4 and CYP2D6 inhibitory activities of Indonesian medicinal plants. *Phytomedicine.* 2006;13(1-2):67-73. doi: 10.1016/j.phymed.2004.06.022.
46. ฉันทยาภรณ์ วงษ์ศรี, พรพิมล รงคนพรัตน์, ทรงกลด สารภูษิต.ฤทธิ์การยับยั้งเอนไซม์ไซโตโครม พี 450 3A4 ของน้ำสมุนไพรรและน้ำผลไม้ไทย. วารสารวิทยาศาสตร์บูรพา. 2557;19(ฉบับพิเศษ):6-12.
47. Mansoor K, Bardees R, Alkhawaja B, Mallah E, AbuQatouseh L, Schmidt M, et al. Impact of pomegranate juice on the pharmacokinetics of CYP3A4- and CYP2C9-mediated drugs metabolism: A preclinical and clinical review. *Molecules.* 2023;28(5):2117. doi: 10.3390/molecules28052117.
48. Hanley MJ, Masse G, Harmatz JS, Court MH, Greenblatt DJ. Pomegranate juice and pomegranate extract do not impair oral clearance of flurbiprofen in human volunteers: divergence from *in vitro* results. *Clin Pharmacol Ther.* 2012;92(5):651-7. doi: 10.1038/clpt.2012.170.
49. Hidaka M, Okumura M, Fujita K, Ogikubo T, Yamasaki K, Iwakiri T, et al. Effects of pomegranate juice on human cytochrome P450 3A (CYP3A) and carbamazepine pharmacokinetics in rats. *Drug Metab Dispos.* 2005;33:644-8. doi: 10.1124/dmd.104.002824.
50. Farkas D, Oleson LE, Zhao Y, Harmatz JS, Zinny MA, Court MH, et al. Pomegranate juice does not impair clearance of oral or intravenous midazolam, a probe for cytochrome P450-3A activity: comparison with grapefruit juice. *J Clin Pharmacol.* 2007;47(3):286-94. doi: 10.1177/0091270006298359.
51. Faria A, Monteiro R, Azevedo I, Calhau C. Pomegranate juice effects on cytochrome P450S expression: *in vivo* studies. *J Med Food.* 2007;10(4):643-9. doi: 10.1089/jmf.2007.403.
52. Gaig P, Bartolomé B, Lleonart R, García-Ortega P, Palacios R, Richart C. Allergy to pomegranate (*Punica granatum*). *Allergy.* 1999;54(3):287-8. doi: 10.1034/j.1398-9995.1999.00980.x.

53. Damiani E, Aloia AM, Priore MG, Nardulli S, Ferrannini A. Pomegranate (*Punica granatum*) allergy: clinical and immunological findings. *Ann Allergy Asthma Immunol.* 2009;103(2):178-80. doi: 10.1016/S1081-1206(10)60176-7.
54. Özer M, Severcan EU, Çetin S, Bostancı İ. Pomegranates as a rare cause of anaphylaxis in a school child. *Revue Française d'Allergologie.* 2022;62(6):582-4. doi: 10.1016/j.reval.2021.11.005.
55. Valsecchi R, Reseghetti A, Leghissa P, Cologni L, Cortinovis R. Immediate contact hypersensitivity to pomegranate. *Contact Dermatitis.* 1998;38(1):44-5. doi: 10.1111/j.1600-0536.1998.tb05638.x.