

### เอกสารอ้างอิง: การรับประทานขมิ้นชันคู่กับพริกไทยดำจริงหรือไม่ 42(3)

1. นันทวัน บุญยะประภัสร์ อรุณช โศคชัยเจริญพร, บรรณาธิการ. สมุนไพรไม้พุ่มบ้าน เล่ม 1. กรุงเทพฯ: บริษัท ประชาชน จำกัด, 2541:895 หน้า.
2. นพมาศ สุนทรเจริญนนท์ นงลักษณ์ เรืองวิเศษ. คุณภาพเครื่องยาไทย จากงานวิจัย สู่การพัฒนาที่ยั่งยืน. กรุงเทพฯ: คอนเซ็ปท์ เมดิคัล จำกัด. 2551:577 หน้า.
3. Craib WG. XVI Contribution of the Flora of Siam XXVI. Ken Bull 1922:174.
4. ฐานข้อมูลเครื่องยาไทย คณะเภสัชศาสตร์ มหาวิทยาลัยอุบลราชธานี. พริกไทยดำ, [ออนไลน์]. 2025, แหล่งที่มา: <https://phar.ubu.ac.th/herb-DetailThaicrudedrug/90>, [25 ก.พ. 2568].
5. Boshagh K, Khorvash F, Sahebkar A, Majeed M, Bahreini N, Askari G. The effects of curcumin piperine supplementation on inflammatory, oxidative stress and metabolic indices in patients with ischemic stroke in the rehabilitation phase: a randomized controlled trial Nutr J. 2023;22:69. doi: 10.1186/s12937-023-00905-1.
6. Hosseini H, Bagherniya M, Sahebkar A, Iraj B, Majeed M, Askari G. The effect of curcumin-piperine supplementation on lipid profile, glycemic index, inflammation, and blood pressure in patients with type 2 diabetes mellitus and hypertriglyceridemia. Phytother Res. 2024;38:5150-61. doi: 10.1002/ptr.8304.
7. de Figueiredo Netaa JF , Verasb VS , de Sousab DF, Oliveira Cunhac MCS , Oliveira Queirozc MV, Lira Netod JCG. Effectiveness of the piperine-supplemented *Curcuma longa* L. in metabolic control of patients with type2 diabetes: a randomised double-blind placebo-controlled clinical trial. Int J Food Sci Nutr. 2021;72(7):968-77. doi: 10.1080/09637486.2021.1885015.
8. Samaneh T; Amirhossein S, Tayebe A, Manizhe M, Maryam D, Reza S, et al. The effects of curcumin plus piperine supplementation in patients with acute myocardial infarction: A randomized, double-blind, and placebo-controlled trial. Adv Exp Med Biol. 2021;1328:199-211.
9. Sharifi S, Bagherniya M, Khoram Z. Efficacy of curcumin plus piperine co-supplementation in moderate-to-high hepatic steatosis: A double-blind, randomized, placebo-controlled clinical trial. Phytother Res. 2023;37:2217-29. doi: 10.1002/ptr.7764.

10. Panahi Y, Valizadegan G, Ahamdi N, Ganjali S, Majeed M, Sahebkar A. Curcuminoids plus piperine improve nonalcoholic fatty liver disease: A clinical trial. *J Cell Biochem.* 2019;120:15989-96. doi: 10.1002/jcb.28877.
11. Panahi Y, Khalili N, Sahebi E, Namazi S, Simental-Mendía LE, Majeed M, et al. Effects of curcuminoids plus piperine on glycemic, hepatic and inflammatory biomarkers in patients with type 2 diabetes mellitus: a randomized double-blind placebo-controlled trial. *Drug Res.* 2018;68(7):403-9. doi: /10.1055/s-0044-101752.
12. Saberi-Karimiana M, Keshvarib M, Ghayour-Mobarhan M, et al. Effects of curcuminoids on inflammatory status in patients with non-alcoholic fatty liver disease: A randomized controlled trial. *Complement Ther Med.* 2020;49:10232. doi: 10.1016/j.ctim.2020.102322.
13. Talebpour A, Mohammadifard M, Feyzabadi RZ, Mahmoudzadeh S, Rezapour H, Saharkhiz M. Effect of curcumin on inflammatory biomarkers and iron profile in patients with premenstrual syndrome and dysmenorrhea: A randomized controlled trial. *Physiological Reports.* 2023;11:e15763. doi: 10.14814/phy2.15763.
14. Tehrani SD, Hosseini A, Shahzamani M, Heidari Z, Askari G, Majeed M, et al. Evaluation of the effectiveness of curcumin and piperine co-supplementation on inflammatory factors, cardiac biomarkers, atrial fibrillation, and clinical outcomes after coronary artery bypass graft surgery. *Clin Nutr ESPEN.* 2024;62:57e65. doi: 10.1016/j.clnesp.2024.05.003.
15. Askari G, Sahebkar A, Soleimani D, et al. The efficacy of curcumin-piperine co-supplementation on clinical symptoms, duration, severity, and inflammatory factors in COVID-19 outpatients: a randomized double-blind, placebo-controlled trial. *Trials.* 2022;23:472. doi: 10.1186/s13063-022-06375-w.
16. Panahi Y, Badeli R, Karami G, Sahebkar A. Investigation of the efficacy of adjunctive therapy with bioavailability-boosted curcuminoids in major depressive disorder. *Phytother Res.* 2015;29:17-21. doi: 10.1002/ptr.5211.
17. Heidari-Beni M, Moravejolahkami AR, Gorgian P, Askari G, Tarrahi MJ, Bahreini-Esfahani N. Herbal formulation “turmeric extract, black pepper, and ginger” versus naproxen for

- chronic knee osteoarthritis: A randomized, double-blind, controlled clinical trial. *Phytothe Res.* 2020;34:2067-73. doi: 10.1002/ptr.6671.
18. Arabnezhad L, Mohammadifard M, Rahmani L, Majidi Z, Ferns GA, Bahrami A. Effects of curcumin supplementation on vitamin D levels in women with premenstrual syndrome and dysmenorrhea: randomized controlled study. *BMC Complement Med Ther.* 2022;22:19. doi: 10.1186/s12906-022-03515-2.
  19. Mao Y, Xu Z, Song J, Xie Y, Mei X, Shi W. Efficacy of a mixed preparation containing piperine, capsaicin and curcumin in the treatment of alopecia areata. *J Cosmet Dermatol.* 2022;21:4510-4. doi: 10.1111/jocd.14931.
  20. Prasad S, Tyagi AK, Aggarwal BB. Recent Developments in delivery, bioavailability, absorption and metabolism of curcumin: the golden pigment from golden spice. *Cancer Res Treat.* 2014;46(1):2-18. doi: 10.4143/crt.2014.46.1.2.
  21. Shobal G, Joy D, Joseph T, Majeed M, Rajendran R, and Srinivas PSSR. Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta Med.* 1998;64:353-6.
  22. Sharma V, Nehru B, Munshi A, Jyothy A. Antioxidant potential of curcumin against oxidative insult induced by pentylenetetrazol in epileptic rats. *Methods Find Exp Clin Pharmacol.* 2010;32(4):227-32. doi: 10.1358/mf.2010.32.4.1452090.
  23. Liu Q, Dang DS, Chen YF, Yan M, Shi GB, Zhao QC. The influence of omeprazole on platelet inhibition of clopidogrel in various CYP2C19 mutant alleles. *Genet Test Mol Biomarkers.* 2012;16(11):1293-7. doi: 10.1089/gtmb.2012.0119.
  24. Juan H, Terhaag B, Cong Z, Bi-Kui Z, Rong-Hua Z, Feng W, et al. Unexpected effect of concomitantly administered curcumin on the pharmacokinetics of talinolol in healthy Chinese volunteers. *Eur J Clin Pharmacol.* 2007;63(7):663-8. doi: 10.1007/s00228-007-0298-0.
  25. Zhang W, Tan TM, Lim LY. Impact of curcumin-induced changes in P-glycoprotein and CYP3A expression on the pharmacokinetics of peroral celiprolol and midazolam in rats. *Drug Metab Dispos.* 2007;35(1):110-5. doi: 10.1124/dmd.106.011072.

26. Zhou X, Zhang F, Chen C, Guo Z, Liu J, Yu J, et al. Impact of curcumin on the pharmacokinetics of rosuvastatin in rats and dogs based on the conjugated metabolites. *Xenobiotica*. 2017;47(3):267-275. doi: 10.1124/dmd.106.011072.
27. Li C, Choi BC, Kim DK, Choi JS. Effects of curcumin on the pharmacokinetics of loratadine in rats: possible role of CYP3A4 and P-glycoprotein Inhibition by curcumin. *Biomol Ther*. 2011;19(3):364-70. doi: 10.4062/biomolther.2011.19.3.364.
28. Ganta S, Devalapally H, Amiji M. Curcumin enhances oral bioavailability and anti-tumor therapeutic efficacy of paclitaxel upon administration in nanoemulsion formulation. *J Pharm Sci*. 2010;99(11):4630-41. doi: 10.1002/jps.22157.
29. Yan YD, Kim DH, Sung JH, Yong CS, Choi HG. Enhanced oral bioavailability of docetaxel in rats by four consecutive days of pre-treatment with curcumin. *Int J Pharm*. 2010;399(1-2):116-20. doi:10.1016/j.ijpharm.2010.08.015.
30. Lee CK, Ki SH, Choi JS. Effects of oral curcumin on the pharmacokinetics of intravenous and oral etoposide in rats: possible role of intestinal CYP3A and P-gp inhibition by curcumin. *Biopharm Drug Dispos*. 2011;32(4):245-51. doi: 10.1002/bdd.754.
31. Cho YA, Lee W, Choi JS. Effects of curcumin on the pharmacokinetics of tamoxifen and its active metabolite, 4-hydroxytamoxifen, in rats: possible role of CYP3A4 and P-glycoprotein inhibition by curcumin. *Pharmazie*. 2012;67(2):124-30. doi: 10.1691/ph.2012.1099.
32. Liu AC, Zhao LX, Lou HX. Curcumin alters the pharmacokinetics of warfarin and clopidogrel in wistar rats but has no effect on anticoagulation or antiplatelet aggregation. *Planta Med*. 2013;79(11):971-7. doi: 10.1055/s-0032-1328652.
33. Hiwale AR, Dhuley JN, Naik SR. Effect of co-administration of piperine on pharmacokinetics of beta-lactam antibiotics in rats. *Indian J Exp Biol*. 2002;40(3):277-81.
34. Janakiraman K, Manavalan R. Studies on effect of co-administration of Trikatu and its components on oral bioavailability of ampicillin and norfloxacin, in rabbits. *J Pharm Res*. 2009;2(1):27-30.

35. Balkrishna BS, Yogesh PV. Influence of co-administration of piperine on pharmacokinetic profile of ciprofloxacin. *Indian Drugs*. 2002;39(3):166-8.
36. Singh A, Pawar VK, Jakhmola V, Parabia MH, Awasthi R, Sharma G. In-vivo assessment of enhanced bioavailability of metronidazole with piperine in rabbits. *Res J Pharm Biol Chem Sci*. 2010;1(4):273-8.
37. Sama V, Nadipelli M, Yenumula P, Bommineni MR, Mullangi R. Effect of piperine on antihyperglycemic activity and pharmacokinetic profile of nateglinide. *Arzneimittelforschung*. 2012;62(8):384-8.
38. Veeresham C, Sujatha S, Rani TS. Effect of piperine on the pharmacokinetics and pharmacodynamics of glimepiride in normal and streptozotocin - induced diabetic rats. *Nat Prod Commun*. 2012;7(10):1283-6.
39. Pattanaik S, Hota D, Prabhakar S, Kharbanda P, Pandhi P. Effect of piperine on the steady-state pharmacokinetics of phenytoin in patients with epilepsy. *Phytother Res*. 2006;20:683-6. doi: 10.1002/ptr.1937.
40. Bano G, Amla V, Raina RK, Zutshi U, Chopra CL. The effect of piperine on pharmacokinetics of phenytoin in healthy volunteers. *Planta Med*. 1987;53(6):568-9.
41. Velpandian T, Jasuja R, Bhardwaj RK, Jaiswal J, Gupta SK. Piperine in food: interference in the pharmacokinetics of phenytoin. *Eur J Drug Metab Pharmacokinet*. 2001;26(4):241-7.
42. Pattanaik S, Hota D, Prabhakar S, Kharbanda P, Pandhi P. Pharmacokinetic interaction of single dose of piperine with steady-state carbamazepine in epilepsy patients. *Phytother Res*. 2009;23(9):1281-6. doi: 10.1002/ptr.2676.
43. Mujumdar AM, Dhuley JN, Deshmukh VK, Raman PH, Thorat SL, Naik SR. Effect of piperine on bioavailability of pentobarbitone induced hypnosis in rats. *Indian J Exp Biol*. 1990;28:486-7.
44. Bano G, Raina RK, Zutshi U, Bedi KL, Johri RK, Sharma SC. Effect of piperine on bioavailability and pharmacokinetics of propranolol and theophylline in healthy volunteers. *Eur J Clin Pharmacol*. 1991;41(6):615-7.

45. Swathilatha R, Lakshmi PK. Effect of piperine, quercetin, polysorbate 80 on the oral bioavailability of losartan in male Wistar rats. *Pharma Nanotechnol.* 2014;2(1):49-55. doi: 10.2174/2211738501666131113203908.
46. Dudhatra GB, Mody SK, Awale MM, Patel HB, Modi CM, Kumar A, et al. A comprehensive review on pharmacotherapeutics of herbal bioenhancers. *Sci World J.* 2012;Article ID 637953:33 pages. doi:10.1100/2012/637953.
47. Singh A, Chand S. Improved bioavailability of atenolol with piperine in rats. *Inter J Pharm Res.* 2011;3:88-91.
48. Li C, Wang Q, Ren T, Zhang Y, Lam CWK, Chow MSS, et al. Non-linear pharmacokinetics of piperine and its herb-drug interactions with docetaxel in sprague-dawley rats. *J Pharm Biomed Anal.* 2016;128:286-93. doi: 10.1016/j.jpba.2016.05.041.
49. Rezaee MM, Kazemi S, Kazemi MT, Gharooee S, Yazdani E, Gharooee H, et al. The effect of piperine on midazolam plasma concentration in healthy volunteers, a research on the CYP3A-involving metabolism. *DARU J Pharm Sci.* 2014;22:1-7.
50. Temeesak N, Kheokasem N, Phatcharawongsagorn N, Nontakulwiwat P, Boonmuang P, Santimaleeworagun W, et al. The effects of herbs or dietary supplements on international normalized ratio in warfarin users: a retrospective study at Phramongkutklao hospital. *Thai Pharm Health Sci J.* 2015;10(4):139-46.
51. Alhumayyd MS, Bukhari I, Almotrefi A. Effect of piperine, a major component of black pepper, on the pharmacokinetics of domperidone in rats. *J Physiol Pharmacol.* 2014; 65(6):785-9
52. Atal S, Phadnis P, Vyas S, Gudsurkar G, Churihar R. Evaluation of the interaction of piperine with antidepressant sertraline and analgesic pentazocine, using different routes of administration in albino mice. *Asian J Pharm Clin Res.* 2016;9(1):193-7.
53. Boddupalli BM, Anisetti RN, Ramani R, Malothu N. Enhanced pharmacokinetics of omeprazole when formulated as gastroretentive microspheres along with piperine. *Asian Pac J Trop Dis.* 2014;4(Suppl1):S129-33.

54. Kasibhatta R, Naidu MU. Influence of piperine on the pharmacokinetics of nevirapine under fasting conditions: a randomised, crossover, placebo-controlled study. *Drugs R D*. 2007;8(6):383-91.
55. Jin MJ, Han HK. Effect of piperine, a major component of black pepper, on the intestinal absorption of fexofenadine and its implication on food–drug interaction. *J Food Sci*. 2010;75(3):H93-6.
56. Mujumdar AM, Dhuley JN, Deshmukh VK, Naik SR. Effect of piperine on bioavailability of oxyphenylbutazone in rats. *Indian Drugs*. 1999;36(2):123-6.
57. Bedada SK, Boga PK, Kotakonda HK. Study on influence of piperine treatment on the pharmacokinetics of diclofenac in healthy volunteers. *Xenobiotica*. 2017;47(2):127-32.
58. Venkatesh S, Durga KD, Padmavathi Y, Reddy BM, Mullangi R. Influence of piperine on ibuprofen induced antinociception and its pharmacokinetics. *Drug Research*. 2011;61(9):506-9.
59. Gupta SK, Velpandian T, Sengupta S, Mathur P, Sapra P. Influence of piperine on nimesulide induced antinociception. *Phytother Res*. 1998;12:266-9.
60. Koen G.A.M. Husaarts, 2019 Husaarts KGAM, Hurkmans DP, Oomen-de Hoop E, van Harten EJ, Berghuis S, van Alphen RJ. Impact of curcumin (with or without piperine) on the pharmacokinetics of tamoxifen. *Cancers*. 2019;11:403. doi: 10.3390/cancers11030403.