

เอกสารอ้างอิง: สะเดากับโรคเบาหวาน 42(4)

1. ศูนย์วนวิจัยภาคเหนือ สำนักวิจัยและพัฒนากรมป่าไม้. คลังความรู้ (ไม้เศรษฐกิจ) : ไม้สะเดา [อินเทอร์เน็ต]. 2562 [เข้าถึงเมื่อ 16 พ.ค. 2568]. เข้าถึงได้จาก : <https://forprod.forest.go.th/forprod/forprod2017/Knowledgebase/file/e-book/องค์ความรู้/ไม้เศรษฐกิจ/เพิ่มเติม2/ไม้สะเดา2562.pdf>
2. สุธรรม อารีกุล. องค์ความรู้เรื่องพืชป่าที่ใช้ประโยชน์ทางภาคเหนือ เล่ม 1. กรุงเทพฯ: อมรินทร์พริ้นติ้ง แอนด์พับ บลิตซิ่ง จำกัด (มหาชน); 2552.
3. นันทวรรณ บุญยะประภัสสร และ อรณัฐ โชคชัยเจริญพร. สมุนไพรไม้พื้นบ้าน (4). พิมพ์ครั้งที่ 1. กรุงเทพฯ: บริษัทประชาชน จำกัด; 2543.
4. Patil SM, Shirahatti PS, Ramu R. *Azadirachta indica* A. Juss (neem) against diabetes mellitus: a critical review on its phytochemistry, pharmacology, and toxicology. *J Pharm Pharmacol*. 2022;74(5):681-710.
5. Biswas V, Dhuri Y, Singh S, Soni D, Rathore S. A review on anti-diabetic effect of neem (*Azadirachta indica*) leaves. *Int J of Pharm Sci*. 2024;2(5):1224-35.
6. Saleem S, Muhammad G, Hussain MA, Bukhari SNA. A comprehensive review of phytochemical profile, bioactives for pharmaceuticals, and pharmacological attributes of *Azadirachta indica*. *Phytother Res*. 2018;32(7):1241-1272.
7. Chattopadhyay RR. Possible mechanism of antihyperglycemic effect of *Azadirachta indica* leaf extract: part V. *J Ethnopharmacol*. 1999;67(3):373-6.
8. Nguyen NYT, Dang PH, Nguyen VTT, Dang PH, Tran QL. A new lactam 28-norlimonoid from the leaves of *Azadirachta indica* A. Juss. (Meliaceae). *Nat Prod Res*. 2019;33(13):1903-1908.
9. Perez-Gutierrez RM, Damian-Guzman M. Meliacinolin: a potent α -glucosidase and α -amylase inhibitor isolated from *Azadirachta indica* leaves and *in vivo* antidiabetic property in streptozotocin-nicotinamide-induced type 2 diabetes in mice. *Biol Pharm Bull*. 2012;35(9):1516-24.
10. Nand P, Drabu S, Gupta RK. Insignificant anti-acne activity of *Azadirachta indica* leaves and bark. *J Pharm Negat Results*. 2012;3(1):29-33.
11. Raphael E. Phytochemical constituents of some leaves extract of *Aloe vera* and *Azadirachta indica* plant species. *Glo Adv Res J Environ Sci Toxicol*. 2012;1(2):14-7.
12. Prashanth GK, Krissnaiah GM. Chemical composition of the leaves of *Azadirachta indica* Linn. *IJAETMAS*. 2014;1(5):21-31.
13. Siddiqui BS, Afshan F, Gulzar T, Hanif M. Tetracyclic triterpenoids from the leaves of *Azadirachta indica*. *Phytochemistry*. 2004;65(16):2363-7.
14. Gopalakrishnan G, Pradeep Singh ND, Kasinath V. Photooxygenation of nimonol, a tetranortriterpenoid from *Azadirachta indica*. A. Juss. *Molecules*. 2002;7(2):112-8.

15. Suresh G, Narasimhan NS, Palani N. Structure of nimonol from fresh whole green leaves of *Azadirachta indica*. *Phytochemistry*. 1997;45(4):807-10.
16. Sharma V, Bali A, Singh M. Two nonterpenoidal benzenoid constituents from leaves of *Azadirachta indica*. *Phytochemistry*. 1998;49(7):2121-3.
17. Siddiqui BS, Afshan F, Faizi S, Naeem-UL-Hassan Naqvi S, Tariq RM. Two new triterpenoids from *Azadirachta indica* and their insecticidal activity. *J Nat Prod*. 2002;65(8):1216-8.
18. Siddiqui BS, Afshan F, Gulzar T, Sultana R, Naqvi SN, Tariq RM. Tetracyclic triterpenoids from the leaves of *Azadirachta indica* and their insecticidal activities. *Chem Pharm Bull (Tokyo)*. 2003;51(4):415-7.
19. Ahamad J, Uthirapathy S, Anwer ET, Ameer MSM, Hussain FHS. Analysis of chemical composition by GC-MS and *in vitro* antidiabetic activity of *Azadirachta indica* leaves collected from Erbil, Iraq. *Curr Tradit Med*. 2021;7(4):615-21.
20. Nakahara K, Roy MK, Ono H, Maeda I, Ohnishi-Kameyama M, Yoshida M, et al. Prenylated flavanones isolated from flowers of *Azadirachta indica* (the neem tree) as antimutagenic constituents against heterocyclic amines. *J Agric Food Chem*. 2003;51(22):6456-60.
21. Siddiqui BS, Ali ST, Rasheed M, Kardar MN. Chemical constituents of the flowers of *Azadirachta indica*. *Helv Chim Acta*. 2003;86:2787-95.
22. Siddiqui BS, Tariq Ali S, Kashif Ali S. A new flavanoid from the flowers of *Azadirachta indica*. *Nat Prod Res*. 2006;20(3):241-5.
23. Siddiqui BS, Ali ST, Rajput MT, Gulzar T, Rasheed M, Mehmood R. GC-based analysis of insecticidal constituents of the flowers of *Azadirachta indica* A. Juss. *Nat Prod Res*. 2009;23(3):271-83.
24. Jadhav VP, Suryawanshi YR, Parameswaran S, Wankhede NN. Unveiling the therapeutic potential of neem flower: a phytochemical study for antidiabetic and anticancer properties. *Nat Prod Res*. 2024:1-17.
25. Pingali U, Ali MA, Gundagani S, Nutalapati C. Evaluation of the effect of an aqueous extract of *Azadirachta indica* (Neem) leaves and twigs on glycemic control, endothelial dysfunction and systemic inflammation in subjects with type 2 diabetes mellitus - A randomized, double-blind, placebo-controlled clinical study. *Diabetes Metab Syndr Obes*. 2020;13:4401-4412.
26. Pingali U, Vuppalanchi B, Nutalapati C, Gundagani S. Aqueous *Azadirachta indica* (Neem) extract attenuates insulin resistance to improve glycemic control and endothelial function in subjects with metabolic syndrome. *J Med Food*. 2021;24(11):1135-1144.
27. Bajaj S, Srinivasan BP. Investigations into the anti-diabetic activity of *Azadirachta indica*. *Indian J Pharmacol*. 1999;31:138-41.

28. Ezeigwe OC, Ononamadu CJ, Enemchukwu BN, Umeoguaja UF, Okoro JC. Antidiabetic and antidiabetogenic properties of the aqueous extracts of *Azadirachta indica* leaves on alloxan induced diabetic wistar rats. *Int J Biosci* 2015;7(2):116–26.
29. Khosla P, Bhanwra S, Singh J, Seth S, Srivastava RK. A study of hypoglycemic effects of *Azadirachta indica* (Neem) in normal and alloxan diabetic rabbits. *Indian J PhysiolPharmacol* 2000;44:69–74.
30. El-Hawary ZM, Kholief TS. Biochemical studies on hypoglycemic agent (I) effect of *Azadirachta indica* leaf extract. *Arch Pharm Res.* 1990;13(1):108-12.
31. Ebong PE, Atnagwho IJ, Eyong EU, Egbung GE. The Antidiabetic efficacy of combined extracts from two continental plants: *Azadirachta indica* (A. Juss) (Neem) and *Vernonia amygdalina* (Del.) (African bitter leaf). *Am J Biochem & Biotech.* 2008;4(3):239-44.
32. Atangwho IJ, Ebong PE, Eyong EU, Asmawi MZ, Ahmad M. Synergistic antidiabetic activity of *Vernonia amygdalina* and *Azadirachta indica*: biochemical effects and possible mechanism. *J Ethnopharmacol.* 2012;141(3):878-87.
33. Saleem T, Mumtaz U, Bashir M, Qureshi HJ, Saleem A. Comparison of hypoglycemic effects of *Azadirachta indica* seeds and leaves on alloxan induced diabetes in male albino rats. *Pak J Med Health Sci* 2018;12(2):753–6.
34. Kar A, Choudhary BK, Bandyopadhyay NG. Comparative evaluation of hypoglycaemic activity of some Indian medicinal plants in alloxan diabetic rats. *J Ethnopharmacol* 2003;84:105–8.
35. Moaty A, El-Kholie EA, Adarous RA. The anti-diabetic effect of neem leaves (*Azadirachta indica*.) in alloxan-induced diabetic rats. *J Home Econ.* 2022;32(2):19-31.
36. Purohit A, Dixit VP. Hypoglycemic effect of neem bark and flower on streptozotocin-induced diabetes in mice. *Anc Sci Life.* 1991;11(1&2):28-30.
37. Akpan HD, Ekaidem IS, Usuh IF, Ebong PE, Isong NB. Effect of aqueous extract of *Azadirachta indica* (Neem) leaves on some indices of pancreatic function in alloxan-induced diabetic wistar rats. *Pharmacol.* 2012;3(9):420-5.
38. Shori AB, Baba AS. Antioxidant activity and inhibition of key enzymes linked to type-2 diabetes and hypertension by *Azadirachta indica*-yogurt. *J Saudi Chem Soc.* 2013;17:295-301
39. Rehana D, Mahendiran D, Kumar RS, Rahiman AK. *In vitro* antioxidant and antidiabetic activities of zinc oxide nanoparticles synthesized using different plant extracts. *Bioprocess Biosyst Eng.* 2017;40(6):943-957.
40. Bhat M, Zinjarde SS, Bhargava SY, Kumar AR, Joshi BN. Antidiabetic Indian plants: a good source of potent amylase inhibitors. *Evid Based Complement Alternat Med.* 2011;2011:810207.

41. Gutierrez RM, Gómez YG, Guzman MD. Attenuation of nonenzymatic glycation, hyperglycemia, and hyperlipidemia in streptozotocin-induced diabetic rats by chloroform leaf extract of *Azadirachta indica*. *Pharmacogn Mag.* 2011;7(27):254-9.
42. Chaudhari S, Zambad S, Ali M. Effect of aqueous Extract of *Azadirachta indica* Leaves on pharmacokinetics and pharmacodynamics of glipizide. *Drug Metab Lett.* 2019;13(1):19-24.
43. Bhat M, Kothiwale SK, Tirmale AR, Bhargava SY, Joshi BN. Antidiabetic properties of *Azadirachta indica* and *Bougainvillea spectabilis*: *In vivo* studies in murine diabetes Model. *Evid Based Complement Alternat Med.* 2011;2011:561625.
44. Satyanarayana K, Sravanthi K, Shaker IA, Ponnulakshmi R. Molecular approach to identify antidiabetic potential of *Azadirachta indica*. *J Ayurveda Integr Med.* 2015;6(3):165-74.
45. Noipha K, Ratanachaiyavong S, Ninla-Aesong P. Enhancement of glucose transport by selected plant foods in muscle cell line L6. *Diabetes Res Clin Pract.* 2010;89(2):e22-6.
46. Zuraini A, Vadiveloo T, Hidayat MT, Arifah AK, Sulaiman MR, Somchit MN. Effects of neem (*Azadirachta indica*) leaf extracts on lipid and C-reactive protein concentrations in cholesterol-fed rats. *J Nat Remedies* 2006;6(2):109–14.
47. Ezeiqwe OC, Ezeonu FC, Okani CO, Onwusulu DN, Onuegbu ME. Aqueous extract of *Azadirachta indica* leaves favorably alters the course of streptozotocin-induced diabetes in rats: A comparative prospective cohort study. *Biomed Res Ther.* 2020;7(7):3877-89.
48. Halim EM. Lowering of blood sugar by water extract of *Azadirachta indica* and *Abroma augusta* in diabetes rats. *Indian J Exp Biol* 2003;41:636-40.
49. Chandra A, Mahdi AA, Singh RK, Mahdi F, Chander R. Effect of Indian herbal hypoglycemic agents on antioxidant capacity and trace elements content in diabetic rats. *J Med Food* 2008;11(3):506–12.
50. Mahdi AA, Chandra A, Singh RK, Sanjeev S, Mishra LC, Ahmad S. Effect of herbal hypoglycemic agents on oxidative stress and antioxidant status in diabetic rats. *Indian J of Clin Biochem* 2003;18(2):8-15.
51. Upreti J, Ali S, Basir SF. Effect of lower doses of vanadate in combination with *Azadirachta indica* leaf extract on hepatic and renal antioxidant enzymes in streptozotocin-induced diabetic rats. *Biol Trace Elem Res.* 2013;156(1-3):202-9.
52. Ambooken B, Abdulsalam S, Asokan N, Abraham A. Allergic contact stomatitis caused by neem leaves (*Azadirachta indica*). *Contact Dermatitis.* 2017;76(6):376-8.
53. Jadhav PB. Leucoderma on the lips induced by neem (*Azadirachta indica*): case series. *Clin Exp Dermatol.* 2018;43(8):943-946.

54. Babu TA, Ananthkrishnan S. Idiopathic intracranial hypertension secondary to ingestion of *Morinda coreia* and *Azadirachta indica* leaves extract in infant. *J Pharmacol Pharmacother.* 2013;4(4):298-9.
55. Iyare E, Obaji N. Effects of aqueous leaf extract of *Azadirachta indica* on some haematological parameters and blood glucose level in female rats. *Nigerian J ExpClinBiosci* 2014;2(1):54-8.
56. Dorababu M, Joshi MC, Bhawani G, Kumar MM, Chaturvedi A, Goel RK. Effect of aqueous extract of neem (*Azadirachta indica*) leaves on offensive and defensive gastric mucosal factors in rats. *Indian J Physiol Pharmacol.* 2006;50(3):241-9.
57. Sumalatha G, Vidyavathi M, Thirupathi G. Herb drug interactions of neem leaf extract with glimepiride in diabetic rats. *Int J Pharm Bio Sci.* 2017;7(1):159-63.
58. Waqar MA, Shaukat S, Sohail T. Study of glibenclamide with some traditional herbs used for the treatment of diabetes in Pakistan. *J Chem Soc Pak.* 2008;30(1):147-54.
59. Nduka SO, Daniel AL, Ilodigwe EE, Adimorah A, Mbagwu SI. Pharmacodynamic herb-drug interactions: The effects of *Azadirachta indica* leaf extracts on two commonly used second generations sulfonylureas. *WJPPS.* 2015;4(7):1702-11.
60. Amaeze O, Marques ES, Wei W, Lazzaro S, Johnson N, Varma MVS, et al. Evaluation of Nigerian medicinal plants extract on human P-glycoprotein and cytochrome P450 enzyme induction: Implications for herb-drug interaction. *Curr Drug Metab.* 2021;22(14):1103-1113.
61. Amaeze O, Eng H, Horlbogen L, Varma MVS, Slitt A. Cytochrome P450 enzyme inhibition and herb-drug interaction potential of medicinal plant extracts used for management of diabetes in Nigeria. *Eur J Drug Metab Pharmacokinet.* 2021;46(3):437-450.