

เอกสารอ้างอิง: เรื่องนำรู้ของเห็ดหอม

1. *Lentinus edodes* (Berk.) Pegler Global Core Biodata Resource. [Internet]. 2025 [cited 2025 May 19]. Available from: <https://www.gbif.org/species/2537743>
2. การเพาะเห็ดหอม. มหาวิทยาลัยแม่โจ้ [อินเทอร์เน็ต]. 2568 [เข้าถึงเมื่อ 19 พฤษภาคม 2568]. เข้าถึงได้จาก: <https://sm.mju.ac.th/1.News/>
3. โครงการวิจัยและพัฒนาเทคโนโลยีการใช้วัสดุและอาหารเสริมเพาะเห็ดเศรษฐกิจ กรมวิชาการเกษตร. คลังข้อมูลงานวิจัยไทย [อินเทอร์เน็ต]. 2568 [เข้าถึงเมื่อ 19 พฤษภาคม 2568]. เข้าถึงได้จาก: <https://tnrr.nriis.go.th/#/research/291788>
4. การเพิ่มประสิทธิภาพและขยายผลการผลิตเห็ดเศรษฐกิจในพื้นที่ด้วยโรงเรือนเห็ดอัจฉริยะ. กรมวิชาการเกษตร [อินเทอร์เน็ต]. 2568 [เข้าถึงเมื่อ 19 พฤษภาคม 2568]. เข้าถึงได้จาก: <https://www.doa.go.th/plan/wp-content/uploads/2023/08/255.pdf>
5. นันทินี ศรีจุมปา, อัจฉรา พยัพพานนท์, เชิดชัย โพธิ์ศรี. การเปรียบเทียบสายพันธุ์เห็ดหอมในภาคเหนือ. วารสารวิชาการเกษตร. 2551.26(3)255-63.
6. การทำเชื้อและเพาะเห็ด. กรมวิชาการเกษตร [อินเทอร์เน็ต]. 2568 [เข้าถึงเมื่อ 19 พฤษภาคม 2568]. เข้าถึงได้จาก: <https://aed.rtarf.mi.th/ebook/1/mobile/index.html#p=65>
7. เกษม สร้อยทอง. เห็ดและราขนาดใหญ่ในประเทศไทย. อุบลราชธานี: โรงพิมพ์ศิริธรรม ออฟเซ็ท; 2537.
8. ตารางแสดงคุณค่าทางอาหารไทย. สำนักโภชนาการ [อินเทอร์เน็ต]. 2568 [เข้าถึงเมื่อ 19 พฤษภาคม 2568]. เข้าถึงได้จาก: <https://nutrition2.anamai.moph.go.th/th/thai-food-composition-table>
9. Hu D, Chen W, Li X, Yue T, Zhang Z, Feng Z, et al. Ultraviolet irradiation increased the concentration of vitamin D₂ and decreased the concentration of ergosterol in shiitake mushroom (*Lentinus edodes*) and oyster mushroom (*Pleurotus ostreatus*) powder in ethanol suspension. ACS Omega. 2020;5(13):7361-8. doi: 10.1021/acsomega.9b04321.
10. Jiang Q, Zhang M, Mujumdar AS. UV induced conversion during drying of ergosterol to vitamin D in various mushrooms: effect of different drying conditions. Trends Food Sci Technol. 2020;105:200-10. doi: 10.1016/j.tifs.2020.09.011.
11. Jung EB, Choi HJ, Lee JY, Hwang HJ, Chung MS. Comparison between intense pulsed light and continuous ultraviolet treatment processes for enhancing the vitamin D₂ content of shiitake mushroom (*Lentinula edodes*) powder. Food Chem. 2025;468:142434. doi: 10.1016/j.foodchem.2024.142434.
12. ขอนแนะนำเกี่ยวกับภาวะขาดวิตามินดีในคนไทย. สมาคมต่อมไร้ท่อแห่งประเทศไทย [อินเทอร์เน็ต]. 2568 [เข้าถึงเมื่อ 19 พฤษภาคม 2568]. เข้าถึงได้จาก: https://www.thaiendocrine.org/wp-content/uploads/2017/10/Vit-D-Booklet-20page_update-9Sep17-2.pdf
13. Roszczyk A, Turło J, ZagoŹdŹon R, Kaleta B. Immunomodulatory properties of polysaccharides from *Lentinula edodes*. Int J Mol Sci. 2022;23(16):8980. doi: 10.3390/ijms23168980.

14. Ulbricht C, Brigham A, Bryan JK, Catapang M, Chowdary D, Costa D, et al. An evidence-based systematic review of active hexose correlated compound (AHCC) by the natural standard research collaboration. *J Diet Suppl.* 2013;10(3):264-308. doi: 10.3109/19390211.2013.822631.
15. Borodina I, Kenny LC, McCarthy CM, Paramasivan K, Pretorius E, Roberts TJ, et al. The biology of ergothioneine, an antioxidant nutraceutical. *Nutr Res Rev.* 2020;33(2):190-217. doi: 10.1017/S0954422419000301.
16. Apparoo Y, Wei Phan C, Rani Kuppusamy U, Chan EWC. Potential role of ergothioneine rich mushroom as anti-aging candidate through elimination of neuronal senescent cells. *Brain Res.* 2024;1824:148693. doi: 10.1016/j.brainres.2023.148693.
17. Gutiérrez-Rodelo C, Ochoa-López A, Luis Balderas-López J, Reyes-Ramírez A, Millán-Pacheco C, Favela-Rosales F, et al. "Eritadenine as a regulator of anxiety disorders: an experimental and docking approach". *Neurosci Lett.* 2023;813:137413. doi: 10.1016/j.neulet.2023.137413.
18. Morales D, Piris AJ, Ruiz-Rodriguez A, Prodanov M, Soler-Rivas C. Extraction of bioactive compounds against cardiovascular diseases from *Lentinula edodes* using a sequential extraction method. *Biotechnol Prog.* 2018;34(3):746-55. doi: 10.1002/btpr.2616.
19. Asada N, Kairiku R, Tobo M, Ono A. Effects of shiitake intake on serum lipids in rats fed different high-oil or high-fat diets. *J Diet Suppl.* 2019;16(3):345-56. doi: 10.1080/19390211.2018.1458768.
20. Dai X, Stanilka JM, Rowe CA, Esteves EA, Nieves C Jr, Spaiser SJ, et al. Consuming *Lentinula edodes* (Shiitake) mushrooms daily improves human immunity: a randomized dietary intervention in healthy young adults. *J Am Coll Nutr.* 2015;34(6):478-87. doi: 10.1080/07315724.2014.950391.
21. Terakawa N, Matsui Y, Satoi S, Yanagimoto H, Takahashi K, Yamamoto T, et al. Immunological effect of active hexose correlated compound (AHCC) in healthy volunteers: a double-blind, placebo-controlled trial. *Nutr Cancer.* 2008;60(5):643-51. doi: 10.1080/01635580801993280.
22. Takanari J, Hirayama Y, Homma K, Miura T, Nishioka H, Maeda T. Effects of active hexose correlated compound on the seasonal variations of immune competence in healthy subjects. *J Evid Based Complementary Altern Med.* 2015;20(1):28-34. doi: 10.1177/2156587214555573.
23. Roman BE, Beli E, Duriancik DM, Gardner EM. Short-term supplementation with active hexose correlated compound improves the antibody response to influenza B vaccine. *Nutr Res.* 2013;33(1):12-7. doi: 10.1016/j.nutres.2012.11.001.

24. Smith JA, Gaikwad AA, Mathew L, Rech B, Faro JP, Lucci JA 3rd, et al. AHCC[®] supplementation to support immune function to clear persistent human papillomavirus infections. *Front Oncol.* 2022;12:881902. doi: 10.3389/fonc.2022.881902.
25. Yamaguchi Y, Miyahara E, Hihara J. Efficacy and safety of orally administered *Lentinula edodes* mycelia extract for patients undergoing cancer chemotherapy: a pilot study. *Am J Chin Med.* 2011;39(3):451-9. doi: 10.1142/S0192415X11008956.
26. Ito T, Urushima H, Sakaue M, Yukawa S, Honda H, Hirai K, et al. Reduction of adverse effects by a mushroom product, active hexose correlated compound (AHCC) in patients with advanced cancer during chemotherapy--the significance of the levels of HHV-6 DNA in saliva as a surrogate biomarker during chemotherapy. *Nutr Cancer.* 2014;66(3):377-82. doi: 10.1080/01635581.2014.884232.
27. Yanagimoto H, Satoi S, Yamamoto T, Hirooka S, Yamaki S, Kotsuka M, et al. Alleviating effect of active hexose correlated compound (AHCC) on chemotherapy-related adverse events in patients with unresectable pancreatic ductal Adenocarcinoma. *Nutr Cancer.* 2016;68(2):234-40. doi: 10.1080/01635581.2016.1134597.
28. Yanagimoto H, Hirooka S, Yamamoto T, Yamaki S, Sekimoto M. Efficacy of *Lentinula edodes* mycelia extract on chemotherapy-related tasted disorders in pancreatic cancer patients. *Nutr Cancer.* 2023;75(1):236-46. doi: 10.1080/01635581.2022.2107226.
29. Suknikhom W, Lertkhachonsuk R, Manchana T. The effects of active hexose correlated compound (AHCC) on levels of CD4+ and CD8+ in patients with epithelial ovarian cancer or peritoneal cancer receiving platinum based chemotherapy. *Asian Pac J Cancer Prev.* 2017;18(3):633-8. doi: 10.22034/APJCP.2017.18.3.633.
30. Kamiyama T, Orimo T, Wakayama K, Kakisaka T, Shimada S, Nagatsu A, et al. Preventing recurrence of hepatocellular carcinoma after curative hepatectomy with active hexose-correlated compound derived from *Lentinula edodes* mycelia. *Integr Cancer Ther.* 2022;21:15347354211073066. doi: 10.1177/15347354211073066.
31. Matsui Y, Uhara J, Satoi S, Kaibori M, Yamada H, Kitade H, et al. Improved prognosis of postoperative hepatocellular carcinoma patients when treated with functional foods: a prospective cohort study. *J Hepatol.* 2002;37(1):78-86. doi: 10.1016/s0168-8278(02)00091-0.
32. Cowawintaweewat S, Manoromana S, Sriplung H, Khuhaprema T, Tongtawe P, Tapchaisri P, et al. Prognostic improvement of patients with advanced liver cancer after active hexose correlated compound (AHCC) treatment. *Asian Pac J Allergy Immunol.* 2006;24(1):33-45.

33. deVere White RW, Hackman RM, Soares SE, Beckett LA, Sun B. Effects of a mushroom mycelium extract on the treatment of prostate cancer. *Urology*. 2002;60(4):640-4. doi: 10.1016/s0090-4295(02)01856-3.
34. Yoshino S, Nishikawa K, Morita S, Takahashi T, Sakata K, Nagao J, et al. Randomised phase III study of S-1 alone versus S-1 plus lentinan for unresectable or recurrent gastric cancer (JFMC36-0701). *Eur J Cancer*. 2016;65:164-71. doi: 10.1016/j.ejca.2016.06.012.
35. Kim H, Kim JH, Im JA. Effect of active hexose correlated compound (AHCC) in alcohol-induced liver enzyme elevation. *J Nutr Sci Vitaminol (Tokyo)*. 2014;60(5):348-56. doi: 10.3177/jnsv.60.348.
36. Zembron-Lacny A, Gajewski M, Naczek M, Siatkowski I. Effect of shiitake (*Lentinus edodes*) extract on antioxidant and inflammatory response to prolonged eccentric exercise. *J Physiol Pharmacol*. 2013;64(2):249-54.
37. Morales D, Shetty SA, López-Plaza B, Gómez-Candela C, Smidt H, Marín FR, et al. Modulation of human intestinal microbiota in a clinical trial by consumption of a β -D-glucan-enriched extract obtained from *Lentinula edodes*. *Eur J Nutr*. 2021;60(6):3249-65. doi: 10.1007/s00394-021-02504-4.
38. Spierings EL, Fujii H, Sun B, Walshe T. A phase I study of the safety of the nutritional supplement, active hexose correlated compound, AHCC, in healthy volunteers. *J Nutr Sci Vitaminol (Tokyo)*. 2007;53(6):536-9. doi: 10.3177/jnsv.53.536.
39. Fujii H, Nishioka N, Simon RR, Kaur R, Lynch B, Roberts A. Genotoxicity and subchronic toxicity evaluation of active hexose correlated compound (AHCC). *Regul Toxicol Pharmacol*. 2011;59(2):237-50. doi: 10.1016/j.yrtph.2010.10.006.
40. Levy AM, Kita H, Phillips SF, Schkade PA, Dyer PD, Gleich GJ, et al. Eosinophilia and gastrointestinal symptoms after ingestion of shiitake mushrooms. *J Allergy Clin Immunol*. 1998;101(5):613-20. doi: 10.1016/S0091-6749(98)70168-X.
41. Goikoetxea MJ, Fernández-Benitez M, Sanz ML. Food allergy to shiitake (*Lentinus edodes*) manifested as oesophageal symptoms in a patient with probable eosinophilic oesophagitis. *Allergol Immunopathol (Madr)*. 2009;37(6):333-4. doi: 10.1016/j.aller.2009.05.002.
42. Czarnicka AB, Kreft B, Marsch WCh. Flagellate dermatitis after consumption of shiitake mushrooms. *Postepy Dermatol Alergol*. 2014;31(3):187-90. doi: 10.5114/pdia.2014.40929.
43. Mendonça CN, Silva PM, Avelleira JC, Nishimori FS, Cassia Fde F. Shiitake dermatitis. *An Bras Dermatol*. 2015;90(2):276-8. doi: 10.1590/abd1806-4841.20153396.
44. Maruthappu T, Hader Z. A characteristic rash caused by shiitake mushrooms - an emerging concern? *Clin Case Rep*. 2021;9(6):e04181. doi: 10.1002/ccr3.4181.